

ONCO26 Oncology Phase III Clinical Trial

Complete Analysis Report

Generated on September 11, 2026

This report contains the complete statistical analysis outputs for the ONCO26 simulated Phase III clinical trial, including survival analysis, subgroup analysis, safety analysis, and laboratory shift analysis.

LIFETEST 过程

删失值和未删失值个数汇总					
层	ARM	合计	失效	删失	删失 百分比
1	ARM A	250	132	118	47.20
2	ARM B	250	111	139	55.60
合		500	243	257	51.40

LIFETEST 过程

检验 AVAL 在层之间的生存曲线的齐性

秩统计量		
ARM	对数秩	Wilcoxon
ARM A	-7.6892	-1554.0
ARM B	7.6892	1554.0


对数秩统计量的协方差矩阵		
ARM	ARM A	ARM B
ARM A	41.3110	-41.3110
ARM B	-41.3110	41.3110

Wilcoxon 统计量的协方差矩阵		
ARM	ARM A	ARM B
ARM A	4093810	-4093810
ARM B	-4093810	4093810

层间等效检验

检验	卡方	自由度	Pr > 卡方
对数秩	1.4312	1	0.2316
Wilcoxon	0.5899	1	0.4425
-2Log(LR)	0.0531	1	0.8178

Figure 1. Kaplan-Meier Survival Curve by Treatment Group



LIFETEST 过程

删失值和未删失值个数汇总					
层	ARM	合计	失效	删失	删失百分比
1	ARM A	250	132	118	47.20
2	ARM B	250	111	139	55.60
合		500	243	257	51.40

LIFETEST 过程

检验 AVAL 在层之间的生存曲线的齐性


秩统计量		
ARM	对数秩	Wilcoxon
ARM A	-7.6892	-1554.0
ARM B	7.6892	1554.0

对数秩统计量的协方差矩阵		
ARM	ARM A	ARM B
ARM A	41.3110	-41.3110
ARM B	-41.3110	41.3110

Wilcoxon 统计量的协方差矩阵		
ARM	ARM A	ARM B
ARM A	4093810	-4093810
ARM B	-4093810	4093810

Table 1. Median Survival Time by Treatment Group

LIFETEST 过程			
层间等效检验			
检验	卡方	自由度	Pr > 卡方
对数秩	1.4312	1	0.2316
Wilcoxon	0.5899	1	0.4425
-2Log(LR)	0.0531	1	0.8178



PHREG 过程

模型信息		
数据集	WORK.ADTTE_MERGED	
因变量	AVAL	Analysis Value (Survival Days)
删失变量	CNSR	Censoring Indicator (0=Event, 1=Censored)
删失值	0	
结值处理	EFRON	

读取的观测数	500
使用的观测数	482

分类水平信息		
分类	值	设计变量
ARM	ARM A	1
	ARM B	0
SEX	F	0
	M	1

Table 2. Cox Proportional Hazards Regression Results

PHREG 过程							
事件和删失值个数汇总							
合计		事件	删失	删失百分比			
482		233	249	51.66			
收敛状态							
满足收敛准则 (GCONV=1E-8)。							
模型拟合统计量							
准则		无协变量		带协变量			
-2 LOG L		2246.077		2244.188			
AIC		2246.077		2252.188			
SBC		2246.077		2265.992			
检验全局原假设: BETA=0							
检验	卡方	自由度	Pr > 卡方				
似然比	1.8895	4	0.7561				
评分	1.9145	4	0.7515				
Wald	1.9154	4	0.7513				
3 型检验							
效应	自由度	Wald 卡方	Pr > 卡方				
ARM	1	0.7929	0.3732				
AGE	1	0.1253	0.7234				
SEX	1	0.2163	0.6419				
BMI	1	0.8574	0.3545				

最大似然估计分析								
参数		自由度	参数估计	标准误差	卡方	Pr > 卡方	危险率	标签
ARM	ARM A	1	-0.11761	0.13208	0.7929	0.3732	0.889	Treatment Arm (Raw) ARM A
AGE		1	-0.00174	0.00492	0.1253	0.7234	0.998	Age (years)
SEX	M	1	0.06153	0.13230	0.2163	0.6419	1.063	Sex M
BMI		1	0.00898	0.00970	0.8574	0.3545	1.009	Body Mass Index (kg/m2)

“Treatment Arm (Raw)” 的 “ ” 危险比				
说明		点估计	95% Wald 置信限	
ARM	ARM A vs ARM B	0.889	0.686	1.152

PHREG 过程	
模型信息	
数据集	WORK.ADTTE_MERGED
因变量	AVAL Analysis Value (Survival Days)
删失变量	CNSR Censoring Indicator (0=Event, 1=Censored)

Table 3. Proportional Hazards Assumption Test

PHREG 过程			
模型信息			
删失值	0		
结值处理	EFRON		
读取的观测数		500	
使用的观测数		482	
分类水平信息			
分类	值	设计变量	
ARM	ARM A	1	
	ARM B	0	
SEX	F	0	
	M	1	
事件和删失值个数汇总			
合计	事件	删失	删失百分比
482	233	249	51.66
收敛状态			
满足收敛准则 (GCONV=1E-8)。			
模型拟合统计量			
准则	无协变量	带协变量	
-2 LOG L	2246.077	2244.188	
AIC	2246.077	2252.188	
SBC	2246.077	2265.992	
检验全局原假设: BETA=0			
检验	卡方	自由度	Pr > 卡方
似然比	1.8895	4	0.7561
评分	1.9145	4	0.7515
Wald	1.9154	4	0.7513
3 型检验			
效应	自由度	Wald 卡方	Pr > 卡方
ARM	1	0.7929	0.3732
AGE	1	0.1253	0.7234
SEX	1	0.2163	0.6419
BMI	1	0.8574	0.3545

Table 3. Proportional Hazards Assumption Test

PHREG 过程								
最大似然估计分析								
参数		自由度	参数估计	标准误差	卡方	Pr > 卡方	危险率	标签
ARM	ARM A	1	-0.11761	0.13208	0.7929	0.3732	0.889	Treatment Arm (Raw) ARM A
AGE		1	-0.00174	0.00492	0.1253	0.7234	0.998	Age (years)
SEX	M	1	0.06153	0.13230	0.2163	0.6419	1.063	Sex M
BMI		1	0.00898	0.00970	0.8574	0.3545	1.009	Body Mass Index (kg/m2)

检查“ARMARM A”的比例危险假设
观测路径和前 20 条模拟路径




Table 3. Proportional Hazards Assumption Test

PHREG 过程







Table 3. Proportional Hazards Assumption Test

PHREG 过程



比例危险假设的上确界检验				
变量	最大绝对值	复制	种子	Pr > MaxAbsVal
ARMARM A	0.7607	1000	12345	0.4690
AGE	0.5021	1000	12345	0.9130
SEXM	0.4942	1000	12345	0.8970
BMI	0.5865	1000	12345	0.6390

Figure 2. Forest Plot of Subgroup Analysis



Subgroup	SubgroupValue	Hazard Ratio	95% CI Lower	95% CI Upper
Age	<65	0.88603	0.65689	1.19509
Age	>=65	0.84315	0.52176	1.36252
BMI	<25	0.80905	0.54961	1.19096
BMI	>=25	0.92529	0.66118	1.29491
Sex	F	0.93351	0.65249	1.33555
Sex	M	0.82428	0.57539	1.18083

Treatment Group	N of TEAE	Percent (%)
Active	1703	63.26
Placebo	989	36.74

Adverse Event Term	Treatment Group		Treatment Group	
	Active	Placebo	Active	Placebo
	N	N	Percent (%)	Percent (%)
Alopecia	96	69	3.57	2.56
Anemia	114	77	4.23	2.86
Constipation	110	72	4.09	2.67
Decreased Appetite	93	63	3.45	2.34
Diarrhea	117	78	4.35	2.90
Fatigue	109	53	4.05	1.97
Hypertension	116	71	4.31	2.64
Injection Site Reaction	123	64	4.57	2.38
Nausea	117	63	4.35	2.34

Section 3. Safety Analysis
Table 6. TEAE by Preferred Term

Adverse Event Term	Treatment Group		Treatment Group	
	Active	Placebo	Active	Placebo
	N	N	Percent (%)	Percent (%)
Neutropenia	123	56	4.57	2.08
Peripheral Neuropathy	101	65	3.75	2.41
Pyrexia	125	59	4.64	2.19
Stomatitis	127	63	4.72	2.34
Thrombocytopenia	119	67	4.42	2.49
Vomiting	113	69	4.20	2.56

Severity	Treatment Group		Treatment Group	
	Active	Placebo	Active	Placebo
	N	N	Percent (%)	Percent (%)
Mild	808	510	30.01	18.95
Moderate	634	322	23.55	11.96
Severe	261	157	9.70	5.83

SAE Flag	Treatment Group		Treatment Group	
	Active	Placebo	Active	Placebo
	N	N	Percent (%)	Percent (%)
N	1483	859	55.09	31.91
Y	220	130	8.17	4.83

“LOGISTIC” 过程

模型信息	
数据集	WORK.SAE_ANALYSIS
响应变量	SAE_FLAG
响应水平数	2
模型	二元 Logit
优化方法	Fisher 评分法

读取的观测数 492

使用的观测数 492

响应概略

有序值	SAE_FLAG	总频数
1	1	246
2	0	246

建模的概率为 SAE_FLAG=1。

Section 3. Safety Analysis
Table 9. Logistic Regression - Serious Adverse Events

“LOGISTIC” 过程

分类水平信息		
分类	值	设计变量
TRT	Active	1
	Placebo	0
SEX	F	0
	M	1

模型收敛状态		
满足收敛准则 (GCONV=1E-8)。		

模型拟合统计量		
准则	仅截距	截距和协变量
AIC	684.057	675.051
SC	688.255	691.845
-2 Log L	682.057	667.051

检验全局原假设: BETA=0			
检验	卡方	自由度	Pr > 卡方
似然比	15.0054	3	0.0018
评分	14.8711	3	0.0019
Wald	14.6027	3	0.0022

3 型效应分析			
效应	自由度	Wald 卡方	Pr > 卡方
TRT	1	11.7029	0.0006
AGE	1	1.2178	0.2698
SEX	1	2.0890	0.1484


最大似然估计分析						
参数		自由度	估计	标准误差	Wald 卡方	Pr > 卡方
Intercept		1	0.2382	0.4186	0.3237	0.5694
TRT	Active	1	0.6269	0.1832	11.7029	0.0006
AGE		1	-0.00738	0.00669	1.2178	0.2698
SEX	M	1	-0.2650	0.1834	2.0890	0.1484

预测概率和观测响应的关联				
一致部分所占百分比		59.7	Somers D	0.198
不一致部分所占百分比		39.9	Gamma	0.199
结值百分比		0.4	Tau-a	0.099
对		60516	c	0.599

Section 3. Safety Analysis
Table 9. Logistic Regression - Serious Adverse Events

“LOGISTIC” 过程

优比估计和 Wald 置信区间				
效应	单位	估计	95% 置信限	
TRT Active vs Placebo	1.0000	1.872	1.307	2.681
AGE	1.0000	0.993	0.980	1.006
SEX M vs F	1.0000	0.767	0.536	1.099



Treatment Group	Baseline Status	Post-Baseline Status	N	Percent (%)
Active	HIGH	HIGH	580	6.37
		LOW	11	0.12
		NORMAL	232	2.55
	LOW	HIGH	22	0.24
		LOW	118	1.30
		NORMAL	312	3.43
	NORMAL	HIGH	256	2.81
		LOW	423	4.65
		NORMAL	2599	28.55
Placebo	HIGH	HIGH	583	6.41
		LOW	12	0.13
		NORMAL	165	1.81
	LOW	HIGH	13	0.14
		LOW	105	1.15
		NORMAL	400	4.39
	NORMAL	HIGH	220	2.42
		LOW		
		NORMAL		

Section 4. Laboratory Shift Analysis
Table 10. Shift from Baseline to Post-Baseline (Overall)

Treatment Group	Baseline Status	Post-Baseline Status	N	Percent (%)
		LOW	393	4.32
		NORMAL	2658	29.20
Visit	Treatment Group	Baseline Status	Post-Baseline Status	N
WEEK 12	Active	HIGH	HIGH	143
			LOW	2
			NORMAL	60
		LOW	HIGH	6
			LOW	31
			NORMAL	76
		NORMAL	HIGH	64
			LOW	106
			NORMAL	661
	Placebo	HIGH	HIGH	148
			LOW	3
			NORMAL	35
		LOW	HIGH	3
			LOW	22
			NORMAL	105
		NORMAL	HIGH	63
			LOW	90
			NORMAL	657
WEEK 24	Active	HIGH	HIGH	121
			LOW	3
			NORMAL	76
		LOW	HIGH	8
			LOW	35
			NORMAL	73
		NORMAL	HIGH	74
			LOW	109
			NORMAL	636
	Placebo	HIGH	HIGH	142
			LOW	1
			NORMAL	48
		LOW	HIGH	1
			LOW	26
			NORMAL	99
		NORMAL	HIGH	54
			LOW	100
			NORMAL	673
WEEK 4	Active	HIGH	HIGH	158
			LOW	2
			NORMAL	45
		LOW	HIGH	2
			LOW	27

Section 4. Laboratory Shift Analysis
Table 11. Shift by Visit and Treatment

Visit	Treatment Group	Baseline Status	Post-Baseline Status	N
WEEK 8	Placebo	NORMAL	NORMAL	82
			HIGH	53
			LOW	104
			NORMAL	646
		HIGH	HIGH	142
			LOW	6
			NORMAL	47
			HIGH	5
		LOW	LOW	31
			NORMAL	97
			HIGH	40
			LOW	100
	Active	NORMAL	NORMAL	677
			HIGH	158
			LOW	4
			NORMAL	51
		LOW	HIGH	6
			LOW	25
			NORMAL	81
			HIGH	65
		NORMAL	LOW	104
			NORMAL	656
			HIGH	151
			LOW	2
	Placebo	HIGH	NORMAL	35
			HIGH	4
			LOW	26
			NORMAL	99
		LOW	HIGH	63
			LOW	103
			NORMAL	651