
Name:			•••••••		
Roll No. : .	, , , , , , , , , , , , , , , , , , ,			•••••	
Invigilator'	s Signature :	•••••		•	
CS/B.Tech/		2010-	11	E)/SEM-3/EE-301/	/2010-11
	CIRCUIT	THEORY	& NE	TWORKS	•
Time Allotted: 3 Hours				Full Marks: 70	
A CAS	The figures i	in the margii	n indica	te full marks.	
Candidat	es are require	7.		vers in their own	words
		as far as	- ·	ble.	
		GROUP			
	(Multipl	e Choice T	ype Q	uestions)	
1. Choo	se the correc	t alternative	s for an	y <i>ten</i> of the follow 10 >	wing : < 1 = 10
•	The Laplace $f(t) = U(t - a)$		n of	a shifted uni	t step
	a) e^{-as}		b)	$e^{-as/s}$	
	c) se ^{-as}		d)	$e^{-as/s}$ $s(1-e^{-as}).$	
ii)	A tie-set ma	atrix has 3	3 rows	and 7 branche	es. The
	number of tw	rigs is			
	a) 3		b)	5	
	c) 2		d)	4.	
iii)	Unit step fun	ction is fist	derivati	ve of	
	a) Ramp fu	inction	p)	Impulse functio	n
(c) Gate fur	nction	d)	Parabolic functi	on.
3051				[Tı	ırn over
			:		

- iv) A circuit having neither an e.m.f. source nor any energy source is
 - a) active circuit
- b) passive circuit
- c) unilateral circuit
- d) bilateral circuit.
- v) In the network shown in the figure, the effective resistance faced by the voltage source is




a) 4Ω

b) 3Ω

c) 2Ω

- d) 1Ω .
- vi) The time constant of the network show in the figure is




a) 2 RC

b) 3 RC

c) $\frac{RC}{2}$

d) $\frac{2RC}{3}$

vii) The Z parameter of the following network is



- a) $\begin{bmatrix} R & R \\ R & R \end{bmatrix}$
- b) $\begin{bmatrix} R & 0 \\ 0 & R \end{bmatrix}$
- c) $\begin{bmatrix} R & -R \\ -R & R \end{bmatrix}$
- d) Cannot be determined.

viii) Two equal impedances 10∠60° are connected in parallel.

The equivalent impedance will be

a) 20∠60°

- b) 10∠120°
- c) 15∠120°
- d) 5∠60°.

ix) A series resonant circuit at resonance is called

- a) an acceptor circuit
- b) a rejector circuit
- c) an oscillator circuit
- d) a damped circuit.

x) The average power delivered to a reactive load is

a) zero

- b) VI sin ϕ
- c) v(t) + i(t)
- $d) \qquad 1 \frac{1}{2} V_m I_m \, \sin \, \phi.$

- xi) The output Y and input X of a system are related by the equation Y = mX + c, where m, c are constants. The system is
 - a) linear

b) non-linear

- c) bilateral
- d) unilateral.
- xii) The Fourier transform can be used to represent
 - a) any signal
 - b) all periodic signals
 - c) all non-periodic signals
 - d) all periodic signals that obey Dirichlet's condition.

GROUP - B


(Short Answer Type Questions)

Answer any three of the following.


 $3 \times 5 = 15$

2. Draw the oriented graph of the figure shown and find the

incidence matrix.




3. Find the Laplace transform of the triangular waveform




4. For the circuit shown below, find the mode voltages.

shown.



5. Compute V_x in the circuit shown below using the method of source transformation.



6. Find the rms value of the periodic current ;

 $i(t) = 8 + 30 \cos 2t - 20 \sin 2t + 15 \cos 4t - 10 \sin 4t A$.


GROUP - C

(Long Answer Type Questions)


Answer any three of the following.

 $3 \times 15 = 45$


7. a) Find the Thevenin equivalent of circuit shown below:



Find the load impedance Z_L to transfer maximum power in the circuit shown. Find also the value of power consumed by the load. 7+8




8. a) Determine the Fourier series for the half wave rectified consine function shown.




3051

b)


b) Derive the Fourier transform of a single rectangular pulse of width τ and height A shown below: 10 + 5




9. a) Find the transmission parameters for the two-part network shown below:




b) Find the Y parameters of the two-part network shown below: 8+7




10. a) In the circuit shown below, the switch moves from position a to position b at t = 0. Find i(t) for t > 0.



b) Find $v_0(t)$ in the circuit shown below. Assume zero initial condition. 8+7



- 11. a) Draw the circuit diagram of a first order highpass filter& find out the expression of the cut-off frequency.
 - b) What do you mean by wide bandpass and narrow bandpass filters? Draw the circuit diagram for the two types
 of filters.
 - c) Find the cut-off frequency of the following lowpass second order active filter shown below. 5 + 5 + 5



3051