

Name :

Roll No. :

Invigilator's Signature :

CS/B.Tech(New)/EE,EEE,ICE/SEM-3/EE-302/2011-12

2011

FIELD THEORY

Time Allotted : 3 Hours

Full Marks : 70

The figures in the margin indicate full marks.

*Candidates are required to give their answers in their own words
as far as practicable.*

GROUP – A

(Multiple Choice Type Questions)

1. Choose the correct alternatives for any *ten* of the following :

$$10 \times 1 = 10$$

i) The intrinsic impedance of free space is given by

- a) 333Ω b) 377Ω
c) $4\pi \Omega$ d) $2\pi \Omega$.

ii) Minimum value of VSWR is

- a) $-\infty$ b) -2
c) 0 d) 1 .

iii) ϵ_0 for vacuum is given by

- a) $10^{-9} / (36 \pi)$ b) $10^{-19} / (36 \pi)$
c) 0 d) 1 .



iv) Which one is true for charge free region ?

a) $\nabla^2 \phi = 1$

b) $\nabla^2 \phi = 0$

c) $\nabla^2 \phi = -\frac{\rho}{\epsilon_0}$

d) none of these.

v) Which one is conservation of charge equation for the steady currents ?

a) $\nabla \cdot J = 1$

b) $\nabla \cdot J = 0$

c) $\nabla \cdot J = 4\pi$

d) $\nabla \cdot J = \rho$

vi) Lorentz force for a point charge in motion in external electric and magnetic field is given by

a) $F = Q (E + u \times B)$

b) $F = Q (B + u \times H)$

c) $F = Q (H + uB)$

d) $F = Q (E + uB)$.

vii) Which of the following can be the unit of *emf* ?

a) Wb/s

b) Wb/v

c) v/s

d) s/v.



viii) In a co-axial cable the mode of wave propagation is

a) TEM b) quasi TEM

c) TE d) TM.

ix) For a lossless transmission line the characteristic impedance is given by

a) $\sqrt{\frac{C}{L}}$ b) $\sqrt{\frac{L}{C}}$

c) $2\pi \sqrt{\frac{C}{L}}$ d) $2\pi \sqrt{\frac{L}{C}}$.

x) For a lossless transmission line terminated with a short circuit, the i/p impedance is given by (for line characteristic impedance z_0)

a) $jz_0 \tan \beta l$ b) $-jz_0 \tan \beta l$

c) $jz_0 \cot \beta l$ d) $-jz_0 \cot \beta l$.

xi) Wave number is given by

a) $k = \omega \sqrt{\mu\epsilon}$ b) $k = 2\pi \sqrt{\mu\epsilon}$

c) $k = \sqrt{\mu\epsilon}$ d) $k = \omega^2 \mu\epsilon$.



xii) Skin depth is given by

- a) $\delta = \sqrt{2/(\omega\mu\sigma)}$
- b) $\delta = \sqrt{\pi/(\omega\mu\sigma)}$
- c) $\delta = 2/\sqrt{(\omega\mu\sigma)}$
- d) $\delta = \pi/\sqrt{(\omega\mu\sigma)}$.

GROUP – B

(Short Answer Type Questions)

Answer any *three* of the following.

3 × 5 = 15


2. State and explain the following :

- a) Stoke's theorem
- b) Helmholtz theorem.

3. Using Cartesian coordinates show that

$$\nabla \cdot (\nabla \times \mathbf{A}) = 0 \text{ and } \nabla \times (\nabla \phi) = 0.$$

4. Show that a lossless $x/8$ length line terminated as open circuit, behaves like a capacitor.



5. a) Derive an expression for the wave equation in terms of electric field intensity in a perfect dielectric of permittivity ϵ , permeability μ for the medium with no absorption.
- b) For a lossy dielectric $\mu_r = 1$, $\epsilon_r = 48$, $\sigma = 20$ S/m, calculate the attenuation constant and phase constant at frequency of 16 GHz.
6. Deduce boundary conditions on electric vector \vec{E} and \vec{D} for Dielectric-Dielectric interface.

GROUP – C

(Long Answer Type Questions)

Answer any *three* of the following. $3 \times 15 = 45$

7. a) What is polarization ? How will you generate right handed circular polarize waves using linearly polarized wave sources ? Define axial ratio. $2 + 2 + 2$
- b) State and prove Poynting Theorem. 9
8. a) Draw the equivalent circuit of a transmission line. What is distortionless line ? How to achieve distortionless condition on the line ? Derive necessary conditions.

$2 + 2 + 5$



- b) Find the characteristic impedance, propagation constant and velocity of propagation for a transmission line having the following parameters :

$$R = 84 \text{ ohm/km}, G = 10^{-6} \text{ mho/m}, L = 0.01 \text{ H/km},$$

$$C = 0.061 \text{ } \mu\text{F/km}, \text{ frequency} = 1000 \text{ Hz.} \quad 6$$

9. a) State and explain Gauss's law in differential form and explain what do you mean by div. D. 7

- b) A circular disc of radius 'a' is situated in the xy plane at $Z = 0$, with its centre at the origin charge density on disc is $\rho_s = \text{constant c/m}^2$. Calculate the field at any point $(0, 0, h)$ in cylindrical co-ordinate system. 8

10. Find the Gradient of a function G at the point $(4, 5, 6)$ and Divergence of F at $(3, 2, 1)$, given that

$$G = x^2 + y^2 + z^2 \text{ and } \vec{F} = 2xy\vec{a}_x + z\vec{a}_y + yz^2\vec{a}_z.$$

- Given point $P(1, 2, 3)$. Express P in cylindrical and spherical co-ordinates. 9 + 6



11. Write short notes on any *three* of the following : 3 × 5

- a) Magnetic material
- b) Poisson's and Laplace's equation
- c) Maxwell's equations
- d) Propagation constants
- e) Biot-Savart law.

=====