

The Punjab Cinemas (Regulation) Rules, 1952

PUNJAB

India

The Punjab Cinemas (Regulation) Rules, 1952

Rule THE-PUNJAB-CINEMAS-REGULATION-RULES-1952 of 1952

- Published on 14 October 1952
- Commenced on 14 October 1952
- [This is the version of this document from 14 October 1952.]
- [Note: The original publication document is not available and this content could not be verified.]

The Punjab Cinemas (Regulation) Rules, 1952Published vide Punjab Government Notification No. 8279-H-52/12052, dated 14.10.1952

Part I – Introductory

1. Title

- (i) These rules may be cited as the Punjab Cinemas (Regulation) Rules, 1952.(ii)They shall come into force on the first day of November, 1952.

2. Definitions.

- In these rules, unless there is any thing repugnant in the context :-(i)the 'Act' means that Punjab Cinemas (Regulations) Act, 1952;(ii)'auditorium' means that portion of the building occupied by the audience or spectators during a cinematograph exhibition;[(ii-a) - approved film means a film produced in India and approved by the Central Government after considering the recommendations of the Films Advisory Board, Bombay to be a scientific film, a film intended for educational purposes, a film dealing with news and current events or a documentary film.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 11.7.78.](iii)'Electric Inspector' means an inspector appointed by the Punjab Government under Section 36 of the Indian Electricity Act, 1910;(iv)'enclosure' means that portion of a place licensed under section 5 of the Act in which the cinematograph apparatus is erected;(v)'Executive Engineer' in relation to the licensing of any place for cinematograph exhibitions, means the officer holding charge of that division of the Public Works Department (Buildings and Roads Branch) in which the place is situated;(vi)'exit' includes an emergency exit and any entrance useable by the public as an exit;(vii)'fire-resisting material' means :-(a)burnt brickwork, cement concrete and

reinforced brickwork or cement concrete having a minimum cover of one inch;(b)terra cotta blocks securely bonded, provided that no side or web thereof is less than one and a half inches in thickness;(c)stone, tiles, solid gypsum blocks, marble, iron, steel, copper, asbestos or zinc; or(d)such other material as the Executive Engineer may approve;(viii)'Government' means the Government of the State of Punjab ;(ix)'touring cinematograph' means a cinematograph apparatus which is so adopted and constructed so that it can be taken from place to place for the purpose of giving cinematograph exhibitions;(x)'touring cinematograph of the safety class' means a touring cinematograph in which incandescent lamp is used for the projector;(xi)'Adult' means a person who has completed his eighteenth year.

Part II – Procedure in granting Licences

3.

(i)Licences granted under section 5 of the Act shall be either [for a period of three years or temporary] [See Punjab Government Notification in Punjab Government Gazette , Legislative Supplement Part III, dated 28.11.1961.].(ii)[A three years'] [See Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence shall only be granted subject to the provisions of section 5 of the Act and in accordance with the provisions of the rules in Part III in respect of a building permanently equipped for cinematograph exhibitions. It shall be valid for [three years] [See Punjab Government Notification in Punjab Government Gazette , Legislative Supplement Part III, dated 28.11.1961.] from the date of issue and shall be renewable on the application of the licensee.[Provided that in the case of a three years' license the place licensed under the Act shall be inspected annually by the Executive Engineer as well as by the Electrical Inspector to Government, Punjab on the payment of the fees as prescribed in schedule to rule 16.] [See Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 24.1.1964.](iii)[Subject to the provisions of sub-rule (iv) and the rules in Part IV, a temporary licence may be granted in any town or village for exhibition by means of a touring cinematograph for an aggregate period not exceeding six months in one calendar year] [See Punjab Government Legislative Supplement Part III, dated 16.7.1958.]:Provided that for a town or village in any of the districts of Amritsar, Ferozepur and Gurdaspur or for a town or village with a population of more than ten thousand according to the latest official census in any other district the aggregate period may be extended by another six months in the same calendar year:Provided further that in calculating the aggregate period in respect of any town or village the period not which a licence to the same or other touring cinematograph has been granted within five miles of the outer limits of such town or village shall be taken into account.(iv)[No licence to a touring cinematograph shall be granted for such a place where there is a permanent cinema; [See Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 17.6.1966]Provided that such a licence may be granted for such a place for a period for exceeding in the aggregate three months on special occasions such as fair and religious gatherings or to meet a particular temporary need.]

4.

Licensee, whether [for a period of three years] [See Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.19164.] or temporary, shall be in form A annexed to these Rules and shall be subject to the conditions and restrictions set forth therein and to the provisions of these rules.

5.

(i)Every application for the grant or renewal of a licence shall be in writing and shall be signed by the applicant.(ii)Applications for the grant as distinct from the renewal of [a three years] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence shall be accompanied by ; -(a)full particulars regarding the ownership of, and all rights, in the premises and in the cinematograph apparatus to be used therein;(b)complete plans, elevations, and sections in duplicate, of the premise and all erections or buildings thereon drawn correctly to the scale of one-eighth of an inch to one foot and showing the width of all stairways and the number of steps in each, the width of corridors, gangways and doorways, the height of the cinematograph and of the plant for the generation or conversion of electrical energy;(c)a site plan in duplicate on a separate sheet drawn to the scale of one-fortieth of an inch to one foot showing the position of the premises in relation to any adjacent premises and to the public thoroughfares upon which the site of the premises abuts, and the arrangements proposed for the parking of motor cars and others vehicles;(d)specifications of various materials proposed to be used in the construction of the buildings.(iii)The cardinal points of the compass shall be shown on the plans and the plans shall be so coloured as to distinguish the materials used in the construction of the buildings;(iv)Application under sub-section (ii) of this rule shall be submitted to the licensing authority before any alteration necessary for the adaptation of the premises for cinematograph exhibition are taken in hand, or in the case of a new building, before its construction is begun.[The work shall not be commenced unless the Executive Engineer certifies that the proposed construction, addition or alteration of the premises is in accordance with these rules and the buildings bye-laws of the local authority, if any.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 1.6.1953.](v)The licensing authority may require an applicant for a temporary licence to furnish such plans of the premises and such specifications as he may consider necessary.

6.

An application for the renewal of [a three years'] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence shall be made at least [three months] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 22.4.1963.] before the date of the expiry of the old licence:Provided that if the application for renewal is made after the prescribed date the licensing authority may nevertheless renew the licence on payment of the fee chargeable for a new licence.

7.

(i) If on an application of renewal of licence the licensing authority does not for any reason, before the date of the expiry of licence, either renew and return the licence or refuse to renew the same, he may grant a temporary permit in Form B annexed to these rules. (ii) Such temporary permit shall be subject to the conditions of the licence sought to be renewed and shall be valid for such period not exceeding two months as the licensing authority may direct: Provided that the temporary permit shall cease to be valid and shall be surrendered to the licensing authority on the applicant receiving his duly renewed, or on his receiving an order refusing to renew the licence. (iii) The temporary permit shall during the period of its validity be deemed to be a licence for the purposes of these rules. (iv) A fee of ten rupees shall be levied for the grant of such temporary permit, provided that if in the opinion of the licensing authority the grant of this permit has not been necessitated by the negligence of the licensee, the fee or a portion of it may be permitted.

8.

(i) The licensee shall be responsible for compliance with the provisions of these rules and with conditions of his licence, for the maintenance of the licensed premises at all times and in all respects conformity with the standards prescribed by these rules, and for taking all necessary measures, before any cinematograph exhibition is commenced, to ensure the safety of the public and his employees against fire and other accidents. (ii) The licensee or some responsible person nominated by him in writing for the purpose shall be in general charge of the licensed premises and cinematograph during the whole time that any exhibition is in progress. Inspections

9.

(i) Before granting or renewing [a three years'] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence [the licensing authority shall within a period of seven days of the receipt of the application of the licensee] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 22.4.1963.]. - (a) call upon the Executive Engineer to examine the structural features of the building and report [within a period of one month] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 22.4.1963.] whether the rules relating thereto have been duly complied with. (b) call upon the Electric Inspector to examine the cinematograph and the electrical equipment to be used in the building and to report [within a period of one month] [See Punjab Government Notification published in Punjab Government Gazette, Legislature Supplement Part III, dated 22.4.1963.] whether they comply with the requirements both of these rules and of the Indian Electricity Act, 1910 and of such of the rules made thereunder as are applicable, whether all reasonable precautions have been taken to protect spectators and employees from electric shock and to prevent the introduction of the fire into the building through the use of electrical equipment, and whether the prescribed fire extinguishing appliances have been provided, are in working order and suitable for the purpose for which they are intended. (ii) Defects revealed by such inspections shall be brought to the notice of the applicant or licensee and of the licensing authority, who may refuse to grant or

renew the licence unless and until they are remedied to his satisfaction.

10.

The licensing authority or any officer authorised by him in this behalf may at any time enter a place which he has reason to believe is being used or is, intended to be used for the purpose of cinematograph exhibitions, in order to satisfy himself that all the provisions of the Act, the rules framed thereunder and the conditions of the licence are being complied with.

11.

(i)The Electric Inspector or any officer specially appointed to assist him in this behalf may at any time enter and inspect any place licensed under section 5 of the Act.(ii)Defects revealed by such inspections shall be brought to the notice of the licensee and shall also be reported to the licensing authority.

12.

(i)The licensing authority, may, if he considers necessary by general or special order, authorise a medical officer to inspect the sanitary condition of any of the places which have been licensed by him under section 5 of the Act and such officers may visit all parts of the premises for purposes of inspection at any time.(ii)Defects revealed by such inspection shall be brought to the notice of the licensee and also be reported to the licensing authority.

13.

The licence and the plan and description, if any, attached thereto shall be produced on demand by the licensing authority or by any officer authorised by him or by these rules to enter a place licensed under section 5 of the Act.

Alterations and Repair

14.

(i)No addition to or alteration of any portion of any premises licensed under section 5 of the Act, necessitated by fire, any other calamity or any other cause shall be made without the sanction of the licensing authority.(ii)The licensee shall give notice in writing to the licensing authority of his intention to make any such addition or alteration, and such notice shall be accompanied by complete plans, elevations and sections and specifications of the work proposed to be executed, drawn up in duplicate in the manner prescribed in rule 5, provided that in the case of premises for which a temporary licence has been granted such plans and specifications shall be furnished as the licensing authority may consider necessary.(iii)The work shall not be commenced until the consent of the licensing authority has been obtained, and the licensing authority shall not give his consent unless the Executive Engineer certifies that the proposed addition or alteration is in accordance with these rules.(iv)No addition to or alteration of any part of the cinematograph and its appurtenances

or of the lighting or other electric arrangements shall be made without the sanction of the licensing authority. The licensee shall give notice in writing to the licensing authority of his intention to make any such addition or alteration, and the licensing authority shall not give sanction thereto unless the Electric Inspector or an officer deputed by him certifies that the addition or alteration is in accordance with the provisions of these rules.

15.

Notice in writing shall be given to the licensing authority of intention to carry out repairs or re-decorations necessitating the use of scaffolding, cradles or plant giving full details of the position thereof, if it is intended that the public shall be admitted while such scaffolding, cradles or, plant are in position or in use. If the licensing authority shall so require, the premises shall be closed to the public until the work has been completed and the scaffolding, cradles and plant removed. Fees

16.

(1) The fees shown in the Schedule to these rules shall be charged for the grant and renewal of licensee and for inspections. [These fees shall be deposited in a Government treasury before applying for the grant and renewal of licences and for inspections] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 27.3.1956.]. [These fee shall be deposited in a Government treasury before applying for the grant and renewal of licences and for inspections.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 27.3.1956.]

Schedule

[See Rule 16] Table of Fees

1. Fee the grant of [a three years'] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III dated 28.11.1961.] licence [Rs. 1500] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III dated 6.10.1972.]

2. For renewal of [a three years'] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III dated 28.11.1961.] licence [Rs. 1000] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.]

3. For a temporary licence for each week or part of a week Rs. 10

[Provided that in the case of commercial firms, concerns and institutions, for exhibiting films to propagate sale of their products, a fee of Rs. 100 per week or Rs. 20 per day, as the case may be, shall be charged.] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III dated 5.2.1959.]

4. For the grant of a duplicate of [a three years'] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 19.2.1953.] licence Rs. [20] [See Punjab Government notification published in Punjab Government Gazette Legislative Supplement Part III dated 28.11.1961.]

5. For an inspection by the Executive Engineer for the grant or renewal of a licence-

(i)For the First inspection [Rs. 200.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.](ii)For any subsequent inspection that may be necessary, such sum not exceeding Rs. [200] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.] as the licensing authority may determine.

6. For an inspection by the Electric Inspector for the grant or renewal of [a three year'] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence :-

(i)For the first inspection. [Rs. 200] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.](ii)For any subsequent inspection that may be necessary, such sum not exceeding Rs. [200] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.] as the licensing authority may determine.

7. For an inspection by the Electric Inspector of a touring cinematograph:-

(i)For the first inspection. [Rs. 100] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1992.](ii)For any subsequent inspection that may be necessary, such sum not exceeding Rs. 30 as the licensing authority may determine.(iii)For supplying duplicate copies of fitness certificate to touring talkies Rs. 2.

8. For an inspection made by the Executive Engineer or the Electric Inspector during the currency of a licence under the written orders of the licensing authority sum not exceeding Rs. 200/- [as the licensing authority may determine.] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.10.1972.]

(2)[An application for the annual inspection referred to in the proviso the sub-rule (ii) of rule 3 shall be made by licensee at least one month before the date of inspection becomes due, after the depositing the prescribed fee in a government treasury.] [Sub-rule (2) added vide Punjab Government Notification published in Legislative Supplement Part III dated 24th January, 1964.]

Part III – Rules regarding building licensed [(for a period of three years) for cinematograph exhibitions] [Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.]

17.

In this part the term "the building" means a building in respect of which [A three years'] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence has been or may be granted as provided in rule 18.

18.

(i)[A three years'] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence shall only be granted or renewed in respect of building which as regards its location, structure, fittings, electrical and other equipment complies with the provisions of the rules in this part.(ii)Notwithstanding anything in the preceding sub-rule [a three years] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.] licence may be granted or renewed for such period as Government may determine in any particular building already licensed for cinematograph exhibition on 1st November, 1941 relaxing the provisions of rules 19(i), 22, 26(i), 27, 28(iii), (iv) and (v), 31(ii) and (iii), 36(i), 37 and 48 to such extent and subject to such conditions as it deems necessary.

19. Site.

- (i) The building :- (a)[shall not be within a radius of - [Punjab Government Notification published in the Punjab Government Gazette Legislative Supplement Part III, dated 3.8.1973.](i)sixty meters, if it is sound proof,(ii)two hundred meters, if it is not sound proof,from a place of worship, cremation ground, graveyard, cemetery, recognised educational institution, any residential

institution attached to such educational institution, public hospital or an orphanage containing one hundred or more inmates and shall not contravene any provision of a town planning or development scheme sanctioned by the State Government under any law for the time being in force:Explanation. - The radius of sixty meters or two hundred meters, as the case may be, shall be measured from the exit of the auditorium of the cinema building to the entrance of any one of the places referred to above.](ii)[any educational institution recognised by the Government or the University incorporated by law or an educational Board controlling the courses of study and holding of examination; [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 14.4.1967.](iii)public hospital.](iv)an orphanage containing one hundred or more inmates; or(v)a thickly populated residential area which is either exclusively residential or reserved or used generally for residential as distinguished from business purposes;[Note - The radius of one furlong shall be measured from the exit of the auditorium of the Cinema building to the entrance of any one of such public place/institution. None of the exit of a cinema auditorium shall be within one furlong of any of the entrance of public place or institution mentioned in the rule.] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 2.2.1968.](b)Shall in no way offend against traffic laws and either(c)shall be detached building.Provided that the minimum distance it stands apart from other building shall not be less than 20 feet, and the surrounding space shall be unobstructed and shall be such as will enable the persons who are to be accommodated to disperse rapidly in the event of fire or panic and as will permit of the approach of fire engines and fire appliances:Provided further that in the case of the buildings which accommodates more than one thousand persons the distance it stands apart from other buildings shall be such as the licensing authority may require by special order in writing.or (d) shall abut upon and have frontage of adequate length to two or more public ways or open spaces from which there are at all times free means of exit. The public ways or open spaces shall be of such width as will enable the persons who are to be accommodated to disperse rapidly in the event of fire and as will permit of the approach of fire engines and fire appliances;Provided that one of them shall have a clear width of at least 35 feet including footpaths and shall be a through road:Provided further that in the case of building which accommodated more than one thousand persons, the public ways or open spaces shall be of such width and the frontage thereto of such length as the licensing authority may require by special order in writing.(ii)The frontages shall be considered of adequate length if they form about half of the total boundaries of the site of the building excluding recesses and projections:Provided that if they are less than half, a licence shall not be granted without the previous sanction of Government.(iii)The building shall not be constructed underneath or on top of any part of any other building without the special consent in writing of the licensing authority.

20.

No portion of the building shall be occupied or used as factory, workshop or for storage purposes or as a hotel or for residential purposes or for the preparation or sale of food or drink, except as the licensing authority may by written order permit.

21. External walls.

- (i) The building shall have external or party walls or brick, mud, stone, corrugated iron or concrete. (ii) Where the building is in close proximity to another building, it shall be separated therefrom by walls and structures of fire resisting materials in a manner to be approved by the licensing authority and no openings in the walls or in any part of building such as may be liable to communicate fire shall overlook the neighbouring building. (iii) Any opening in the building overlooking an adjacent site upon which an inflammable structure is erected or upon which inflammable material is stored shall be protected to the satisfaction of the licensing authority.

22. Structural requirements.

- (i) All floors, galleries, tiers, posts, columns, joints, trusses, stairways and landings in the building shall be of fire resisting material. (ii) Partition shall be made of fire-resisting material or of wood not less than 1³/₄ inch thick and certified by the Executive Engineer to be hard wood. (iii) [The building shall have a roof. All ceilings and panelling shall be made of fire resisting material or from compressed or synthetic material treated against flaming which has been certified by the Executive Engineer to be suitable for the purpose intended.] [See Punjab Government galleries Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 16.6.1956.] (iv) All floors including, landings and corridors with their supports shall be capable of supporting a static load of one hundred pounds per square floor and, as in alternative loading, every step or landing shall be strong enough to support a point load of three hundred pounds placed in any position. (v) Where the first tier or gallery extends over the stalls, the height between the foot of the stalls and such tier or gallery shall not in any part be less than 10 feet; the height between the floor of the highest part of the gallery and the lowest part of the ceiling over the same shall not in any part be less than 12 feet, the height between any tier and the tier ceiling above it shall, in no case, be less than 8 feet.

23. Drainage.

- (i) The building and the compound, if any, shall be adequately drained to the satisfaction of the licensing authority. (ii) Except with the written consent of the licensing authority, the lowest floor of the building shall not be constructed at a lower level than that at which it can be effectively drained by gravity.

24. Accommodation.

- (i) The total number of spectators accommodated in the building shall not exceed 20 per hundred square feet of the area available for sitting and standing or 20 per 133¹/₂ hundred square feet of the overall area of the space in the auditorium. (ii) A notice showing the number of spectators permitted by the conditions of the licence to be admitted to any one part of the building shall be exhibited at a prominent place either at the entrance of the building or in the auditorium.

25. Seating

. - (i) The seating in the building shall be arranged so that there is free access to exits.[The space assigned for each person shall not be less than 2'-10" deep in case of push back seats, 2'- 4", deep where fixed backs are provided and not less than 2' deep where backs are not provided and not less than 1'-8" wide where arms are provided and 1'-6" where arms are not provided.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 13.7.1979.][Note 1 - The seats in each alternate row shall be staggered in a manner that the line or vision is not obstructed and that the angle of vision does not exceed 35 degree. [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 15.2.1958.][Note 2. - The slope of the floor of the auditorium shall have average gradient of 1" in 18" except in case of the cinemas built before 1st February, 1958.Note 3. - In the case of cinemas with dual inclined slopes in the floors of the auditorium the rear slop shall be 1" in 18" while the front incline shall be 1" in 24".](iii)The rows of seats shall be so arranged that there is a clear space of not less than 12" between the back of one seat and the foremost portion of the seat arm or behind, measured between perpendiculars.(iv)All seats, except those in private boxes, shall be securely fixed to the floor, and if battened together or made in links, the complete link shall be firmly attached to the floor,(v)[The minimum distance between the cinematograph screen and the front row of seats shall be: [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 21.12.1995.](i)equal to the width of the screen subject to a minimum of 25 feet in case of cinemas equipped with screens up to 30 feet wide; and(ii)equal to 3/4 of the width of the screens subject to a minimum of 30 feet in case of the cinemas fitted with screens exceeding 30 feet in width.(iii)The space between the screen and the front row of seats shall be left vacant according to the width of the screen installed irrespective of the consideration whether the whole or only a part of the screen is made use of.](iv)[The lower edge of the picture as projected on the cinematograph screen shall be at a height varying from 5'-6" to 7' above the level of the floor of the auditorium at the front row of seats depending upon the length of the auditorium.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 15.2.1958.](vii)[(a) Every row of seats in the auditorium shall be assigned a specific distinguishing mark such as 'A', 'B', 'C' and so on and every seat in each row shall be serially numbered. The serial number shall be inscribed at a prominent place on the seat in such a manner that the seat can be easily located. [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 1.6.1963.](b)The license shall ensure that on every ticket which any booking clerk issues for any cinematograph exhibition a separate seat number is marked.The purchaser of the ticket shall be entitled to occupy that seat bearing the serial number marked on the ticket. The serial number of the seat shall be marked on that portion of the ticket which is to be retained by the purchaser so that it can be produced for inspection in case of any doubt or on demand.]

26. Gangway.

- (i) Gangway not less than 44 inches wide shall be provided in the building as follows:-(a)Down each side of the auditorium.(b)Down the centre of the seating accommodation at intervals or not more than 25 feet.(c)Parallel to the line of the seating so as to provide direct access to exits :

provided that not more than one gangway for every 10 rows shall be required.(ii)All gangways, exists and the treads of steps and stairways shall be maintained with non-slippery surfaces.(iii)Druggets, matting and floor covering if provided in gangways, shall be securely fastened to the floors.(iv)The exists of the gangways, and passages leading to exists shall be kept clear of all obstructions other than rope barriers provided in accordance with sub-rule (iv). On no account shall extra seats be placed in the gangway or spectators be allowed to stand in the gangway at the time of performances in such a way as to block or effectively reduce their width.(v)If steps have to be inserted in a gangway or passages there shall be not less than 3 steps at any one place. The treads shall not be less than 15" wide and shall be of uniform width and height.(vi)Rope barriers in gangway or elsewhere shall be fitted with clips or fastenings which will part in the centre on slight pressure and shall not trial on the floor.(vii)Guard rails not less than 3 feet 6 inches above floor level shall be provided on the parapet at the foot of gangway in galleries where the incline of the gangway exceeds 15 degrees.

27. Stairways.

- (i) There shall be at least 2 stairways each not less than 4 feet wide to provide access to any gallery or upper floor in the building which is intended for use by the public.(ii)The treads and risers on each flight of stairs shall be of uniform width and height. The treads shall not be less than 11 inches wide and the risers shall not be more than 7 inches high.(iii)There shall be no winders.(iv)A continuous hand rail shall be fitted to each side of stairways.(v)No stairways shall discharge into a passage or corridor against or across the direction of exit.

28. Exits.

- (i) Every public portion of the building shall be provided with an adequate number of clearly indicated exits placed in such positions and so maintained as to afford the audience ample means of safe and speedy egress.(ii)In the auditorium there shall be at least one exist from every tier, floor or gallery for very 100 persons accommodated or part thereof:Provided that from every upper floor or gallery there shall be not less than two exits :Provided further that an exit on or by way of a stage or platform shall not be reckoned as one of the exits required by this rule.(ii)Every exit from the auditorium shall provide a clear opening space of not less than 7 feet high and 5 feet wide.(iv)Exits from the auditorium shall be suitably spaced alongwith both sides and along the back thereof, and shall deliver into two or more different thoroughfares or open spaces from which there are at all times free means of rapid dispersal.(v)Every passage or corridor leading from an exit in the auditorium to a final space of exit from the building shall be of such width as will in the opinion of the licensing authority, enable two persons who are likely to use it in an emergency to leave the building without danger of crowding or congestion. At no point shall any such passage or corridor be less than 5 feet wide, and it shall not diminish in width in the direction of the final place of exit.(vi)The combined width of the final place of exits from the building shall be such that there are at least 5 feet of exit width for every 10 persons that can be accommodated in the building.(vii)All exit doors shall open outwards and shall be so fitted that when opened they do not obstruct any gangway, passage, corridor, stairway of landing.(vii)All exit doors and doors through which the public have to pass on the way to the open air shall be available for exit during the whole time that the public are in the building and during such time shall not be locked or bolted.(ix)All exits from

the auditorium and all doors or openings (other than the main entrance) intended for egress from the building shall be clearly indicated by the word "Exit" in block letters, which shall not be less than seven inches high and shall be so displayed as to be clearly visible in the light as well as in the dark.(x)All other doors or openings shall be so constructed as to be clearly distinguishable from exits. They may be indicated by the words "No thoroughfare" arranged as illustrated in figure below, but notices bearing the words "No Exit" shall not be used in any part of the building.No Thoroughfare

29. Pay boxes, Check boxes, etc.

- Pay boxes, check boxes and attendants' seats shall be fixed in such positions in the building that they will not obstruct means of exit and any mirror, pictures, notices or advertisement shall be attached to or hung upon the wall in position in which they will not be likely to cause obstruction to exits and shall be fixed flat against the wall or kept clear of the headline, i.e., 7 feet above the floor.

30. Cloak room accommodation.

- (i) Provision shall not be made in the corridors, passages and stairways of the building for hanging hats and cloaks.(ii)Where cloak rooms are provided they shall be so situated that the persons using them will not interfere with the free use of any exit.

31. Ventilation.

- (i) The building shall be provided with efficient means of ventilation direct to the open air.(ii)Unless the auditorium is air-conditioned, the means of ventilation shall take the form of natural ventilation and power driven exhaust fans suitably located and of adequate size for the purposes intended.(iii)Where natural ventilation is provided by windows of skylights which have to be darned or obscured, free permanent top ventilation shall be arranged by means of ridge or ceiling ventilators. The clear opening of such ventilators shall not be less than 1 square foot for every 10 persons that can be accommodated.(iv)[There shall be a time gap of not less than twenty minutes between two cinematograph shows. The duration of an interval in a cinematograph show shall be not less than ten minutes. During the gap between two shows and the interval in a show all doors and ventilators shall be kept wide open and all exhaust and other fans will be worked at top speed so that the whole of auditorium shall be flushed with air completely] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 24.7.1956.].

32. Sanitary provisions.

- (i) The building and compound, if any, shall be kept free from effluvia arising from drain, privy or other nuisance.(ii)Separate latrines and urinals shall be provided for each sex. The latrines shall be cleaned or flushed immediately before and after each performance and shall be washed with phenyle or other sanitary fluid at least twice a day.

33. Parking arrangements

- (i) Such arrangements shall be made for the parking of motor cars and other vehicles in the vicinity of the buildings as the licensing authority may require.(ii)No vehicle shall be parked or allowed to stand in such a way as to obstruct exits or impede the rapid dispersal of the persons accommodated in the building in the event of fire or panic.

34. Fire precautions.

- (i) Fire extinguishing appliances suitable to the character of the building and of a pattern, class and capacity approved by the licensing authority shall be provided as prescribed by him. These appliances shall be disposed to his satisfaction so as to be readily available for use in case of a fire in any part of the building.(ii)There shall always be sufficient means of dealing with fire readily available within the enclosure, and these shall include a damp blanket, a portable chemical fire extinguisher and two buckets of dry sand.(iii)All fire extinguishing appliances shall at all times be maintained in proper working order, and available for instant use, and all chemical fire extinguishers shall be capable of withstanding a pressure of not less than 250 lb. per square inch.(iv)During an exhibition all fire extinguishing appliances shall be in charge of some person or persons specially nominated for this purpose. Such persons need must not be employed exclusively in looking after the fire appliances, but they not be given any other work during an exhibition which would take them away from the building or otherwise prevent them from being immediately available in case of danger or alarm of fire.(v)The building shall be provided with an efficient lightning conductor.Enclosure, Cinematograph, Lighting, etc.

35. Enclosure.

- The cinematograph apparatus shall be placed in an enclosure of substantial construction, the dimensions of which shall be such that when the cinematograph apparatus and other necessary fitting are installed therein there is sufficient space to allow the operator or operators to work freely.

36.

(i)The enclosure shall be placed outside the auditorium.(ii)It shall be entirely self-contained and shall house only the cinematograph apparatus, fire appliances and such controlling apparatus as must of necessity be placed therein.[37. There shall be only one entrance to the enclosure which shall not communicate with any part of the building to which the public have access.] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 14.5.1960.][38. The enclosure and any fittings covering openings thereto shall be made of fire resisting material.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 2.11.1957.]

39.

Proper and efficient means of ventilation shall be provided in the enclosure in such a manner that there shall be no communication with any part of the building to which the public is admitted through the medium of such means of ventilation.

40.

The number of openings in the front of the enclosure shall not exceed two projection openings, each not more than [36] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 29.9.57.] square inches in area and one inspection opening not more than 36 square inches in area for each cinematograph apparatus or projector. All such opening shall be equipped with screens so operated that only one projection opening and one inspection opening can remain open at any one time and that all openings can be automatically closed from convenient positions both from inside and outside the enclosure.

41.

No non-synchronous machine shall be placed in or operated from the enclosure without the written permission of the licensing authority.

42.

No person other than a qualified operator employed by the licensee and holding a certificate granted by the Electric Inspector or an apprentice duly authorised by the licensee under rule 89 shall be allowed to enter or be in the enclosure while an exhibition is in progress.

43.

Where manager or a proprietor holds an operator's certificate a second qualified operator must be engaged who shall remain on duty in the enclosure during the whole period of exhibition.

44.

No inflammable article shall unnecessarily be taken into or allowed to remain in the enclosure, no smoking shall at any time be permitted within the enclosure, and no naked light shall be used therein. Projector, Apparatus and Films

45.

Cinematograph projectors shall be placed on film support constructed of fire-resisting material and shall be provided with a metal shutter which can be readily inserted between the source of light and the film gate. This shutter shall immediately be dropped in the event of an accident to the

cinematograph apparatus or stoppage of the film and shall only be raised when the film is in motion for the purpose of projection.

46.

The film gate shall be of massive construction, and shall be provided with ample heat-radiating surface. The passage for the film shall be sufficiently narrow to prevent flame travelling upwards or downward from the light opening.

47.

Cinematograph projectors shall be fitted with two metal film-boxes of substantial construction, to and from which the film shall be made to travel. The film boxes shall be made to close in such a manner, and shall be fitted with film slots so constructed as to prevent the passage of flame into the interior of the box.

48.

Film spools shall be driven by means of chains, agears, or belts of fire-resisting material and films shall be wound thereon so that the wound film shall not at any time reach or project beyond the edges of the flanges of the film spool.

49.

The rewinding of films shall not be carried on in the enclosure while an exhibition is in progress.

50.

During an exhibition all films when not in use shall be kept in closed metal boxes.

51.

Not more than 200 lb. of [inflammable] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 2.11.1957.] Cinematograph film shall be stored in the premises to which this licence relates, unless a specific licence has been obtained from the Chief Inspector of Explosives in India as required by the Cinematograph Film Rules, 1948. Winding Room

52.

(i) A separate room shall be provided for the rewinding of films which shall be constructed throughout of fire-resisting materials. (ii) All fittings and fixtures in the winding room shall be constructed of fire-resisting materials and the entrance shall be provided with self-closing close fitting door and

shall not communicate directly with the enclosure, the auditorium or any part of the building to which the public are admitted. Lighting and Electrical Installation

53.

No illuminant other than electric light shall be used in the building.

54.

(i) Provision shall be made for adequate illumination of the auditorium and the exits therefrom to the outside of the building including any passages, corridors, landings and stairways, the notices indicating the position of exits, and all part of the building to which the public are admitted. (ii) During the whole time the public are present in the building the lighting for purposes other than the illumination of the auditorium shall be in operation sufficiently to enable the public to see clearly the way out.

55.

The auditorium shall be provided with two independent lighting circuits taken from two different and independent sources of supply in the building or place licensed for exhibition. One circuit (hereinafter referred to be the general lighting circuit) which must not enter the enclosure, may include all exit signs and the lighting of all parts of the building to which the public are admitted and shall be connected to the main source of supply in the building; and the other circuit (hereinafter referred to as the emergency lighting circuit) shall be used exclusively for the lighting of the auditorium and shall be controlled from a convenient position within the enclosure and shall be connected to be second independent source of supply as distinct from that used for the general lighting circuit. Before the commencement of each exhibition, it shall be ascertained by the operator, that the independent source of supply provided for the emergency circuit is in satisfactory order and the supply from the same is available for immediate use in case of emergency.

56.

(i) The emergency lighting circuit shall supply not less than three lamps arranged so as to avoid, as far as possible, a single fault extinguishing all the lamps. (ii) Two way control from both within the without and the enclosure may be adopted for the emergency lighting circuit provided that the control from outside the enclosure is suitably indicated, is not mounted on the same board as any of the general lighting circuits, and is placed in such a position as to be readily handled by a member of the Cinema Staff but inaccessible to the public.

57.

(i) A separate and distinct circuit shall be provided for the supply to cinematograph lamps. Such circuit shall be controlled by a suitable main switch and fuses required in pursuance of rule 59; and

there shall be in addition for each lamp a totally enclosed pole iron clad switch and fuse placed in a convenient position within the enclosure.(ii)When the cinematograph lamp is working the electrical pressure across the terminals of the double pole switch shall not exceed 110v. Its.

58.

A separate and distinct circuit shall be provided for the supply of energy to fans.

59.

(i)Separate main switches and main cut outs shall be provided as near as possible to the source of supply in the building for the general, emergency, projector and enclosure circuits and for all fan circuits, provided that the emergency lighting main switch and cut outs are suitably indicated and are not mounted on the same board as any other control.(ii)All main switches, matters and other electrical apparatus installed near the source of supply in the building shall be housed in a separate enclosure used exclusively for the purpose and inaccessible to the public.

60.

Except as otherwise specially provided in these rules, the electrical installation shall be in accordance with such specifications as may from time to time be prescribed by Government by notification in the official gazette.

61.

(i)Wiring within the enclosure and for the emergency lighting circuit shall be in screwed piping except that where flexible cables are necessary the flexible portion shall be either steel amoured or enclosed in suitable flexible metallic steel tubing.(ii)There shall no be unnecessary slack electric cable within the enclosure and all cables runs shall be as short and direct as possible.

62.

All switches, cut-outs, resistances, lights, fans and all other electrical appliances in the enclosure shall be mounted on basis of fire resisting materials and where practicable shall have strong metallic covers enclosing all five parts. Switch cover shall be arranged in such a way that they cannot be opened unless the switch is in "off" position.

63.

All metal work supporting or protecting electric supply lines shall be efficiently earthed by two separate and distinct connections with the earth. The resistance of the connection with the earth shall not exceed one ohm and all earthing leads shall run in such a manner that the course of each may be readily traced. Where earthing leads pass through walls or laid in floors they shall be

suitably protected.

64.

Resistances shall be made entirely of fire resisting material and shall also be so constructed and maintained that no coil or other parts shall at any time become unduly heated, i.e., they shall not become so heated that a piece of paper placed in contact with any part of the resistance would readily ignite. All resistances, with the exception of a resistance for regulating purposes, shall be placed outside the enclosure and in a part of the building to which the public are not admitted.

65.

All suspended fittings or apparatus other than small single lamp pendants fitted at a height of less than 10 feet above the floor levels of parts of building to which the public are admitted shall be provided with satisfactory means of suspension independent of the conductors.

66.

Plant for the generation of electrical energy or for cooling purposes, oil engines or other prime movers, main circuit transformers, convertor or rectifiers shall be placed in a compartment or compartments, the construction and location of which shall be subject to the approval of the licensing authority.

67.

Electric accumulators, unless installed in rooms or compartments specially reserved therefor, shall be completely enclosed together with the terminals in substantial casings constructed or lined with insulating and fire-resisting material. Accumulators in cells or containers of celluloid shall not be installed, stored or used.

68.

Electric heaters or radiators shall not be used in any part of the building to which the public are admitted except with the consent of the licensing authority and subject to such conditions as he may prescribe.

69.

A framed diagram or schedule indicating clearly the arrangement of all circuits and sub-circuits of the electrical installation, the position of the distribution boards and the sizes of cables shall be displayed in the building and shall be kept up to date.[70. After a period of two years of the publication of Punjab Government Home Department Notification No. GSR.

24/PA-II/52/S.9/Amd.,(2) 65 dated the 20th February, 1965 the electrical installation shall be in

the charge of an electrician, possessing a certificate of an electrician issued by any Industrial Training Institute of the State Government or class 'A' Wire-Man Certificate issued by the Electrical Inspector, during whole of the time the public are in the building.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 26.2.1965.]

71.

Attendants and all members of the staff employed in the building during an exhibition shall carry electric torches for use in emergency in the event of failure of the lighting.

Part IV – Special Rules for Exhibition by means of Touring Cinematograph in places licensed temporarily

72.

The rules in this part shall apply to exhibitions given by means of touring cinematograph in places licensed temporarily.

73.

The cinematograph apparatus shall have been certified by the Electric Inspector, within a year of the date on which the exhibition is given to be usable without danger to the public.

74.

(i) Touring cinematographs used for giving public exhibitions shall be brought for the purposes of annual inspection by the Electric Inspector to a town where a licence under the Indian Electricity Act, 1910, has been granted. (ii) If after such inspection the Electric Inspector is satisfied that a touring cinematograph is usable without danger to the public he shall issue a certificate to this effect.

75.

The Cinematograph apparatus shall be housed in a fire proof enclosure ; Provided that if the cinematograph apparatus is certified by the Electric Inspector to be a touring cinematograph of the safety class no fire-proof enclosure need be provided, but a clear space of six feet (hereinafter referred to as the "reserved space") shall be railed off all around the cinematograph apparatus.

76.

In the case of exhibitions given in tent or booth or in any shelter or structure composed of, or covered with, combustible materials or of a moveable character, the cinematograph apparatus shall be operated from outside such tent, booth, shelter or structure and shall be placed, in accordance with the provisions of rule 75, at a distances of at least six feet therefrom.

77.

No person other than a qualified operator, employed by the licensee and holding a certificate granted by the Electric Inspector or an apprentice duly authorized by the licensee under rule 89 shall be allowed to enter or to be in the enclosure or the "reserved space" while an exhibition is in progress.

78.

No inflammable article shall unnecessarily be taken into, or allowed to remain in the enclosure or, "reserved space"; no smoking shall be permitted therein and no naked light shall be used therein.

79.

No drapery and no unprotected combustible materials other than such materials as may compose the floor shall be within six feet of the cinematograph apparatus.

80.

The following fire appliances shall be provided, viz, a bucket of sand, two buckets of water, damp blanket and one portable chemical fire extinguisher of pattern, class and capacity approved by the licensing authority and such other appliances as the licensing authority may prescribe. They shall be so disposed as to be readily available for use in case of fire within the enclosure.

81.

All films not in use shall be kept in securely closed fire-resisting receptacles.

82.

Adequate means of exit shall be provided as prescribed by the licensing authority.

83.

Without prejudice to the generality of the foregoing rule, no tent, booth or similar structure shall be used for the purpose of a cinematograph exhibition if it is enclosed by a wall or walls which do not

permit of adequate means of egress and which are erected within 30 feet of such tent, booth or similar structure.

84.

The seating shall be so arranged as not to interfere with free access to exits, and both the exits and passages and gangways leading to them shall throughout the performance be kept clear of all obstacles.

84A. [[Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 4.12.1953.]

A place licensed temporarily for exhibitions by means of touring cinematograph -(a)shall not be within a radius of one furlong following from :-(i)a place of worship, a cremation ground, a graveyard, a cemetery, or(ii)a recognised educational institution, such as a college, a high school or girls school, or any residential institution attached to such educational institutions; or(iii)a public hospital with a large patient ward; or(iv)an orphanage containing one hundred or more inmates; or(v)A thickly populated residential area which is either exclusively residential or reserved or used generally for residential as distinguished from business purpose; and(vi)shall in no way offend against traffic laws.]

Part V – Operators and Apprentices

85.

- (i). During an exhibition the enclosure shall be in charge of a qualified operator of not less than 18 years who holds a certificate granted by the Electric Inspector to the effect that he is competent to handle and operate a cinematograph.(ii)An operator shall not be granted a certificate unless he -(a)possesses a working knowledge of cinematograph machines and a particular technical knowledge of the type of machine which he is at the time employed in operating;(b)is thoroughly conversant with the rules relating to cinematograph exhibition and precautions against fire;(c)is acquainted with the most speedy and effective methods of dealing with fire;(d)possess a fair knowledge of the elements of electric power, direct and alternating current, voltage, amperage, etc.; and(e)is proficient in the handling, winding, repairing and efficient cleaning of films.(iii)The Electric Inspector may, for reasons to be recorded in writing, withdraw a certificate granted by him.(iv)In regard to the grant and withdrawal of certificate, the Electric Inspector shall act under the general supervision of the licensing authority.(v)The fee for a grant of a certificate shall be Rs. 5 but a duplicate copy may be granted on payment of Rs. 2.

86.

The operator incharge shall be present in the enclosure and shall devote his whole attention to the cinematograph during the whole time that it is being operated. He shall see that the provisions of

rule 90 and of rules 42, 44, 49 or 77, 78, 79 as the case may be, are strictly observed.

87.

(i) Before the commencement of an exhibition, the operator incharge shall satisfy himself that all cables, leads, connections and resistances as also the fire extinguishing appliances in the enclosure are in the proper working order. (ii) The resistances, if not under constant observations, shall be inspected at least once during each performance. If any fault is detected, current shall be immediately switched off and shall remain switched off until the fault is removed.

88.

The operator incharge shall not allow the film to travel through the machine at a greater speed than one hundred feet a minute.

89.

An apprentice duly authorised by the licensee may be allowed within the enclosure. Such apprentice shall be not less than 16 years of age and shall not be permitted to operate the cinematograph except in the presence of the operator incharge.

90.

No person shall operate a cinematograph or be within the enclosure while under the influence of liquor or any other intoxicant.

91.

Every person who holds a licence under section 5 of the Act shall furnish the licensing authority with a list of operators employed by him and whenever any operator is engaged by him, he shall furnish the licensing authority and the Electric Inspector with particulars regarding him before he is allowed to commence work.

Part VI – Appeal under sub-section (3) of section 5 of the Act

92.

An appeal under sub-section (3) of section 5 of the Act shall be preferred by the aggrieved person to the State Government in the Home Department within 30 days of the communication to him of the decision of the licensing authority.

Part VII – Miscellaneous Conditions

93.

The licensee shall comply with all the rules made under the Act.[94. In addition to such directions as may, from time to time, be issued under sub-section (4) of section 5 of the Act and the conditions specified in the foregoing rule, the licensee, whether [for a period of three years] [Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 7.12.1954.] or temporary, shall be subject to be conditions set forth hereunder]:(i)No fire work shall be used as an adjunct to cinematograph exhibition.(ii)Save as the licensing authority may by written order permit, no loudspeaker, gramophone, band, drum, bell, horn, whistle, siren or musical instrument of any kind shall be employed or allowed to be used as an advertisement or to attract attention in or outside the licensed place, nor shall any device be employed which is deigned or serves to deliver the entertainment to persons outside the licensed place.(iii)No poster, advertisement, sketch, synopsis, or programme of a film shall be displayed, sold or supplied either in or anywhere outside the licensed place which is likely to be injurious to morality or to encourage or incite to crime or to lead to disorder or to offend the feelings of any section of the public or which contains offensive representation of living persons.(iv)[at least 48 hours before any film is exhibited, the licensee shall supply a synopsis of the contents of the film to the District Magistrate of the District in which the place licensed under the Act is situated and the synopsis shall indicate on its title page whether the film has been granted 'U' or 'A' certificate ; [Punjab Government Notification in Punjab Government Gazette Legislative Supplement Part III, dated 6.8.1965.]Provided that the District Magistrate may, for reasons to be recorded in writing, relax the provisions of this clause and accept in lieu of a proper synopsis, a hand-bill giving a brief account of the film.]"(v)The licensee shall not, without the permission of the licensing authority, assign, sublet, nor otherwise transfer the license or the licensed place or the cinematograph, nor shall the licensee, without permission as aforesaid, allow any other person during the period of currency of the licence to exhibit the film in the licensed place.(vi)If any accident occurs in a licensed placed and such accident results in personal injury or is likely to have resulted in personal injury or loss of life the licensee shall give notice in writing of such accident to the licensing authority and the Electric Inspector to Government, Punjab, within 24 hours of its occurrence; and if the accident results in loss of life the notice shall be given by an express telegram to be confirmed in writing within 24 hours of the occurrence of the accident. Pending an inspection or investigation by the Electric Inspector to Government, Punjab, or any officer specially appointed to assist him in this behalf, the licensee shall not interfere with or remove from the scene of the accident any electrical or mechanical apparatus, writing, furnishing etc., which may have been involved in the accident.(vii)[The licensed premises shall not be used or any purposes other than an exhibition by means of cinematograph, without the prior permission, in writing of the District Magistrate] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 7.12.1954.].(viii)[The licensee shall not display, or cause to be displayed any photographs, picture or poster which depicts or represent or purports to represent a scene or shot which has been excised from any film under the orders of the Central Board of Film Censors or the Central Government.] [Punjab Government Notification published in Punjab Government Gazette legislative Supplement Part III, dated 4.5.1954.](ix)[No person below the age of 18 years shall be

admitted to any show commencing before 3.00 p.m. except on Sunday, a holiday notified by the Punjab State Government or any other day on which Educational Institutions are closed. [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 14.6.1968.] Provided that this prohibition shall not apply to the admission of children below the age of five years." Form A [A three years'] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 28.11.1961.]/Temporary ----- licence under section 5 of the Punjab Cinemas (Regulation) Act, 1952 The building/place known (a) ----- situated at (b) ----- within the town of ----- in the district of ----- is licensed under section 5 of the Punjab Cinemas (Regulation) Act, 1952, as a place where exhibitions by means of a cinematograph may be given. This licence has been granted to (c) ----- and shall remain in force until the ----- provided that the said (c) ----- or any person to whom with the consent of the licensing authority the licensee is transferred continues to own or manage the cinematograph used in the said (a) ----- This licence is granted subject to the provisions of the Punjab Cinemas (Regulation) Act, 1952, and of the rules made thereunder, and to the conditions set forth in the Schedule below:----- (a) Name of building etc. (b) Name of Street or mohalla. (c) Name of Licensee.

of Conditions

- 1. All buildings or other regulation for observance at places of public amusement imposed by municipal by-laws or by any other law or by rules under any other law for time being in force, shall be strictly complied with.**
- 2. Strike out, when not applicable, the words in brackets, - vide, Rule 18 Exception (ii). - The Licensed building/place shall be maintained in all respects in strict conformity with the rules contained in Part III/IV of the Punjab Cinemas (Regulation) Rules, 1952 (save as provided in the exemption certificate appended hereto).**
- 3. The following fire appliances shall be provided, viz:-**

(The licensing authority will enter here the number of the fire appliances of various kinds which are considered necessary and state where they are to be disposed, - vide rule 34). [4 (i) (This condition may be omitted in the case of temporary licences. The licensee shall observe the classification of the seats and the prices therefor, or different parts of the licensed building/place, approved by the licensing authority, as indicated below, and shall not amend or alter the same in any way without the prior approval of the licensing authority] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 14.7.1967.]".

Class of Accommodation	No of persons which may be admitted into the class	Rate of admission
------------------------	--	-------------------

[The licensing authority will here enter the number of persons who may be admitted into the several parts of the auditorium having special regards to the provisions of rule 24.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.8.1965.]

5. No fireworks shall be used as an adjunct to a cinematograph exhibition.

6. Save as licensing authority may by written order permit, no loudspeaker, gramophone, band, drum, bell, hour, whistle, siren or musical instrument of any kind shall be employed or allowed to be used outside the licensed building/place as an advertisement or to attract attention, nor shall any device be employed which is designed or serves to deliver the entertainment to persons outside the licensed building/place.

7. The licensee shall not exhibit or permit to be exhibited any film other than a film which has been certified as suitable for unrestricted public exhibition or for public exhibition restricted to adults and children in arms below the age of three, by an authority constituted under section 6 of the Cinematograph Act, 1918 (II of 1918), and which, when exhibited, displays the prescribed mark of that authority and has not been altered or tampered with in any way since such mark was affixed thereto.

8. No poster, advertisement, sketch, synopsis or programme of a film shall be displayed, sold or supplied either in or anywhere outside the licensed building/place which is likely to be injurious to morality or to encourage or incite to crime or to lead to disorder or to offend the feelings of any section of the public or which contains offensive representations of living persons.

(9)[It least 48 hours before any film is exhibited, the licensee shall supply a synopsis of the contents of the film to the District Magistrate of the District in which the place licensed under the Act is situated and the synopsis shall indicate on its title page whether the film has been granted 'U' or 'A' certificate:Provided that the District Magistrate may, for reasons to be recorded in writing, relax the provisions of this clause and accept in lieu of a proper synopsis, a hand bill giving a brief account of the film.] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 6.8.1965.]

10. The licensee shall, when and so often as Government may require, exhibit free of charge or on such terms as regards remuneration as Government may determine, films and lantern slides provided by Government:

Provided that the licensee shall not be required to exhibit any entertainment films or lantern slides the exhibition of which will take more than 15 minutes in all, or exhibit films or slides unless they are delivered to him at least 24 hours before the entertainment at which they are to shown is due to begin.

11. The licensee shall not, without the permission of the licensing authority, assign, sublet or otherwise transfer the licence, the licensed building/place or the cinematograph, nor shall the licensee, without permission as aforesaid, allow any other person, during the period of currency of the licence, to exhibit films in the licensed building/place.

12. If any accident occurs in a licensed place, and such accident results in personal injury or is likely to have resulted in personal injury or loss of life, the licensee shall give notice in writing of such accident to the licensing authority and the Electric Inspector to Government Punjab, within 24 hours of its occurrence; and if the accident results in loss of life, the notice shall be given by an express telegram to be confirmed in writing within 24 hours of the occurrence of the accident. Pending an inspection for investigation by the Electric Inspector to Government Punjab, or any officer specially appointed to assist him in this behalf the licensee shall not interfere with or remove from the scene of the accident any electrical or mechanical apparatus, writing, furnishing, etc. which may have been involved in the accident.

13. The licence shall not admit to any performance any person whose ticket therefor has been purchased otherwise than from an authorised booking clerk at the licensed place or from an agent whose name and place of business have been notified in advance to the District Magistrate and who has been approved by the District Magistrate as a suitable person to be appointed as agent for the sale of tickets.

14. The licensee will not exhibit or permit to be exhibited in the place in respect of which this license is given, to any person who is not an adult, any film which has been certified by an authority, constituted under section 6 of

the Cinematograph Act, 1918 (II of 1918) as suitable for public exhibition restricted to adults.

Note. - This condition shall not be construed as prohibiting the exhibition of a film, in respect of which 'A' certificate has been granted, to children in arms below the age of three.

15. No advertisement slides relating to sexual diseases and medicines to correct sexual disorder, or purporting to assist the childless in begetting children etc., shall be exhibited through slides in cinemas halls.

16. Posters and pictorial publicity material pertaining to cinematograph films which are a gross misrepresentation of the film itself and which even when not clearly obscene are objectionably suggestive, shall not be displayed in cinemas halls.

17. Film shall be stored:-

(i) in a storage shed constructed of suitable unflammable materials; the doors and ventilators may be of wood, and shall open outwards, or (ii) in a tent, placed on private ground and separated by a distance of not less than 25 feet from any dwelling house, other building, highway, street, or public place.

18. The storage shed shall not form part of, or be attached to any building in which any person resides or works or where persons assemble for any purpose unless it is separated therefrom by a substantial floor or partition.

19. The storage shed, if in any building, shall not be situated under any stair case or under any other means of exit likely to be required to be used for escape in case of fire.

20. The storage shed shall be adequately ventilated near the ground level and also near or in the roof. All ventilators shall be fitted with metal grids or similar suitable protection on the outside face of the wall and a layer of No. 16 mesh brass or other non-corroding metal wire gauze on the inside face of the wall.

21. Film shall be kept in a securely closed fire resisting receptacle.

22. The storage shed or tent shall not be used for any other purpose.

23. (i) All operations connected with examination, repairing, cleaning, waxing and rewinding of film, shall only be carried out in the examination room which shall not be used for any other purpose and shall be separated from the storage shed by partition.

(ii) The examination room shall be constructed of fire-resisting materials only and well ventilated to the outside air. (iii) Not more than two rolls of film only shall be opened for examination at any one time per examiner and not more than 10 rolls in all shall be under examination or repair at any one time.

24. All film waste and scrap in the examination room shall be placed immediately in a strong metal receptacle fitted with a tight hinged lid and marked 'Film Waste' and kept under water until disposed of. The contents of the drums shall be disposed of at frequent intervals by burning under adequate precautions or in such other manner as may be prescribed by the licensing authority.

25. No alterations shall be carried out in the storage shed or examination room without the previous sanction in writing of the licensing authority. Such alterations so sanctioned shall be shown on an amended plan to be attached to this licence.

26. No two sheds for the storage of film shall adjoin each other or be in the same building.

27. Adequate precautions shall at all times be taken for the prevention of accidents by fire or explosion and no smoking, fire or articles capable of causing fire to film shall be permitted at any time within the licensed premises.

28. The furniture and other articles shall be so arranged as to afford free egress to person in the room in the event of fire.

29. There shall be kept posted upto date in large characters in the room,

(i) full instructions as to the action to be taken in case of fire, and (ii) full directions as to the means of escape from the room in case of fire.

30. Free access to licensed premises shall be given at all reasonable times to any Magistrate or any Police Officer not below the rank of a Sub-Inspector of Police deputed by the District Magistrate or the Superintendent of Police or the Electrical Inspector, and every facility shall be afforded to such officer for ascertaining that the rules and conditions are duly observed.

31. Any accident, fire or explosions occurring within the licensed premises which is attended with loss of human life or serious injury to persons or property shall be reported immediately to the nearest Magistrate or to the officer in charge of nearest Police Station and by telegram or telephone where such means of communication are available.

32. If the licensing authority calls upon the holder of a licence by a notice in writing, to execute any repairs to the licensed premises which are in the opinion of such authority necessary for the safety of the premises the holder of a licence shall execute the repairs within such period, not being less than one week from the date of receipt of notice, as may be fixed by the notice.

33. (a) All lights in storage shed or examination room shall be at the ceiling and of the fixed type. They shall be fitted with substantial, outer protecting vapour proof and equipped with keyless sockets. All switches, fuses, sockets, electric meters and distribution boards shall be installed outside storage shed or examination room. All frames shall be effectively earthed.

(b) All electric wiring and equipment shall conform to the Regulations for the Electrical Equipment of Building framed by the Institution of Electrical Engineers. All electric wiring shall be in gas-tight screwed conduits which shall be electrically and mechanically continuous throughout, and effectively earthed outside the building. (c) Portable electric lights on extension cords shall not be used in any shed or examination room

34. [The licensed premises shall not be used for any purpose other than an exhibition by means of a cinematograph, without the prior permission in writing, of the District Magistrate.] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 7.12.1954.]

35. [The licensee shall be not display, or cause to be displayed any photographs, pictures or posters which depict or represent or purport to represent a scene or short which has been excised from any film under the orders of the Central Board or Film Censors or the Central Government.] [Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 4.5.1955.]

36. [(1) There shall be prominently exhibited at each public entrance whenever the premises are open to the public a notice indicating in tabular form and in clear bold letter and figures:- [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 20.7.1956.]

(a)the title of each film to be shown on that day, other than trailers and advertisement films;(b)the approximate times of commencement of each such film;(c)whether each such film has received an "A" or "U" certificate from the Central Board of Film Censors; and(d)whether persons below the age of 18 years other than children below the age of 3 years will be admitted or not.(2)The nature of any certificate received in respect of film from the Central Board of Film Censors shall be clearly indicated by the letters "U" or "A" in any advertisement of the film displayed at the premises].

37. [No person below the age of 18 years shall be admitted to any show commencing before 3.00 p.m. except on Sunday or a holiday notified by the Punjab State Government or any other day on which Educational Institutions are closed. [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 14.6.1968.]

Provided that this prohibition shall not apply to the admission of children below the age of five years].

38. [The licensee shall so regulate the exhibition of cinematograph films that the proportion of the length of the approved films exhibited at a performance open to the public to the length of other films exhibited at that performance shall be one to five or the nearest lower or higher approximation thereto] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 11.7.1978.].

Provided that nothing in this clause shall be deemed to require the licensee -(a)To exhibit more than 609.60 meter of approved film of thirty five millimeters size or the corresponding length of such films of sixteen millimeters size ; or(b)to exhibit any approved film for more than two weeks continuously; or(c)to re-exhibit any approved film which has been exhibited for two weeks

continuously ; or(d)to exhibit the approved films in case sufficient number of length such films is not available.Explanation 1. Omitted vide 1st Amendment Rules, 1978 vide notification of Punjab Government dated 11th July, 1978.Explanation 2. - For the purpose of computing the corresponding length of a film of sixteen millimeters size in relation to a film of thirty-five millimeters size, 121.92 meters of film of sixteen millimeters size shall be deemed to be equivalent to 304.80 meters of a film of thirty five millimeters size.

39. [The licensee shall show the approved films after the advertisement shorts and just before the main film] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 11.7.1978.].

40. [The licensee shall be bound to comply with all provisions of the Punjab Entertainments Duty Act, 1955] [See Punjab Government Notification published in Punjab Government Gazette Legislative Supplement Part III, dated 17.7.1981.].

Form BWhereas ----- (full name and address) has applied for the renewal of his licence and the said licence has been retained in my office pending disposal of his application, he is hereby permitted temporarily to exhibit films in ----- (here after description of premises) under the Punjab Cinemas (Regulation) Act, 1952, for the period of ----- from this date, subject to the provisions of rule 7 of the Punjab Cinemas (Regulation) Rules, 1952.Dated the ----- day of 199