

Grazitti PDF Report



Feature			Scer	nario			St	ер	
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
Get In Touch form Functionality	13.120 s	1	0	1	0	1	0	1	0


Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@MarektoFormVerification	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Get In Touch form Functionality	1	0	1	0	13.120 s

SCENARIOS SUMMARY -- 5 --




#	-	Scenario Name	T	P	F	S	Duration
1	Get In Touch form Functionality	User able to use Get In Touch form	1	0	1	0	13.114 s

DETAILED SECTION -- 6 --

Get In Touch form Functionality

FAILED	DURATION - 13.120 s	Scenarios		Steps	
/ 12:44:44.256 PM //	12:44:57.376 PM /	Pass - 0	1	Pass - 0	1
		Skip - 0		Skip - 0	

User able to use Get In Touch form



Step / Hook Details	Status	Duration
Given User naviage to the Website homePage	FAILED	4.925 s
org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'GOURAV', ip: '192.168.1.46', os.name: 'Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '18.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [190eac89764aba2be4497f0603c2ed31, get {url=https://google.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.66, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\gourav\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:61385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61385/devtoo, se:cdpVersion: 111.0.5563.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 190eac89764aba2be4497f0603c2ed31 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:393) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:393) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332) at pageObjects.GetInTouchFormPage.naviageToGetInTouchPage(GetInTouchFormPage.java:44) at stepDefinations.GetInTouchFormStepsDefination.user_naviage_to_the_website_home_page(GetInTouchFormStepsDefination.java:15) at ?.User naviage to the Website homePage(file:///C:/SampleCodeForGIT/src/test/java/Features/1.GetInTouch.feature:5) Caused by: java.io.UncheckedIOException: java.io.IOException: An existing connection was forcibly closed by the remote host at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)		
	Given User naviage to the Website homePage org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.3.0', revision: '44995e2c09*' System info: host: 'GOURAV', ip: '192.168.1.46', os.name: 'Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [190eac89764aba2be4497f0603c2ed31, get {url=https://google.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.66, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\gourav\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:61385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61385/devtoo, se:cdpVersion: 111.0.5563.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 190eac89764aba2be4497f0603c2ed31 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:593) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:332) at pageObjects.GetInTouchFormPage.naviageToGetInTouchPage(GetInTouchFormPage.java:44) at stepDefinations.GetInTouchFormStepsDefination.user_naviage_to_the_website_home_page(GetInTouchFormStepsDefination.java:15) at ?.User naviage to the Website homePage(file:///C:/SampleCodeForGIT/src/test/java/Features/1.GetInTouch.feature:5) Caused by: java.io.UncheckedIOException: java.io.IOException: An existing connection was forcibly closed by the remote host	Given User naviage to the Website homePage org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'GOURAV', ip: '192.168.1.46', os.name: Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [190eac89764aba2be449760603c2ed31, get {url=https://google.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.66, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\gourav\AppData\Loc}), goog:chromeOptions: {debuggerAddress: localhost:61385/devtoo, se:cdpVersion: 111.0.5563.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 190eac89764aba2be4497f0603c2ed31 at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332) at pageObjects.GetInTouchFormPage.naviageToGetInTouchPage(GetInTouchFormPage.java:44) at stepDefinations.GetInTouchFormStepSDefination.user_naviage_to_the_website_home_page(GetInTouchFormStepSDefination.java:15) at ?User naviage to the Website homePage(file:///c://SampleCodeForGIT/src/test/java/Features/1.GetInTouch.feature:5) Caused by: java.io.UncheckedIOException: java.io.IOException: An existing connection was forcibly closed by the remote host at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:98)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:332)		
	at pageObjects.GetInTouchFormPage.naviageToGetInTouchPage(GetInTouchFormPage.java:44)		
	at stepDefinations.GetInTouchFormStepsDefination.user_naviage_to_the_website_home_page(GetInTouchFormStepsDefination.java:15)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:151)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:111)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:98)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:155)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
	Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host		
	at sun.nio.ch.SocketDispatcher.read0(Native Method)		
	at sun.nio.ch.SocketDispatcher.read(SocketDispatcher.java:43)		
	at sun.nio.ch.IOUtil.readIntoNativeBuffer(IOUtil.java:223)		
	at sun.nio.ch.IOUtil.read(IOUtil.java:192)		
	at sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:380)		
	at io.netty.buffer.PooledByteBuf.setBytes(PooledByteBuf.java:258)		
	at io.netty.buffer.AbstractByteBuf.writeBytes(AbstractByteBuf.java:1132)		
	at io.netty.channel.socket.nio.NioSocketChannel.doReadBytes(NioSocketChannel.java:357)		
	at io.netty.channel.nio.AbstractNioByteChannel\$NioByteUnsafe.read(AbstractNioByteChannel.java:151)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:722)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.lang.Thread.run(Thread.java:748)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinations.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	4.082 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'GOURAV', ip: '192.168.1.46', os.name: 'Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [190eac89764aba2be4497f0603c2ed31, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.66, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\gourav\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:61385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61385/devtoo, se:cdpVersion: 111.0.5563.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 190eac89764aba2be4497f0603c2ed31		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:593)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)		
	at stepDefinations.Hooks.AddScreenshot(Hooks.java:22)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information: localhost/ 0:0:0:0:0:0:0:0:1:54022		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:98)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)		
	at stepDefinations.Hooks.AddScreenshot(Hooks.java:22)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:151)		
	$at\ or g. apache. maven. sure fire. testng. TestNGD irectory TestSuite. execute Single Class (TestNGD irectory TestSuite. java: 111)$		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:98)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:155)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
(Caused by: java.net.ConnectException: Connection refused: no further information: localhost/0:0:0:0:0:0:0:0:0:2		
	at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)		
	at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)		
	at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)		
	at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571)		
	at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550)		
	at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491)		
	at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616)		
	at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609)		
	at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.lang.Thread.run(Thread.java:748)		
(Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: no further information: localhost/		
(0:0:0:0:0:0:0:1:54022 Caused by: java.net.ConnectException: Connection refused: no further information		
	at sun.nio.ch.SocketChannelImpl.checkConnect(Native Method)		
	at sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:717)		
	at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	at java.lang.Thread.run(Thread.java:748)		