

Signup and start solving problems.

Get Started Now

ALL TRACKS > ALGORITHMS > STRING ALGORITHMS > Z ALGORITHM > PROBLEM

Omar And Strings

Attempted by: 1 / Accuracy: 100% /

Tag(s): Hashing, Medium, String Algorithms, Z-algorithm

PROBLEM

EDITORIAL

ANALYTICS

P Basic Practice Questions

Today while studying Omar reads many words in books and references. He feels bored enough to stop reading he has noticed something strange. All the words in some statement can be read the same from left to right and from right to left. Later, Omar discovered that this type of strings is called palindromic strings.

After some thinking Omar wants to create a new type of strings and gives that type a name derived from his name, so he invents a new type of strings and calls it omeric strings. Omar's friend Hazem loves prefixes and Eid loves suffixes so Omar will take this into consideration while inventing the new type. To make a string omeric from a string **s** you should concatenate the longest palindromic suffix with the longest palindromic prefix.

Then Omar wants to know how many times each prefix of his omeric string can be found in this string as a substring. Substring of the string can be defined by two indices L and R and equals $s_L s_{L+1} \dots s_R$.


Input:

The first line of the input contains a string **s** of length **N**, $1 \leq N \leq 10^5$.

The given string consists only of lowercase characters.

Output:

Print the omeric string in the first line. Print the frequency of each prefix in the second line.



Explanation

Longest palindromic suffix equals "bb". Longest palindromic prefix equals "aa". Omeric string is "bbaa". Only the first prefix "b" has appeared 2 times as a substring, while "bb", "bba", "bbaa" have appeared only 1 time in the omeric string.

| Time Limit: | 1.0 sec(s) for each input file. |
|-----------------|--|
| Memory Limit: | 256 MB |
| Source Limit: | 1024 KB |
| Marking Scheme: | Marks are awarded when all the testcases pass. |

Allowed Languages: C, C++, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, JavaScript(Rhino), JavaScript(Node.js), Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, R(RScript), Racket, Ruby, Rust, Scala, Swift, Visual Basic

CODE EDITOR

Enter your code or **1** Upload your code as file.

All changes saved

Visual Basic (mono vbnc 4.0.1)



1 Loading...

1:1 COMPILE & RUN **SUBMIT** Press ctrl-space for autocomplete suggestions. POWERED BY code table Your Rating:

ABOUT US HACKEREARTH **DEVELOPERS EMPLOYERS REACH US Developer Sourcing** Blog API AMA 6TH BL IIIrd Floor, OSULA TH BLO Salarpuria Business Engineering Blog Lateral Hiring Chrome Extension Code Monk

Center, Updates & Releases CodeTable Judge Environment Campus Hiring 4th B Cross Road, HackerEarth Solution Guide Hackathons Team 5th A Block, Academy Problem Setter Koramangala FAQs Careers Map data ©2016 Google | Terms of Use Developer Profile Guide Industrial Layout, In the Press Customers Bangalore, Resume Practice Problems Karnataka 560095, Get Badges HackerEarth India. Challenges Campus Ambassadors College Challenges contact@hackerear Get Me Hired College Ranking **\(+91-80-4155-**Privacy Organise Hackathon 4695 Terms of Service Hackathon **** +1-650-461-Handbook 4192 Competitive Programming Open Source



© 2016 HackerEarth