

gscript Live PDF Engine

Official Studio Edition User Manual

Version 2.0 (Enterprise)



Welcome to the Studio

The **gscript Pro Live PDF Engine** is a fully private, browser-based PDF manipulation studio. Because all processing happens directly on your device without communicating with a cloud server, your documents remain incredibly secure, and processing happens in milliseconds.

📐 The X/Y Coordinate Map

When placing elements like images, text, or signatures on a page, the engine uses a strict coordinate matrix:

- **The Origin Point (0, 0)** is located at the **bottom-left corner** of the document page.
- Increasing the **[x] value** moves your element further to the **right**.
- Increasing the **[y] value** moves your element further **upward**.

Terminal Command Reference

⚠ CRITICAL: All commands must be typed into the Terminal Window. Every command **MUST** end with a semicolon (;).

AI & Advanced Text Engine

1. OCR Image-to-Text Injection

Extracts text from an uploaded image using Tesseract AI and injects it onto the PDF.

Syntax: `/gedit:ocr2text-[pg]-"[Page]"-[color]-"[Color]"-[style]-"[Style]"-[font]-"[Font]"-[x]-"[X]"-[y]-"[Y]";`

Example: `/gedit:ocr2text-[pg]-"1"-[color]-"blue"-[style]-"italic"-[font]-"helvetica"-[x]-"100"-[y]-"600";`

2. Advanced Custom Text

Injects highly customized text onto multiple targeted pages simultaneously.

Syntax: `/gedit:adv_text-"[Text]"-[pages]-"[1,2,3]"-[color]-"[Color]"-[style]-"[Style]"-[font]-"[Font]"-[x]-"[X]"-[y]-"[Y]";`

3. Grammar & Spell Check Scanner

Runs a heuristic diagnostic scan in the terminal to find common typos in the document binary.

Syntax: `/gedit:spellcheck;`

Page & Document Manipulation

4. Auto-Number All Pages

Automatically centers "Page 1", "Page 2", etc., at the bottom of every page.

Syntax: `/gedit:add_page_numbers;`

5. Delete Specific Pages

Removes target pages from the document.

Syntax: `/gedit:delete-[Page Number, Page Number];`

Example: `/gedit:delete-1, 3, 5;`

6. Extract / Split Document

Isolates a specific range of pages and throws away the rest.

Syntax: `/gedit:extract-[Start Page]-[End Page];`

7. Merge Secondary PDF

Attaches the uploaded Secondary PDF to the very end of your Main PDF.

Syntax: `/gedit:merge;`

8. Rotate Page

Rotates a specific page by a set number of degrees (e.g., 90, 180).

Syntax: `/gedit:rotate-[Page Number]-[Degrees];`

Image & Signature Insertions

9. Insert Dynamic Ink Signature

Applies your uploaded signature image with the automatic transparent background and selected dynamic ink color.

Syntax: `/gedit:signature-[pg]-"[Page]"-[x]-"[X]"-[y]-"[Y]"-[scale]-"[Scale]";`

Example: `/gedit:signature-[pg]-"1"-[x]-"400"-[y]-"120"-[scale]-"0.25";`

10. Insert Standard Image

Places standard photos/logos onto the document. Use decimal scale to resize.

Syntax: `/gedit:insert_image-[pg]-"[Page]"-[x]-"[X]"-[y]-"[Y]"-[scale]-"[Scale]";`

Here is the complete, official, and beautifully polished **User Manual** for your **gscript Live PDF Engine - Studio Edition**.

I have designed this so you can highlight everything below, copy it, and paste it directly into a Word document. It is formatted to look professional, clear, and ready to share!

gscript Live PDF Engine: Official Studio User Manual

Welcome to the **gscript Pro Live PDF Engine (Studio Edition)**. This tool is a 100% private, fully browser-based PDF manipulation studio. Because all processing happens directly on your device without communicating with a cloud server, your documents remain incredibly secure, and processing happens in milliseconds.

Below is the complete guide on how to operate the interface and utilize the gscript terminal commands.

Workspace Overview

Your studio is divided into three main operational zones:

1. **Engine & Main File:** This is where you upload your primary PDF document. This document acts as the "canvas" that all your commands will modify. You can also select the AI Formatting Tone (Formal or Creative) for injected text elements.
2. **Advanced File Zones:** Use these slots to load secondary assets before running your scripts:
 - **Secondary PDF:** Load a document here if you intend to merge it with your Main PDF.
 - **Standard Image:** Load a standard logo or photo (PNG/JPG) for insertion.
 - **Ink Signature:** Load a photograph of your physical signature. The engine will automatically strip away the paper background. **Bonus Feature:** Use the dropdown menu above the upload button to dynamically change your signature's ink color (Indigo Blue, Classic Black, or Correction Red) in real-time!
3. **Terminal & Live Preview:** Type your commands into the dark terminal window. Click "Compile & Execute" to run them, and view the instant results in the Real-Time Dynamic Preview Panel before downloading.

System Positioning (The X/Y Coordinate Map)

When placing elements like images, text, or signatures on a page, the engine uses a strict coordinate matrix:

- **The Origin Point (0, 0)** is located at the **bottom-left corner** of the page.
- Increasing the **[x] value** moves your element further to the **right**.
- Increasing the **[y] value** moves your element further **upward**.

Terminal Command Reference

All commands must be typed into the Terminal Window. **Every command must end with a semicolon (;)**. You can chain multiple commands together on separate lines.

Page Deletion & Extraction

1. Delete a Single Page

Removes a specific page from the document.

- **Syntax:** /gedit:delete-[Page Number];

- **Example:** /gedit:delete-3;

2. Delete Multiple Pages

Removes several specific pages at once without shifting the page order during deletion.

- **Syntax:** /gedit:delete-[Page],[Page],[Page];

- **Example:** /gedit:delete-1, 3, 5;

3. Protect a Page Range

Deletes every page in the document *except* the ones inside your specified safe zone.

- **Syntax:** /gedit:protect-[Start Page]-[End Page];

- **Example:** /gedit:protect-2-5;

4. Extract / Split Document

Isolates a specific range of pages and throws away the rest, effectively splitting your document into a precise new file.

- **Syntax:** /gedit:extract-[Start Page]-[End Page];

- **Example:** /gedit:extract-10-15;

🔄 Document Manipulation

5. Rotate a Page

Rotates a specific page by a set number of degrees (e.g., 90, 180, 270).

- **Syntax:** /gedit:rotate-[Page Number]-[Degrees];

- **Example:** /gedit:rotate-1-90;

6. Merge Documents

Takes the PDF loaded in the "Secondary PDF" upload zone and permanently attaches all of its pages to the very end of your Main PDF.

- **Syntax:** /gedit:merge;

- **Example:** /gedit:merge;

Element Insertion

7. Insert Standard Image (Photos/Logos)

Places the image uploaded in the "Standard Image" zone onto a specific coordinate grid. Use the scale factor to shrink or enlarge it (e.g., 1.0 is full size, 0.5 is half size).

- **Syntax:** /gedit:insert_image-[pg]-"[Page Number]"-[x]-"[X]"-[y]-"[Y]"-[scale]-"[Scale]";

- **Example:** /gedit:insert_image-[pg]-"1"-[x]-"200"-[y]-"500"-[scale]-"0.5";

8. Insert Ink Signature

Applies your uploaded signature image with the transparent background and your selected dynamic ink color.

- **Syntax:** /gedit:signature-[pg]-"[Page Number]"-[x]-"[X]"-[y]-"[Y]"-[scale]-"[Scale]";

- **Example:** /gedit:signature-[pg]-"1"-[x]-"400"-[y]-"120"-[scale]-"0.25";

9. Inject Custom Text Block

Places custom text blocks on the page. Font style scales based on your chosen AI Tone dropdown.

- **Syntax:** /gedit:add_text-"[Your Text]"-[pg]-"[Page Number]"-[x]-"[X]"-[y]-"[Y]";

- **Example:** /gedit:add_text-"Approved by Security"-[pg]-"1"-[x]-"50"-[y]-"700";

🔒 Security & Optimization

10. Set Author Metadata

Embeds an author signature securely inside the hidden metadata file properties.

- **Syntax:** /gedit:author-"[Name]";
- **Example:** /gedit:author-"Goutham Mohan";

11. Apply Security Watermark

Draws a large, semi-transparent diagonal text layer across every single page in the workspace.

- **Syntax:** /gedit:watermark-"[Watermark Text]";
- **Example:** /gedit:watermark-"CONFIDENTIAL";

12. Compress Document binary

Forces the engine to clean and optimize the underlying cross-reference tables before final export, helping reduce file size.

- **Syntax:** /gedit:compress;
- **Example:** /gedit:compress;

⚠ Important System Notes

- **File Processing Limit:** Because this is a browser-based engine, massively large PDFs (over 100MB) may take a few extra seconds to render depending on your computer's RAM.
- **Format Conversions:** The engine does not natively support Word-to-PDF or PDF-to-Word conversions, as Word formats (.docx) require cloud-based server rendering to preserve typography and layout integrity. Your engine prioritizes speed, privacy, and flawless PDF binary manipulation.

.In syntax every values like '[x]' this you must type like 'x no or text' don't use this [x no or txt]



user manual engineered by Gscript studio by Goutham Mohan

1. Introduction to GEdit

GEdit is the core scripting engine in GScript Pro used for editing PDF and document files. It allows developers and beginners to perform powerful operations using simple commands.

2. Why GEdit is Important

- 1 Simple and beginner-friendly
- 2 Fast document processing
- 3 No heavy software required
- 4 Built for future development tools

3. Command Syntax

All GEdit commands follow this structure: `/gedit:command-"value";`

4. Core Commands

- 1 Author Metadata: `/gedit:author-"Your Name";` → Adds author name inside file.
- 2 Watermark: `/gedit:watermark-"CONFIDENTIAL";` → Adds watermark across pages.
- 3 Compression: `/gedit:compress;` → Reduces file size.

5. How to Teach GEdit (Teacher Guide)

- 1 Step 1: Explain what GEdit is (document editor).
- 2 Step 2: Show syntax on board.
- 3 Step 3: Explain each command one by one.
- 4 Step 4: Run a live example.
- 5 Step 5: Give students practice task.

6. Example Script

```
/gedit:author-"Goutham Mohan"; /gedit:watermark-"CONFIDENTIAL"; /gedit:compress;
```

7. Student Practice Tasks

- 1 Add your name as author.
- 2 Add watermark 'TEST FILE'.
- 3 Compress the document.
- 4 Create your own script with 2 commands.

8. Important Tips

- 1 Always end commands with ;
- 2 Use quotes for text values
- 3 Do not use brackets []
- 4 Check spelling of commands

