

Requirement 1: Change models:

Requirement:

Whenever you click on create new change request Models should be displayed.

Usually the flow of change request form is like this:

Change → Create New → Change Request form


As per our requirement, the flow of change request form is like this:

Change → Create New → **Select Change Model** → Change Request form.

Change model: it's a reusable configuration

Change request form is where user actually creates the request record.

Change models:



Change Models		
All		
Name ▲	Available in 'Create New'	Updated
Search	Search	Search
Change Registration	false	2020-
Cloud Infrastructure	false	2020-
Emergency	true	2022-
Normal	true	2022-
Standard	false	2022-
Unauthorized Change	false	2020-

Testing change request:

Change > All > new

Change models:

Create a change request

Pinned Models Preapproved All

Emergency

ITIL Mode 1 Emergency Change

State model

Normal

ITIL Mode 1 Normal Change

State model

Add network switch to ...

Preapproved

This standard change template describes adding a new network switch to a datacenter cabinet

Success rate: 100%

State model

Reboot Windows Server

Preapproved

Reboot a Windows Server (after patching or to clear a fault) making sure that it is removed from monitoring alerts, that network attached storage is...

Success rate: 100%

State model

Decommission local off...

Preapproved

Decommission a server from use including removal from backup, systems management and monitoring systems and disposal of hardware

Success rate: 100%

State model

Change VLAN on a Cisc...

Preapproved

Change the port of a Cisco switch to a new VLAN. This would commonly occur when moving a server from one IP network to another.

Success rate: 67%

State model

Clear BGP sessions on ...

Preapproved

Resend the complete BGP table to neighboring routers

Replace printer toner

Preapproved

Replace printer toner

NOTE:

A change model is like a template for creating change requests. Without change model, we have to decide configuration manually (Change type, Risk,Approval, closure, etc)

Required steps:

Change models > new >
1.

Change Model New record

Name Standard Software Change

Default change model ☐

available in 'Create New' ☒

Description

Implementation states


Record preset <> Type Model

Totally 3 models created.

Name	Available in 'Create New'	Updated	Active
Search	Search	Search	Search
Normal Infrastructure Change	true	2026-08-29 02:54:40	false
Emergency Production Change	true	2026-08-29 02:54:15	false
Standard Software Change	true	2026-08-29 02:54:02	false

Go to Change Requests:

All > change > we can see created change models



Requirement 2:

Each time the state field changes, number fields background colour should be changed

```
function onChange(control, oldValue, newValue, isLoading, isTemplate) {

    if (isLoading || newValue === '') {
        return;
    }

    var numberField = g_form.getControl('number');

    if (newValue == '-5') {
        numberField.style.backgroundColor = 'red';
    } else if (newValue == '-4') {
        numberField.style.backgroundColor = 'blue';
    } else if (newValue == '-3') {
        numberField.style.backgroundColor = 'yellow';
    } else if (newValue == '-2') {
        numberField.style.backgroundColor = 'orange';
    } else if (newValue == '-1') {
        numberField.style.backgroundColor = 'purple';
    } else if (newValue == '3') {
        numberField.style.backgroundColor = 'gray';
    }
}
```

Requirement 3:

Whenever the Impact is high, flash the short description 3 times

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
2     if(newValue == ''){  
3         return;  
4     }else if(newValue == 1){  
5         g_form.flash('short_description','#FF0000',-2);  
6     }  
7  
8 }
```

NOTE: always check the url of both script and table and both should contain the same table id
example: u_change_request in the url, if it is different then script won't work.

Requirement 4:

Assignment group is changed, Assigned to field should be visible and Mandatory.

With UI policy:

UI Policy Action
New record

y actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy: Assignment group is changed, Assigned to

Table: POC_Change_Table [u_poc_change_table]

* Field name: Assigned to

Application: Gouthami_Projects

Mandatory	True
Visible	True
Read only	Leave alone

Clear the field value ☐

Requirement 5:

Short Description is not empty, Description should be Mandatory

UI Policy Action
New record

y actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy: Short Description is not empty, Description

Table: POC_Change_Table [u_poc_change_table]

* Field name: Description

Application: Gouthami_Projects

Mandatory	True
Visible	Leave alone
Read only	Leave alone

Clear the field value ☐

Requirement 6:

create a button on the banner to save the form and stay on the same page.

Name	save&stay	Application	Gouthami_Projects
Table	POC_Change_Table [u_poc_change_...]	Form button	☒
Order	100	Form context menu	☐
Action name	save_stay	Form link	☐
Active	☒	Form style	-- None --
How insert	☒	List banner button	☐
How update	☒	List bottom button	☐
Client	☒	List context menu	☐
Compatible	☒	List choice	☐
Compatible	☐	List link	☐

```
Script <> ↺ ?        
1 function saveAndStay(){
2     g_form.save();
3 }
```

Requirement 7:

When the change request is in Scheduled state, the worknotes should be populated with the loggedin user as "The current loggedin user is (example: Rakesh)"

With Business Rule:


Before update

```
           
1 (function executeRule(current, previous /*null when async*/) {
2
3     if (current.state == '-2') {
4         current.work_notes = "The current logged-in user is " + gs.getUserDisplayName();
5     }
6
7 })(current, previous);
```

Requirement 8:

when the state is in review, Description should be populated with Current loggedin user, Assignment group, state.

Before update



```
1 (function executeRule(current, previous) {
2
3     if (current.state.changesTo('0')) {
4
5         current.description =
6             "Current logged-in user is " + gs.getUserDisplayName() +
7             "\nAssignment group is " + current.assignment_group.getDisplayValue() +
8             "\nState is: " + current.state.getDisplayValue() +
9             "\nCurrent short description is: " + current.short_description;
10
11     }
12
13 })(current, previous);
```