

Tree picker format

When clicked on the Assignment group search icon, it should display the assignment groups in a tree structure format not in List view format.



Access Controls (6) Choices **Attributes (1)** Labels (1) Dictionary Overrides (6)


Attributes Attribute Search

Dictionary entry = Assignment group

Attribute	Value
Tree picker	true

Even though it's true here, sometimes it won't appear as a tree in the assignment group because there must be some dictionary overrides.

From the related list, check the overrides and that must be true:



Column name assignment_group


Override reference qualifier ☐

Override dependent ☐

Override attributes ☒

Attributes tree_picker=false,ref_contributions=on_call_escalation_tracking

now , it'll be in tree picker format:



dev190059.service-now.com/sys_user_

Group Hierarchy

- Analytics Settings Managers
- App Engine Admins
- App Engine Studio User Limited
- App Engine Studio Users
- Application Development
- ATF Service Level Management Group
- ATF_TestGroup_Network
- ATF_TestGroup_ServiceDesk
- Business Application Registration App
- CAB Approval
- Change Management
- Conditional Script Writer
- Creator Studio Restricted Users
- Creator Studio Users
- Database
- CAB Approval

Assignment group changes require a work notes entry

When an Incident is assigned to an Assignment group, make “work notes” field mandatory.
We can also do it with UI policy:

with UI policy

The screenshot shows the 'When to Apply' tab of a UI policy configuration. It features a 'Conditions' section with two buttons: 'Add Filter Condition' and 'Add OR Clause'. Below these, there is a dropdown menu for 'Assignment group' and a dropdown menu for 'is not empty'.

The screenshot shows the 'UI Policy Action' configuration interface. It includes a header 'UI Policy Action New record' and a description: 'UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered'. The configuration is divided into two main sections: 'UI policy' and 'Table'. The 'UI policy' section has a dropdown for 'Assignment group changes require a v'. The 'Table' section has a dropdown for 'POC_Incident_table' and a dropdown for 'Work notes'. The 'Application' section has a dropdown for 'Global'. The 'Mandatory' section has a dropdown for 'True'. The 'Visible' section has a dropdown for 'Leave alone'. The 'Read only' section has a dropdown for 'Leave alone'. There is also a checkbox for 'Clear the field value'.

With client script:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     if (g_form.getValue('assignment_group')){
7         g_form.setMandatory('work_notes',true);
8     }else{
9         g_form.setMandatory('work_notes',false);
10    }
11 }
```

With data policy:

Data Policy
New record

* Table POC_Incident_table [u_poc_inci... ▼

Inherit ☐

Reverse if false ☒

Active ☒

Short description

Description  <>

Conditions [Add Filter Condition](#) [Add OR Clause](#)

Assignment group ▼ Is not empty ▼ [AND](#)

Application Global

Apply to import sets ☒

Apply to SOAP ☒

Use as UI Policy on client ☒

Data Policy Rule
New record

Table POC_Incident_table
[u_poc_incident_table]

* Field name Work notes ▼

Application Global

Read only Leave alone ▼

Mandatory True ▼

Making help icons visible for both “impact” & “urgency”:

With client script:

```
1 function onLoad() {  
2     g_form.addDecoration('impact','icon-help',"select correct impact");  
3     g_form.addDecoration('urgency','icon-help',"select correct urgency");  
4  
5 }
```

Output:

On hold reason	-- None --
 Impact	3 - Low
 Urgency	3 - Low

Reassignment counter:

Dictionary Entry
New record

Dictionary entry manages how ServiceNow stores data in tables and fields (columns). It defines the field label, and the column name. If necessary, set a **Max length** for text fields so it appears on records that reference this table. [More Info](#)

* Table

* Type

* Column label

* Column name

Max length

With BR:

```
Turn on ECMAScript 2021 (ES12) mode (?)  
  
1 (function executeRule(current, previous /*null when async*/ ) {  
2  
3     if (current.assignment_group.changes()) {  
4  
5         if (current.assignment_group.nil()) {  
6             return;  
7         }  
8  
9         current.u_reassignment_count = (previous.u_reassignment_count || 0) + 1;  
10    }  
11  
12 })(current, previous);
```

Display reassignment count

With Client script:

```
1 function onLoad() {  
2     var reassignmentCount = g_form.getValue('u_reassignment_count');  
3     alert("the reassignment count is" + " " + reassignmentCount);  
4  
5 }
```

Auto-populate close notes with client script

```
function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
    if (isLoading || newValue === '') {  
        return;  
    }  
  
    var st = g_form.getValue('state');  
    if (state == 7){  
        g_form.setValue('description',"closed by" + g_user.user_ID);  
    }else{  
        g_form.clearValue('description');  
    }  
}
```

Custom fields

The screenshot shows a record form for 'POC_Incident_table' with record ID 'POCINC0001001'. The form includes a 'Closed by' field and a 'Close notes' field. Below these, a section titled 'POC Closure Notes' is highlighted with an orange border. This section contains a 'Closed by' field, a 'Close codes' dropdown menu (currently showing '-- None --'), and a 'POC Closed notes' text area. At the bottom of the form, there are 'Update', 'Resolve', and 'Delete' buttons, followed by a 'Related Links' section with a link to 'Change Request Related link'. The bottom navigation bar shows 'Task SLAs' as the active tab, with other tabs like 'Affected CIs', 'Impacted CIs', 'Service Offerings', 'Incidents', 'Requests', and 'Interaction Related Records'.

Mandate Closure notes

The screenshot shows the 'UI Policy Action' configuration form for a 'New record'. The form title is 'UI Policy Action New record'. Below the title, a blue banner states: 'UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More](#)'. The form is divided into two main sections. The left section is for defining the policy: 'UI policy' is set to 'Make POC Closure Notes mandatory', 'Table' is 'POC_Incident_table' with sub-table '[u_poc_incident_table]', and '* Field name' is 'POC Closed notes'. The right section is for defining the action: 'Application' is 'Global', 'Mandatory' is 'True', 'Visible' is 'Leave alone', 'Read only' is 'Leave alone', and 'Clear the field value' is an unchecked checkbox.

Related changes request:

UI Action
New record

Comments <>

Hint

Condition <>

Condition field should be specified to restrict execution of this UI Action to certain users. For example, current.canWrite() restricts the UI Action to the users who can modify the current record, gs.hasRole("admin") condition restricts the UI Action to t with admin role.

Script <> ☒ Turn on ECMAScript 2021 (ES12) mode ?

```
1 var instanceURL = gs.getProperty(glide.servlet.uri);
2 var myInstanceURL = instanceURL + 'change_request.do?sys_id=-1';
3 action.setRedirect(myInstanceURL);
```

Closed by field with the currently logged-in user

Business Rule
New record

When to run | Actions | **Advanced**

Condition <>


Script <> ☒ Turn on ECMAScript 2021 (ES12) mode ?

```
1 (function executeRule(current, previous /*null when async*/) {
2
3     if (current.state.changesTo('closed')){
4         current.u_closed_by = gs.getUserID();
5     }
6
7 })(current, previous);
```

Submit

Update sets and transform mapping:

Steps included:



Name	Application	State	Installed from	Created	Created by	Parent	Batch Base
Default	Global	In progress		2026-03-31 21:25:59	system	(empty)	(empty)
POC_CHNG_Table	Global	In progress		2026-08-22 05:48:42	admin	(empty)	(empty)
POC_INC_Table	Global	In progress		2026-08-22 05:47:44	admin	(empty)	(empty)
POC_PRB_Table	Global	In progress		2026-08-22 05:48:16	admin	(empty)	(empty)
POC_Service_catalog	Global	In progress		2026-08-22 05:49:18	admin	(empty)	(empty)

Number	Opened	Short description	Caller	Priority	State	Category
POCINC0001001	2026-08-22 08:02:12		Abel Tuter	5 - Planning	New	Inquiry / Help
POCINC0001002	2026-08-22 08:02:36		Marion Gaulden	5 - Planning	New	Inquiry / Help
POCINC0001003	2026-08-22 08:03:03		Winnie Reich	5 - Planning	New	Inquiry / Help
POCINC0001004	2026-08-22 08:03:16		gouthami katta	5 - Planning	New	Inquiry / Help
POCINC0001005	2026-08-22 08:03:48		Sheila Holloran	2 - High	New	Inquiry / Help
POCINC0001006	2026-08-22 08:04:18		(empty)	1 - Critical	New	Inquiry / Help
POCINC0001007	2026-08-22 08:04:46		Winnie Reich	3 - Moderate	New	Inquiry / Help
POCINC0001008	2026-08-22 08:05:04		Katina Sweet	2 - High	New	Inquiry / Help

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010001

State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
Search	Search	Search	=ISET0010	Search	Search	Search	Search	Search	Search	Search	Search
Complete	2026-08-22 09:07:06	1 Second	ISET0010001	Computer [imp_computer]	10	10	0	0	0	0	Importing it 2nd time in incpoc
Running	(empty)	0 Seconds	ISET0010001	Computer [imp_computer]							(empty)

POC_Incident_Imports

Number

Search

All

Number

Search

POCINC0001007
POCINC0001001
POCINC0001003
POCINC0010019
POCINC0001006
POCINC0001002
POCINC0001005
POCINC0001009
POCINC0001008
POCINC0001004