

Catalog name : onboarding application

Steps:

Building catalog items:

All > maintain item> new

Creating variables:

<

≡

Catalog Item
New record

🔗

👤

Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to f

- Enter a Name and Short description to display for the item.
- Enter a Price, approvals, variables, and other information as needed.

Name

onboarding application

Application

Gouthami_Projects

[Catalogs](#)

🔒

× Service Catalog

Active

☒

[Category](#)

Office

🔍

ℹ️

Fulfillment automation level

Unspecified

State

-- None --

Checked out

-- None --

Owner

System Administrator

🔍

ℹ️

Item Details

Process Engine

Picture

Pricing

Portal Settings

[Request method](#)

Submit

▼

Hide 'Add to Cart'

☒

Hide Quantity

☒

Hide Delivery time

☒

Item Details
Process Engine
Picture
Pricing
Portal Settings

Short description

Description

GK Technologies
Now is future

- * Our Services are In Dubai, Saudi, Bahrain and Hyderabad.
- * We're here to Train people on ServiceNow and recruit Internally based on the Performance.
- * We don't ask for Degree, we only Build Careers and be a Part your growth.
- * Please make sure you provide all the info to receive your assets ASAP.
- * No Forms required, you can work at your Flexible Time.
- * Can come to Office only once a week.
- * for Quiries ping to Office at gouthami_katta

Variable Set
New record

* Title
personal Details
Application
Gouthami_Projects

* Internal name
personal_details
Variable Set attributes

Order
100
Layout
1 Column Wide

Type
Multi Row

Description
please share the details

New

Variable
New record

Application
Gouthami_Projects
Active
☒

Type
Reference
Mandatory
☐

Order
1
Read only
☐

Variable set
personal Details
Hidden
☐

Unique
☐

Disable automatic slot fill based on user context
☐

Variable
New record

Application

Gouthami_Projects

Active

☒

Type

Reference

Mandatory

☒

Order

1

Read only

☐

Variable set

Personal Details

Hidden

☐

Unique

☐

Disable automatic slot fill based
on user context

☐

If phone number is more than 10 digits:
From catalog client script:

```
function onChange(control, oldValue, newValue, isLoading) {  
    if (isLoading) {  
        return;  
    }  
    if (newValue.length>10){  
        g_form.showFieldMsg("Phone number must not be more than 10 digits.")  
    }  
    //Type appropriate comment here, and begin script below  
}
```

Variable Set

Employee Details

Order

200

Layout

1 Column Wide

Type

Multi Row

Description

Employee details

Update

Delete

Utils

Versions (9)

Variables (2)

Catalog UI Policies

Catalog Client Scripts

Included In (1)

Catalog Data Lookup Definitions

Name

Search

Actions on selected rows...

New

Variable set = Employee Details

	Name	Type	Question	Order
	country	Multiple Choice	Country	2
	location	Multiple Choice	Location	1

Specify the **Question** that explains the options available to the end user when ordering the item

* Question

City

* Name

city

Conversational label

Tooltip

Copy

Update

Delete

Related Links

Run Point Scan

Utils Versions (1)

Question Choices

Order

Search

Actions on

Question = City

	Text	Value	Order	Inactive
	Hyderabad	hyderabad	100	false
	Banglore	banglore	200	false
	Chennai	chennai	300	false
	Germany city 1	germany city 1	400	false
	Germany city 2	germany city 2	500	false
	Germany city 3	germany city 3	600	false
	Japan city 1	japan city 1	700	false
	Japan city 2	japan city 2	800	false
	Japan city 3	japan city 3	900	false
	Insert a new row...			

Catalog Client Scripts
New record

t-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name
Employee_ID_Validation

Applies to
A Variable Set

Active
☒

UI Type
All

Application
Gouthami_Projects

Type
onChange

Variable set
Employee Details

Variable name
employee_id

Applies on a Catalog Item view
☒

Applies on Requested Items
☐

Applies on Catalog Tasks
☐

Applies on Target Record
☐

```

function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == '') {
        return;
    }
    var regex = /^\\n{6}$/;
    if(!regex.test(newValue)){
        g_form.addInfoMessage("invalid input, please enter exactly 6 didgits
with no space and letters");
        g_form.setValue('employee_id',''); // clears value in it//
    }

    //Type appropriate comment here, and begin script below

}

```

NOTE:

different data fields require completely different regular expressions

Example: 6 digit numeric id = `/^\\n{6}$/`

10 digit phone number = `/^\\n{10}$/`

10 digit phone number with country code `/^\\+?\\d{1,4}\\s\\n{10}$/`

Numeric age capped b/w 1 and 3 digits: `/^\\d{1,3}$/`

Employee phone no should be a 10 digit numeric number.

```
var regex = /^\\+?\\d{1,4}\\s\\n{10}$\\//;
if(!regex.test(newValue)){
    g_form.addInfoMessage("please add 10 digit phone number");
    g_form.setValue('phone_number','');
}else{
    g_form.addInfoMessage("you have enteredd");
}

}
```

The employee name should contain only alphabets and space and not more than 30 characters on the whole.

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == '') {
        return;
    }
    var regex = /^[A-Za-z\\s]{1,30}$\\//;
    if (!regex.test(newValue)) {
        g_form.showFieldMsg(
            'name',
            'Name should contain only alphabets and spaces and be maximum
30 characters.',
            'error',
            true
        );
    } else {
        g_form.hideFieldMsg('name', true);
    }
}
```

Provide red star(*) for showing as Mandatory and if not selected should display an error message that please fill the fields that are required.

Variable: DOB

The screenshot shows the configuration for a variable named 'DOB'. The 'Application' is 'Gouthami_Projects'. The 'Type' is 'Date'. The 'Order' is '5'. The 'Variable set' is 'Personal Details'. On the right, the 'Active' checkbox is checked, and the 'Mandatory' checkbox is also checked and highlighted with a red underline. Other options like 'Read only', 'Hidden', 'Unique', and 'Disable automatic slot fill based on user context' are unchecked.

onsubmit(catalog onsubmit):

```
function onSubmit() {
var dob = g_form.getValue('dob');
if(g_form.isMandatory('dob') && dob == ''){
    g_form.showFieldMsg('dob',"please select date of birth",'error',true);
    return false;
}
}
```

If Onsite is selected, the fields country, Country should be visible and mandatory.

The screenshot shows the 'Catalog UI Policy' configuration for a 'New record'. The 'Variable set' is 'Employee Details'. The 'Short description' is 'If Onsite is selected, the fields country, Country should be visible and mandatory.' Below this, there are tabs for 'When to Apply' and 'Script'. A blue box contains the following conditions: '1. The catalog UI policy is Active', '2. The items in the Conditions field evaluate to true', and '3. The field specified in the catalog UI policy is present on the specified catalog item'. At the bottom, the 'Catalog Conditions' section is highlighted with a red box. It shows a condition where 'location' is 'Onshore'. There are buttons for 'Add Filter Condition', 'Add OR Clause', and logical operators 'AND', 'OR', and a red 'X' button.

Catalog UI Policy Action
New record

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

Variable Set	Employee Details	Application	Gouthami_Projects
Variable name	country	Mandatory	True
Order	100	Visible	True
		Read only	Leave alone
		Value action	Leave alone
		Field message type	None

Once the value for the country field is selected the city field must be made visible and mandatory.

Using client script:

Catalog Client Scripts
Populate_City_for_Countries

Name: Populate_City_for_Countries

Applies to: A Variable Set

Active: ☒

UI Type: All

Application: Gouthami_Projects

Type: onChange

Variable set: Employee Details

Variable name: country

Applies on a Catalog Item view: ☒

Applies on Requested Items: ☐

Update Delete

```
function onChange(control, oldValue, newValue, isLoading) {
```

```
    // Remove existing city options
```

```
    g_form.clearOptions('city');
```

```
    // Add default option
```

```
    g_form.addOption('city', '', '-- Select City --');
```

```
    if (newValue == 'india') {
```

```
        g_form.addOption('city', '', '-- Select City --');
```

```
        g_form.addOption('city', 'hyderabad', 'Hyderabad');
```

```
        g_form.addOption('city', 'banglore', 'Banglore');
```

```
        g_form.addOption('city', 'chennai', 'Chennai');
```

```

} else if (newValue == 'germany') {
    g_form.addOption('city', '', '-- Select City --');
    g_form.addOption('city', 'germany_city_1', 'Germany City 1');
    g_form.addOption('city', 'germany_city_2', 'Germany City 2');
    g_form.addOption('city', 'germany_city_3', 'Germany City 3');

} else if (newValue == 'japan') {
    g_form.addOption('city', '', '-- Select City --');
    g_form.addOption('city', 'japan_city_1', 'Japan City 1');
    g_form.addOption('city', 'japan_city_2', 'Japan City 2');
    g_form.addOption('city', 'japan_city_3', 'Japan City 3');
}
}

```

SLA definition

Duration should be 4 days 8 hours, schedule 8-5 weekdays except weekends.

ALL > SLA > SLA Definition > New >

SLA Definition
New record

In SLA starting now will breach on 2026-09-22 16:34:34 (Actual elapsed time: 18 Days 5 Hours)

Name	Onboarding SLA	Application	Gouthami_Projects
Type	SLA	Duration type	User specified duration
Target	Resolution	* Duration	Days 4 Hours 8 00 00
Table	Requested Item [sc_req_item]	Schedule source	SLA definition
Flow	Default SLA flow	* Schedule	8-5 weekdays excluding holiday
Enable logging	☐	Timezone source	The caller's time zone
Active	☒		

Conditions:

Start condition | Pause condition | Stop condition | Reset condition

The conditions under which the new SLA will be attached and canceled

[Start condition](#)

is

[Pause condition](#)
[Stop condition](#)
[Reset condition](#)

Conditions under which the SLA will pause (stop increasing elapsed time) and resume

[Pause condition](#)
[Add Filter Condition](#)
[Add OR Clause](#)

State is Pending

[Start condition](#)
[Pause condition](#)
[Stop condition](#)
[Reset condition](#)

The condition under which the SLA will complete

[Stop condition](#)
[Add Filter Condition](#)
[Add OR Clause](#)

State is Closed Complete

SAVE

So this SLA will start whenever a request is created in the request table

Table Requested Item [sc_req_item]

Order guide

Order guide is a collection or bundle of related catalog items

Requirement-Software:

Under Software - Create a checkbox field – software update(check box type). If it is checked, a string field should be displayed asking for version number(string type).

All > order guide > new >

Name Application

[Catalogs](#) Service Catalog Active ☒

[Category](#) Fulfillment automation level

State

Checked out

Owner

Variables:

Variable
Software update

Application Active ☒

[Type](#) Selection Required ☐

[Catalog item](#) Read only ☐

Order Hidden ☐

Disable automatic slot fill based on user context ☐

Type Specifications Default Value Auto-populate Permission Availability

by the **Question** that explains the options available to the end user when ordering the item

* Question

* Name

Variables (2)

Variable Sets

Catalog UI Policies

Catalog Client Scripts

Available For

Not Available For

Categories (1)

Catalogs (1)

Catalog Data Lookup Definitions

Related Articles

Related Catalog Items

Assigned Topics

≡

🔍

for text

Search

⚙

🔗

🔍

📄

—

Actions on selected rows...

New

Catalog item = Software

☐

🔍

Type

Question

Order

CheckBox

Software update

2

Single Line Text

Version

1

⏪

⏩

1 to 2 of 2

⏪

⏩

Catalog UI action

Variables (2)	Variable Sets	Catalog UI Policies (1)	Catalog Client Scripts	Available For	Not Available For	Categories (1)	Catalogs (1)	Catalog Data Loc
Related Articles	Related Catalog Items	Assigned Topics						
≡ 🔍 Order ▼ Search ⚙️ 📄 🔍 📄 — Actions on s								
Catalog item = Software								
☐	☐	Short description	Variable set	Conditions	Reverse if false	On load	Inherit	Update
		If check software box is true, make version mandatory	(empty)		true	true	false	2026-01-01 11:57:20

Requirement-Hardware:

Under Hardware – Create a field to validate the ip address – the valid IP address only must be accepted.

ALL > Maintain items >

Name

Hardware

Application

Gouthami_Proje

Catalogs

Service Catalog

Active

☒

Category

Office

Fulfillment automation level

Unspecified

State

-- None --

Checked out

-- None --

Owner

System Administrator

Variable:

Variable

New record

Application

Gouthami_Projects

Active

☒

Type

IP Address

Mandatory

☒

Catalog item

Hardware

Read only

☐

Order

1

Hidden

☐

Disable automatic slot fill based on user context

☐

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Specify the Question that explains the options available to the end user when ordering the item

* Question

IP Address

* Name

ip_address

Record producer

Requirement-Services:

Create a record producer to create an **incident**

So we need to create a record producer for the incident table.

ALL > Record producer >

Record Producer
New record

Name	Incident_record_producer	Application	Gouthami_Projects
* Table name	Incident [Incident]	Active	☒
State	-- None --		
Checked out	-- None --		
Owner	System Administrator		

Description and a full description

Short description

Description  <>

B I U   Verdana 8pt

We are here to resolve your queries

SAVE

NOTE: as we selected the incident, then if a user selects the issue related option in the service portal then immediately a record will be created.

Variables creating:

Variable
New record

Application	Gouthami_Projects	Active	☒
Map to field	☐	Mandatory	☐
Type	Reference	Read only	☐
Catalog item	Incident_record_producer	Hidden	☐
Order		Disable automatic slot fill based on user context	☐

Question

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Specify the **Question** that explains the options available to the end user when ordering the item

* Question

Affected Service

* Name

affected_service

Question

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Values specific to this variable **Type**

Variable Width

System Default Width (50) %

Not honored in 2 column container

* Reference

Service [sys_service]

Use reference qualifier

Simple

Reference qualifier condition

Add Filter Condition

Add OR Clause

Application

Gouthami_Projects

Active

☒

Map to field

☐

Mandatory

☐

Type

Multi Line Text

Read only

☐

Catalog item

Incident_record_producer

Hidden

☐

Order

Disable automatic slot fill based on user context

☐

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

e **Question** that explains the options available to the end user when ordering the item

* Question

Description of the Service

* Name

description_of_the_service

Variable

Contact type

Application

Gouthami_Projects

Active

☒

Map to field

☐

Mandatory

☐

Type

Select Box

Read only

☐

Catalog item

Incident_record_producer

Hidden

☐

Order

Disable automatic slot fill based on user context

☐

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

by the Question that explains the options available to the end user when ordering the item

* Question

Contact type

* Name

contact_type

≡

🔍

Question Choices

Order

▼

Search

Question = Contact type

	🔍	Text	Value	Order ▲	Ina
	①	Email		100	fals
	①	Phone		200	fals
	①	Chat		300	fals
✕	📄	①	Self-service	400	fals
+	Insert a new row...				

Variable

New record

Application

Gouthami_Projects

Active

☒

Map to field

☐

Mandatory

☐

Type

Select Box

Read only

☐

Catalog item

Incident_record_producer

Hidden

☐

Order

Disable automatic slot fill based on user context

☐

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

by the Question that explains the options available to the end user when ordering the item

* Question

Urgency

* Name

urgency

[SN Utils] Versions (1)

Question Choices Order Search

Question = Urgency

	Text	Value	Order ▲	Inactiv
①	Medium	1	100	false
①	High	2	200	false
✕ ①	Low	3	300	false
+	Insert a new row...			

So far, we have 4 variables:

Variables (4) Variable Sets Catalog UI Policies Catalog Client Scripts Available For Not Available For Categories Catalogs Cat

Related Catalog Items Assigned Topics

for text Search

Catalog item = Incident_record_producer

Question	Field	Type
Affected Service		Reference
Contact type		Select Box
Description of the Service		Multi Line Text
Urgency		Select Box

NOTES:

- These variables, created, belong to the record producer not to the incident table, because the record producer collects the data with it.
- **Current** means incident record (as we selected the incident table)

Mapping fields with script:

```
var serviceDisplay = producer.affected_service.getDisplayValue();
current.description = producer.description_of_the_service;
current.contact_type = producer.contact_method;
current.urgency = producer.urgency;
```

```
current.short_description = "issue is:" + serviceDisplay;
current.caller_id = gs.getUserID();
```

```
current.category = "inquiry";
current.subcategory = "service";
```

```
current.assignment_group.setDisplayValue('Service Desk');
```

NOTE:

- Here, we need to map both defined variables in the record producer and also some required fields in the incident table, even though those are not defined here in the record producer.
- Now we need to define order guide

Order guide:

ALL > order guide > new >

The screenshot shows the configuration page for an order guide named 'newEmployeeOnboarding'. The name is highlighted with a green box. The application is 'Gouthami_Projects'. The catalog is 'Service Catalog' and the category is 'Office'. The 'Active' checkbox is checked. The 'Short description' is 'To submit multiple service catalog items' request'. The 'Description' field contains the text 'This is To submit multiple service catalog items' request' with a rich text editor toolbar above it.

Order guide
newEmployeeOnboarding

Name: newEmployeeOnboarding

Application: Gouthami_Projects

Catalogs: Service Catalog

Category: Office

Active: ☒

Cascade Variables: ☐

Expand help for all questions: ☐

Two step: ☐

Short description: To submit multiple service catalog items' request

Description: <> This is To submit multiple service catalog items' request

Create general variables:

The screenshot shows the 'Variables (3)' tab in the configuration tool. It displays a table of variables for the catalog item 'newEmployeeOnboarding'. The table has three columns: Name, Type, and Question. The variables are 'email', 'name', and 'phone', all of type 'Single Line Text'.

Variables (3)	Variable Sets	Rule base	Catalog UI Policies	Catalog Client Scripts	Available For	Not Available For	Categories (1)	Catalogs (1)
Assigned Topics								
Catalog item = newEmployeeOnboarding								
☐	Name	Type	Question					
☐	email	Single Line Text	Email					
☐	name	Single Line Text	Name					
☐	phone	Single Line Text	Phone					

Now we need to validate these variables by catalog client script;

Email validation:

```

function onChange(control, oldValue, newValue, isLoading) {
    if (newValue == '') {
        return;
    }

    var regex = /^[A-Za-z0-9._%+-]+@[A-Za-z0-9.-]+\.[A-Za-z]{2,}$/;
    if(!regex.test(newValue)&& newValue){
        g_form.showFieldMsg('email',"entered invalid email
text", 'error', true);
    }else{
        g_form.hideFieldMsg('email', true);
    }
}

```

Name validation:

```

function onChange(control, oldValue, newValue, isLoading) {
    if (newValue == '') {
        return;
    }

    var regex = /^[a-zA-ZÀ-ÿ '._-]+$;/;

    if(!regex.test(newValue)){
        g_form.showFieldMsg('name',"you've entered incorrect
chatacters", 'error', true);
    }else{
        g_form.hideFieldMsg('name', true)
    }
}

```

Phone validation:

```

function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == '') {
        return;
    }

    var regex = /^\\+[0-9]{1,3}[0-9]{10}$/;

```

```

    if(!regex.test(newValue)){
        g_form.showFieldMsg('number',"please enter correct phone
number", 'error', true);
    }else{
        g_form.hideFieldMsg('number', true);
    }
}

```

Include all catalog items in the “order guide”:

SUBMIT

Again add another catalog:

So far these catalogs in the order guide:

Guide = newEmployeeOnboarding	
At this position	Include this item
	1 onboarding application
	2 Software
	3 Hardware
	4 Incident_record_producer

Now go to service portal (<https://dev190059.service-now.com/sp>) and check

Search with new(meta word we gave)

Clear All

ry ▶

Apply

 **newEmployeeOnboarding**

To submit multiple service catalog items' request

We'll see this form:

Home > Service Catalog > Office > newEmployeeOnboarding

Search Catalog

newEmployeeOnboarding

To submit multiple service catalog items' request

 Describe Needs

 Choose Options

 Summary

This is To submit multiple service catalog items' request

Email

Name

Phone

Home > Service Catalog > Office > newEmployeeOnboarding

Search Catalog

newEmployeeOnboarding

To submit multiple service catalog items' request

 Describe Needs

 Choose Options

 Summary

Included Items:

* Mandatory Fields

 onboarding application	Welcome aboard	Options	▼	☒
 Software		* Options	▼	☒
 Hardware		* Options	▼	☒
 Incident_record_producer	please mention issue with services	Options	▼	☒

Previous

Next

After giving all the details, a request item will be created.

Home > Request Summary - REQ0010001						Search Catalog
Submitted :2026-09-11 00:25:14 Request Number : REQ0010001 Estimated Delivery : 2026-09-13						
Item	Delivery Date	Stage	Price (each)	Quantity	Total	
Software	2026-09-13	▶ Request Approval	---	1	---	
Hardware	2026-09-13	▶ Request Approval	---	1	---	
onboarding application	2026-09-13	▶ Request Approval	---	1	---	

Request
REQ0010001

Activities: 1

System Administrator

Impact

3 - Low

Opened by

System Administrator

Priority

4 - Low

State

Open

Field changes

2026-09-11 00:25:14

Cancel Request

Copy

Delete

sted Items (3)

Approvers

Number

Search

Actions on selected rows...

st = REQ0010001

Number	Quantity	Catalog	Item	Due date	Price	Assigned to	Stage
RITM0010003	1 (empty)	Software	2026-09-13 00:25:13	\$0.00 (empty)			
RITM0010002	1 (empty)	Hardware	2026-09-13 00:25:13	\$0.00 (empty)			
RITM0010001	1 (empty)	onboarding application	2026-09-13 00:25:13	\$0.00 (empty)			

A record producer of incident will also be created:

Go to incident table:

See the recent one.

All				Updated ▾
Number	Opened	Short description		
Search	Search	Search		Search
INC0010020	2026-09-11 00:25:11	issue is:DynamicTranslation		2026-09-11 00:25:12

Incident
INC0010020 View: Self Service

Number

* Caller

Watch list

* Short description

[Related Search Results >](#)

Comments (Customer visible)

Activities: 1

	System Administrator
Impact	3 - Low
Incident state	New
Opened by	System Administrator
Priority	3 - Moderate

Further requested items will be assigned to respective teams like software within the SLAs.
It will be done by automation/flow designer

FLOW DESIGNER:

Requirement 1:

The request must be routed to Software group's approval if Software is selected and Core group's approval if Core is selected.

Means if area of specialization Software then request must go to "Software team".

Navigation:

ALL > Flow designer > new > flow > Name: "onboarding application"

Select "service catalog" TRIGGER

And for ACTION, we need to select "GET CATALOG VARIABLES"

ACTIONS [Select multiple](#)

ERROR HANDLING
If an error occurs

Search Actions

INSTALLED SPOKES		Service Catalog
<u>ServiceNow Core</u>		Create Catalog Task
Docker		Get Catalog <u>Variables</u>
Global		Submit Catalog Item Request

* Submitted Request [Requested Item]

Trigger -... ▶ Requested Item ... X

Search Trigger - Service Catalog ▶ Requested Item Record ▶

Trigger - Service Catalog	Requested Item Re...	Record	Active
		Record	Active

* Template Catalog Items and Variable Sets [Catalog Items and Variable Sets]

onboarding application X Q ⓘ

Catalog Variables	Available	Selected
	contact_number personal_details	Create Catalog Item(s) that point to this flow and the variables on that item(s) will

* Template Catalog Items and Variable Sets [Catalog Items and Variable Sets]

Employee onboarding X Q I

Catalog Variables Available Selected

No available values

area_of_expertise
employee_details
personal_details

> < ^ v

If area of software expertise option "software" is not appearing as option then we can give **hardcoded EXACT value:**

If

Condition Label: If area of expertise is software

* Condition 1: 1 - Get Cata... area_of_exp... is Software or and

Add another condition set(OR)

Delete Cancel Done

then Ask For Approval on Requested Item

Action Properties

Action Ask For Approval

Action Inputs

* Record Trigger ... Requested Item ...

Table Requested Item [sc_req_item]

Approval Reason

Approval Field Approval X

Journal Field Approval history X

* Rules

Approve or Re... When:

Anyone approves or rejects Software X

OR AND



Due Date None

Add another OR rule set

Requirement 2:

Once the approval process is completed a 3 parallel task of type catalog tasks needs to be generated.

The flow will continue from approval:




Creating 3 tasks in "catalog tasks" record

Also map what fields need to be created in the sc_task table by mapping fields from request-table

Now copy this task for 2 more times and place them in the parallel place not in sequence place by DRAGGING

LIKE This:



Now after copying these, let's edit the details in it (as copied ones are like drafts)