

Number - system generates the value

The screenshot shows the SAP Table Configuration (SE11) interface for the table **POC_Problem_Table**. The table is associated with the application **Gouthami** and the user **u_poc_problem_table**. It extends the **Problem** table. The **Controls** tab is selected, showing the **Extensible** and **Live feed** checkboxes, both of which are unchecked. A blue information bar states: "Use auto-numbering to define a sequential identifying code made up of a prefix, a base number and a padding value to ensure a consistent format". The **Prefix** is set to **POCPRB**.

Impact - display help icon

```
1 function onLoad() {  
2     g_form.addDecoration('impact', 'icon-help', "please select correct impact");  
3 }  
4 }
```

Urgency - display help icon

```
1 function onLoad() {  
2     g_form.addDecoration('impact', 'icon-help', "please select correct impact");  
3     g_form.addDecoration('urgency', 'icon-help', "please select correct urgency");  
4 }  
5 }
```

Priority - read only

Warning: This is a [High Risk](#) file that might get updated again in later releases. **Do not** alter this file unless necessary.

Dictionary entry manages how ServiceNow stores data in tables and fields (columns). For new dictionary entries, select a **Table** and the field **Type** defines the field label, and the column name. If necessary, set a **Max length** for text String type fields, make the field **Mandatory** to save a record, so it appears on records that reference this table. [More Info](#)

* Table	Task [task]	Application	Global
* Type	Integer	Active	☒
* Column label	Priority	Function field	☐
* Column name	priority	Read only	☒

Configuration item - If State is Root Cause Analysis, Configuration item to is mandatory:

With UI policy:

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy	Assignment Group - If state is Assess,	Application	Gouthami_Projects
Table	POC_Problem_Table [u_poc_problem_table]	Mandatory	True
* Field name	Configuration item	Visible	Leave alone
		Read only	Leave alone

Clear the field value ☐

Replace the update button with button Save & Exit. Do not display the button when the State = closed

Make the clone of the existing Update button, by right click and insert by doing required changes.

From the condition:

Condition <> `current.isValidRecord() && Number(current.record_version) === SNC.VersionControl.getLatestVersion(current) && gs.hasRole('certification_a`

Only this part need to be added additionally:

current.state!='107'

Business Rule:

"1> When the problem state is ""Assess"" and user clicks Save, a new task is generated automatically in the Problem Tasks section.

2> Users can create a new task by clicking on the New button in the Problem Tasks tab

The screenshot shows a web application interface for managing problems. At the top, there's a header bar with a search icon, a help icon, and a menu icon. Below the header, the main content area displays a problem record for 'POC_Problem_Table' with ID 'POCPRB0001001'. The record shows 'Activities: 1' and a list of details: Impact (3 - Low), Opened by (System Administrator), Priority (5 - Planning), and State (New). A 'Field changes' section shows the last update on 2026-08-28 02:22:46. Below the record, there are buttons for 'Confirm', 'Fix', 'Mark Duplicate', 'Cancel', 'Update', and 'Delete'. A 'Related Links' section includes a link to 'Create Known Error article'. The 'Problem Tasks' tab is selected, showing a table with columns: Number, Short description, Model, Type, Priority, State, Close code, Assignment group, Assigned to, and Order. The table is currently empty. A 'New' button is visible in the top right corner of the tab area.

With BR:

```
1 (function executeRule(current, previous /*null when async*/) {
2
3     if (current.state.changesTo('assess')){
4         var prbtask = new GlideRecord('problem_task');
5         prbtask.initialize();
6         prbtask.number = current.sys_id;
7         prbtask.short_description = "creating problem task";
8         prbtask.insert();
9     }
10 }
11
12 })(current, previous);
```

With flow designer

Trigger:

TRIGGER

POC_Problem_Table Updated where (State is Assess)

Trigger: Updated

* Table: POC_Problem_Table [u_poc_pro... X]

Condition: All of these conditions must be met

State is Assess

or

New Criteria

Run Trigger: Once

Actions:

1 Create POC_Problem_Table Record

Action Properties

Action: Create Record

Action Inputs

* Table: Trigger... POC_Problem_Tab... X

* Fields:

Number	X	Trigger - Record ... Sys ...	X
Description	X	Trigger ... Problem stat...	X
Configuration item	X	Trigger ... Configuratio...	X
Assignment group	X	Trigger ... Assignment ...	X

Status: Modified | Application: Gouthami_Projects

The screenshot shows a workflow editor interface. At the top, there is an 'If' condition: 'Trigger -> ... > Configuration...' is not empty. Below this, a 'then' block contains an action: 'Update POC_Problem_Table Record'. The 'Action Properties' section shows the 'Action' dropdown set to 'Update Record'. The 'Action Inputs' section lists three inputs: 'Record' (value: '1 - Cr... > POC_Problem_Table...'), 'Table' (value: 'POC_Problem_Table [u_poc_pro...'), and 'Fields' (value: 'Configuration item').

UI Action: SAVE button

The Save button needs to be displayed on the top of the form. It saves form and stays on the same page(for new record)

Instead of creating new UI action, search for similar action and ensure if it is checked for enabled on form.

It's a best example of how we utilize the existing UI actions.

Insert it for copying rather than directly updating it:

The screenshot shows the 'UI Action: Save and stay' configuration window. The 'Name' field is 'Save and stay'. The 'Table' dropdown is 'Global [global]'. The 'Order' field is '0'. The 'Action name' field is 'sysverb_update_and_stay'. The 'Active' checkbox is checked. The 'Show insert' checkbox is checked. The 'Show update' checkbox is unchecked. The 'Application' dropdown is 'Gouthami_Projects'. The 'Form button' checkbox is checked. The 'Form context menu' checkbox is checked. The 'Form link' checkbox is unchecked. The 'Form style' dropdown is '-- None --'. The 'List banner button' checkbox is unchecked. The 'List bottom button' checkbox is unchecked.

POC_Problem_Table
New record

Number POCPRB0001008

Origin task

Category -- None --

Subcategory -- None --

Service

Model

State New

Resolution code -- None --

Duplicate of

Workaround applied ☐

Submit Save and stay

Description should visible only when problem statement is visible:

When problem statement is not empty make the description visible

When to Apply Script

Conditions Add Filter Condition Add OR Clause

Problem statement is not empty AND OR X

UI Policy Action
New record

UI policy Description should visible only when p

Table POC_Problem_Table
[u_poc_problem_table]

* Field name Description

Application Gouthami_Projects

Mandatory Leave alone

Visible True

Read only Leave alone

Clear the field value ☐

Whenever Assignment group value selected for the first time, capture it in a custom field called Initial assignment group

Custom field field:


Reference Specification Choice List Specification Default Value

The Reference field specifies what table this field displays values from.

* Reference Group

Reference qual condition Add Filter Condition Add OR Clause

BR



```
1 (function executeRule(current, previous /*null when async*/) {
2
3   if (current.assignment_goup && current.u_initial_assignment_group.nil()){
4     current.u_initial_assignment_group = current.assignment_group;
5   }
6
7 })(current, previous);
```

Condition: when there is value for assignment group AND initial assignment group is empty, then capture that change