


1. CREATE A BUCKET IN IBM OBJECT STORAGE



IBM Cloud

Search resources and products...

Cloud Object Storage

Storage instances

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan


Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Search

Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created
storageaccount	Yes	jp-tok	Smart Tier	2022-10-09 5:55 PM

2. UPLOAD 5 IMAGE TO IBM OBJECT STORAGE AND MAKE IT PUBLIC. WRITE HTML CODE TO DISPLAY ALL 5 IMAGES



IBM Cloud

Search resources and products...

Cloud Object Storage

Storage instances

Cloud Object Storage-ae

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan


If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads [Learn more](#)

Prefix filter

Upload

Object name	Archived ⓘ	Size	Last modified
<input type="checkbox"/> DigiCertGlobalRootCA (1).crt		947 bytes	2022-10-09 5:56 PM
<input type="checkbox"/> assign_no_3_3.CSS		587 bytes	2022-10-15 7:45 PM
<input type="checkbox"/> certi.crt		947 bytes	2022-10-09 5:56 PM
<input type="checkbox"/> pic1.jpg		204.9 KB	2022-10-15 6:52 PM
<input type="checkbox"/> pic2.jpeg		195.5 KB	2022-10-15 6:52 PM
<input type="checkbox"/> pic3.jpg		123.4 KB	2022-10-15 6:52 PM
<input type="checkbox"/> pic4.jpeg		13.4 KB	2022-10-15 6:52 PM
<input type="checkbox"/> pic5.jpeg		4.9 KB	2022-10-15 6:52 PM

Drag and drop files (objects) here or click to upload



CODE:

<h1>ONLY HTML CODE IS USED</h1>

```
<div class="container">

  <div class="container">

    </div>

  </div>

  <div class="container">

    <div class="container">

      </div>

    </div>

    <div class="container">

      
```

```

<div class="container">

</div>

</div>

<div class="container">

    <div class="container">

    </div>

</div>


<div class="container">

</div>

```

3.Upload a css page to the object storage and use the same page in your HTML code.



```

<link rel="stylesheet"
      href="https://storageaccount.s3.jp-tok.cloud-object-
storage.appdomain.cloud/assign_no_3_3.CSS">


```

This link tag is used in head with href as cloud object storage css file object link

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

LINK –

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-37373119-945f-46a0-928a-ced41dc40f36%3A%3A5024cd74-517c-4baf-9c50-3085a45f1abe&integrationID=d63547f8-f695-4dc1-9d49-1427ee71a40c®ion=au-syd&serviceInstanceID=37373119-945f-46a0-928a-ced41dc40f36>



5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Script:

<script>

```
window.watsonAssistantChatOptions = {  
  integrationID: "d63547f8-f695-4dc1-9d49-1427ee71a40c", // The ID of this integration.  
  region: "au-syd", // The region your integration is hosted in.
```

serviceInstanceID: "37373119-945f-46a0-928a-ced41dc40f36", // The ID of your service instance.

```
onLoad: function (instance) { instance.render(); }
```

```
};
```

```
setTimeout(function () {
```

```
const t = document.createElement('script');
```

```
t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
```

```
document.head.appendChild(t);
```

```
});
```

```
</script>
```

