1. **CREATE A BUCKET IN IBM OBJECT STORAGE**

2. **UPLOAD 5 IMAGE TO IBM OBJECT STORAGE AND MAKE IT PUBLIC. WRITE HTML CODE TO DISPLAY ALL 5 IMAGES**

Bucket access policies

Manage access to this bucket by creating IAM policies for users and service IDs. Users and service IDs must also have an instance level viewer role (or higher) to use the console or to list buckets using the REST API.

⌄	**Access policies**
⌃	**Public access**

Status: **Enabled**

Role for this bucket:

Content Reader ⌄

As a Content Reader, one can read and list objects in the bucket.

Create access policy

CODE:

```html
<h1>ONLY HTML CODE IS USED</h1>

    <div class="container">

    <img src="https://storageaccount.s3.jp-tok.cloud-object-storage.appdomain.cloud/pic1.jpg" alt="IBM LOGO 1"

        style="width:100%">

    <div class="container">

    </div>

    </div>

    <div class="container">

    <img src="https://storageaccount.s3.jp-tok.cloud-object-storage.appdomain.cloud/pic2.jpeg" alt="IBM LOGO 2"

        style="width:100%">

    <div class="container">

    </div>

    </div>

    <div class="container">

    <img src="https://storageaccount.s3.jp-tok.cloud-object-storage.appdomain.cloud/pic3.jpg" alt="IBM LOGO 3"

        style="width:100%">

    <div class="container">
```

</div>

    </div>

    <div class="container">

        <img src="https://storageaccount.s3.jp-tok.cloud-object-storage.appdomain.cloud/pic4.jpeg" alt="IBM LOGO 4"

            style="width:100%">

    <div class="container">

    </div>

    </div>

    <div class="container">

        <img src="https://storageaccount.s3.jp-tok.cloud-object-storage.appdomain.cloud/pic5.jpeg" alt="IBM LOGO 5"

            style="width:100%">

    </div>

3.Upload a css page to the object storage and use the same page in your HTML code.



```
<link rel="stylesheet"
      href="https://storageaccount.s3.jp-tok.cloud-object-
storage.appdomain.cloud/assgn_no_3_3.CSS">
```

This link tag is used in head with href as cloud object storage css file object link

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Script:

<script>

```
    window.watsonAssistantChatOptions = {

        integrationID: "d63547f8-f695-4dc1-9d49-1427ee71a40c", // The ID of this integration.

        region: "au-syd", // The region your integration is hosted in.

        serviceInstanceID: "37373119-945f-46a0-928a-ced41dc40f36", // The ID of your service
instance.

        onLoad: function (instance) { instance.render(); }

    };

    setTimeout(function () {

        const t = document.createElement('script');

        t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

        document.head.appendChild(t);

    });
```

</script>