

Project Report on

“BANK MANAGEMENT SYSTEM”

Relational Database Management System

Submitted by:

MD FAISAL HUSSAIN

Abstract

The Bank Account Management System is an application for maintaining a person's account in a bank. In this project I tried to show the working of a banking account system and cover the basic functionality of a Bank Account Management System. To develop a project for solving financial applications of a customer in banking environment in order to nurture the needs of an end banking user by providing various ways to perform banking tasks. Also, to enable the user's work space to have additional functionalities which are not provided under a conventional banking project.

The Bank Account Management System undertaken as a project is based on relevant technologies. The main aim of this project is to develop software for Bank Account Management System. This project has been developed to carry out the processes easily and quickly, which is not possible with the manual systems, which are overcome by this software. This project is developed using Java language. Creating and managing requirements is a challenge of IT, systems and product development projects or indeed for any activity where you have to manage a contractual relationship. Organization need to effectively define and manage requirements to ensure they are meeting needs of the customer, while proving compliance and staying on the schedule and within budget.

The impact of a poorly expressed requirement can bring a business out of compliance or even cause injury or death. Requirements definition and management is an activity that can deliver a high, fast return on investment. The project analyzes the system requirements and then comes up with the requirements specifications. It studies other related systems and then come up with system specifications. The system is then designed in accordance with specifications to satisfy the requirements. The system design is then implemented with Java. The system is designed as an interactive and content management system. The content management system deals with data entry, validation confirm and updating whiles the interactive system deals with system interaction with the administration and users. Thus, above features of this project will save transaction time and therefore increase the efficiency of the system

AIM of this project

The main aim of designing and developing this Internet banking System Java primarily based Engineering project is to provide secure and efficient net banking facilities to the banking customers over the internet. Apache Server Pages, MYSQL database used to develop this bank application where all banking customers can login through the secured web page by their account login id and password. Users will have all options and features in that application like get money from western union, money transfer to others, and send cash or money to inter banking as well as other banking customers by simply adding them as payees.

Main Purpose

The Traditional way of maintaining details of a user in a bank was to enter the details and record them. Every time the user needs to perform some transactions he has to go to bank and perform the necessary actions, which may not be so feasible all the time. It may be a hard-hitting task for the users and the bankers too. The project gives real life understanding of Online Banking System and activities performed by various roles in the supply chain. Here, we provide automation for banking system through Internet. Online Banking System project captures activities performed by different roles in real life banking which provides enhanced techniques for maintaining the required information up-to-date, which results in efficiency. The project gives real life understanding of Online Banking System and activities performed by various roles in the supply chain

Admin Module

Admin can access this project there is an authorization process. If you login as an Admin then you will be redirected to the Admin Home Page and if you are a simple user you will be redirected to your Account Home Page. This performs the following functions: Create Individual Accounts, manage existing accounts, View all transactions, Balance enquiry, Delete/close account etc.

- 1- Admin login
- 2- Add/delete/update account
- 3- Withdrawal/deposit/statements transaction
- 4- Account Information
- 5- User details list
- 6- Active/Inactive account
- 7- View transaction histories

User Module

A simple user can access their account and can deposit/withdraw money from their account. User can also transfer money from their account to any other bank account. User can see their transaction report and balance enquiry too.

- 1- User login, use PIN system
- 2- Creating/open new account registration
- 3- Funds transfer (local/international/domestic)
- 4- View statements transaction
- 5- User account details
- 6- Change Password and Pin

Conclusion

This project is developed to nurture the needs of a user in a banking sector by embedding all the tasks of transactions taking place in a bank. Future version of this project will still be much enhanced than the current version. Writing and depositing checks are perhaps the most fundamental ways to move money in and out of a checking account, but advancements in technology have added ATM and debit card transactions. All banks have rules about how long it takes to access your deposits, how many debit card transactions you're allowed in a day, and how much cash you can withdraw from an ATM. Access to the balance in your checking account can also be limited by businesses that place holds on your funds.

Banks are providing internet banking services also so that the customers can be attracted. By asking the bank employs we came to know that maximum numbers of internet bank account holders are youth and business man. Online banking is an innovative tool that is fast becoming a necessity. It is a successful strategic weapon for banks to remain profitable in a volatile and competitive marketplace of today. If proper training should be given to customer by the bank employs to open an account will be beneficial secondly the website should be made friendlier from where the customers can directly make and access their accounts. Thus, the Bank Management System it is developed and executed successfully.

Source Code

Deposit.java

```
package ASimulatorSystem;

import java.awt.*;
import java.awt.event.*;
import javax.swing.*;
import java.util.*;

public class Deposit extends JFrame implements ActionListener{

    JTextField t1,t2;
    JButton b1,b2,b3;
    JLabel l1,l2,l3;
    String pin;
    Deposit(String pin){
        this.pin = pin;

        ImageIcon i1 = new
ImageIcon(ClassLoader.getResource("ASimulatorSystem/icons/atm.jpg"));
        Image i2 = i1.getImage().getScaledInstance(1000, 1180, Image.SCALE_DEFAULT);
        ImageIcon i3 = new ImageIcon(i2);
        JLabel l3 = new JLabel(i3);
        l3.setBounds(0, 0, 960, 1080);
        add(l3);
```

```
l1 = new JLabel("ENTER AMOUNT YOU WANT TO DEPOSIT");
```

```
l1.setForeground(Color.WHITE);
```

```
l1.setFont(new Font("System", Font.BOLD, 16));
```

```
t1 = new JTextField();
```

```
t1.setFont(new Font("Raleway", Font.BOLD, 22));
```

```
b1 = new JButton("DEPOSIT");
```

```
b2 = new JButton("BACK");
```

```
setLayout(null);
```

```
l1.setBounds(190,350,400,35);
```

```
l3.add(l1);
```

```
t1.setBounds(190,420,320,25);
```

```
l3.add(t1);
```

```
b1.setBounds(390,588,150,35);
```

```
l3.add(b1);
```

```
b2.setBounds(390,633,150,35);
```

```
l3.add(b2);
```

```
b1.addActionListener(this);
```

```
b2.addActionListener(this);
```

```
setSize(960,1080);
```

```
setUndecorated(true);  
setLocation(500,0);  
setVisible(true);  
}
```

```
public void actionPerformed(ActionEvent ae){  
    try{  
        String amount = t1.getText();  
        Date date = new Date();  
        if(ae.getSource()==b1){  
            if(t1.getText().equals("")){  
                JOptionPane.showMessageDialog(null, "Please enter the Amount to you want to  
Deposit");  
            }else{  
                Conn c1 = new Conn();  
                c1.s.executeUpdate("insert into bank values('"+pin+"', '"+date+"', 'Deposit',  
"+"amount+"')");  
                JOptionPane.showMessageDialog(null, "Rs. "+amount+" Deposited Successfully");  
                setVisible(false);  
                new Transactions(pin).setVisible(true);  
            }  
        }else if(ae.getSource()==b2){  
            setVisible(false);  
            new Transactions(pin).setVisible(true);  
        }  
    }catch(Exception e){  
        e.printStackTrace();  
    }  
}
```



```

    }

    public static void main(String[] args){
        new Deposit("").setVisible(true);
    }
}

```

Signup.java

```

package ASimulatorSystem;

import java.awt.*;
import java.awt.event.*;
import javax.swing.*;
import java.sql.*;
import com.toedter.calendar.JDateChooser;
import java.util.*;

public class Signup extends JFrame implements ActionListener{

    JLabel l1,l2,l3,l4,l5,l6,l7,l8,l9,l10,l11,l12,l13,l14,l15;
    JTextField t1,t2,t3,t4,t5,t6,t7;
    JRadioButton r1,r2,r3,r4,r5;
    JButton b;
    JDateChooser dateChooser;

```

```
Random ran = new Random();
```

```
long first4 = (ran.nextLong() % 9000L) + 1000L;
```

```
String first = "" + Math.abs(first4);
```

```
Signup(){
```

```
    setTitle("NEW ACCOUNT APPLICATION FORM");
```

```
    ImageIcon i1 = new  
    ImageIcon(ClassLoader.getResource("ASimulatorSystem/icons/logo.jpg"));
```

```
    Image i2 = i1.getImage().getScaledInstance(100, 100, Image.SCALE_DEFAULT);
```

```
    ImageIcon i3 = new ImageIcon(i2);
```

```
    JLabel l11 = new JLabel(i3);
```

```
    l11.setBounds(20, 0, 100, 100);
```

```
    add(l11);
```

```
    l1 = new JLabel("APPLICATION FORM NO. "+first);
```

```
    l1.setFont(new Font("Raleway", Font.BOLD, 38));
```

```
    l2 = new JLabel("Page 1: Personal Details");
```

```
    l2.setFont(new Font("Raleway", Font.BOLD, 22));
```

```
    l3 = new JLabel("Name:");
```

```
    l3.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
    l4 = new JLabel("Father's Name:");
```

```
    l4.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l5 = new JLabel("Date of Birth:");  
l5.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l6 = new JLabel("Gender:");  
l6.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l7 = new JLabel("Email Address:");  
l7.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l8 = new JLabel("Marital Status:");  
l8.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l9 = new JLabel("Address:");  
l9.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l10 = new JLabel("City:");  
l10.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l11 = new JLabel("Pin Code:");  
l11.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l12 = new JLabel("State:");  
l12.setFont(new Font("Raleway", Font.BOLD, 20));
```

```
l13 = new JLabel("Date");  
l13.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
l14 = new JLabel("Month");
```

```
l14.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
l15 = new JLabel("Year");
```

```
l15.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t1 = new JTextField();
```

```
t1.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t2 = new JTextField();
```

```
t2.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t3 = new JTextField();
```

```
t3.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t4 = new JTextField();
```

```
t4.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t5 = new JTextField();
```

```
t5.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t6 = new JTextField();
```

```
t6.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
t7 = new JTextField();
```

```
t7.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
b = new JButton("Next");  
b.setFont(new Font("Raleway", Font.BOLD, 14));  
b.setBackground(Color.BLACK);  
b.setForeground(Color.WHITE);
```

```
r1 = new JRadioButton("Male");  
r1.setFont(new Font("Raleway", Font.BOLD, 14));  
r1.setBackground(Color.WHITE);
```

```
r2 = new JRadioButton("Female");  
r2.setFont(new Font("Raleway", Font.BOLD, 14));  
r2.setBackground(Color.WHITE);
```

```
ButtonGroup groupgender = new ButtonGroup();  
groupgender.add(r1);  
groupgender.add(r2);
```

```
r3 = new JRadioButton("Married");  
r3.setFont(new Font("Raleway", Font.BOLD, 14));  
r3.setBackground(Color.WHITE);
```

```
r4 = new JRadioButton("Unmarried");  
r4.setFont(new Font("Raleway", Font.BOLD, 14));  
r4.setBackground(Color.WHITE);
```

```
r5 = new JRadioButton("Other");  
r5.setFont(new Font("Raleway", Font.BOLD, 14));
```

```
r5.setBackground(Color.WHITE);
```

```
ButtonGroup groupstatus = new ButtonGroup();
```

```
groupstatus.add(r3);
```

```
groupstatus.add(r4);
```

```
groupstatus.add(r5);
```

```
dateChooser = new JDateChooser();
```

```
    //dateChooser.setBorder(new LineBorder(new Color(0, 0, 0), 1, true));
```

```
    dateChooser.setForeground(new Color(105, 105, 105));
```

```
    dateChooser.setBounds(137, 337, 200, 29);
```

```
    add(dateChooser);
```

```
setLayout(null);
```

```
l1.setBounds(140,20,600,40);
```

```
add(l1);
```

```
l2.setBounds(290,80,600,30);
```

```
add(l2);
```

```
l3.setBounds(100,140,100,30);
```

```
add(l3);
```

```
t1.setBounds(300,140,400,30);
```

```
add(t1);
```

```
l4.setBounds(100,190,200,30);
```

```
add(l4);
```

```
t2.setBounds(300,190,400,30);  
add(t2);
```

```
l5.setBounds(100,240,200,30);  
add(l5);
```

```
dateChooser.setBounds(300, 240, 400, 30);
```

```
l6.setBounds(100,290,200,30);  
add(l6);
```

```
r1.setBounds(300,290,60,30);  
add(r1);
```

```
r2.setBounds(450,290,90,30);  
add(r2);
```

```
l7.setBounds(100,340,200,30);  
add(l7);
```

```
t3.setBounds(300,340,400,30);  
add(t3);
```

```
l8.setBounds(100,390,200,30);  
add(l8);
```

```
r3.setBounds(300,390,100,30);
```

```
add(r3);
```

```
r4.setBounds(450,390,100,30);
```

```
add(r4);
```

```
r5.setBounds(635,390,100,30);
```

```
add(r5);
```

```
l9.setBounds(100,440,200,30);
```

```
add(l9);
```

```
t4.setBounds(300,440,400,30);
```

```
add(t4);
```

```
l10.setBounds(100,490,200,30);
```

```
add(l10);
```

```
t5.setBounds(300,490,400,30);
```

```
add(t5);
```

```
l11.setBounds(100,540,200,30);
```

```
add(l11);
```

```
t6.setBounds(300,540,400,30);
```

```
add(t6);
```



```
l12.setBounds(100,590,200,30);  
add(l12);
```

```
t7.setBounds(300,590,400,30);  
add(t7);
```

```
b.setBounds(620,660,80,30);  
add(b);
```

```
b.addActionListener(this);
```

```
getContentPane().setBackground(Color.WHITE);
```

```
setSize(850,800);  
setLocation(500,120);  
setVisible(true);  
}
```

```
public void actionPerformed(ActionEvent ae){
```

```
    String formno = first;  
    String name = t1.getText();  
    String fname = t2.getText();  
    String dob = ((JTextField) dateChooser.getDateEditor().getUiComponent()).getText();  
    String gender = null;  
    if(r1.isSelected()){  
        gender = "Male";  
    }else if(r2.isSelected()){
```

```
        gender = "Female";  
    }
```

```
String email = t3.getText();  
String marital = null;  
if(r3.isSelected()){  
    marital = "Married";  
}else if(r4.isSelected()){  
    marital = "Unmarried";  
}else if(r5.isSelected()){  
    marital = "Other";  
}
```

```
String address = t4.getText();  
String city = t5.getText();  
String pincode = t6.getText();  
String state = t7.getText();
```

```
try{  
  
    if(t6.getText().equals("")){  
        JOptionPane.showMessageDialog(null, "Fill all the required fields");  
    }else{  
        Conn c1 = new Conn();  
        String q1 = "insert into signup  
values('"+formno+"','"+name+"','"+fname+"','"+dob+"','"+gender+"','"+email+"','"+marital+"','"+  
address+"','"+city+"','"+pincode+"','"+state+"')";  
        c1.s.executeUpdate(q1);
```

```
        new Signup2(first).setVisible(true);  
        setVisible(false);  
    }
```

```
    }catch(Exception e){  
        e.printStackTrace();  
    }
```

```
}
```

```
public static void main(String[] args){  
    new Signup().setVisible(true);  
}  
}
```

Screenshots





