Sending and Receiving Tokens


This page provides instructions to GBBP testers. During the initial GBBP test phase, you'll be completing transactions using the temporary **GER** token.

Before you send or receive GBA test tokens, you'll first need to install MetaMask and set up a wallet.


Receiving Test (GER) Tokens

After you've set up your MetaMask wallet, email your wallet address to token holders (contact Mark Waser) to request initial distribution.

Login to your MetaMask wallet and select the **Menu** icon.



You'll see the GER tokens in your wallet.




GBA Page 1 of 5

Sending Test (GER) Tokens


Step 1

To send tokens, login to your MetaMask wallet and select the **Menu** icon.



Step 2


Select the GER Token.



GBA Page 2 of 5


Step 3

Click **Send**.



Step 4

Enter (copy, paste) the recipient's wallet address.




Step 5

Enter Amount and click Advanced Options.

Transaction fee

GBA Page 3 of 5



Step 6


In the Gas Price field, enter **0** and click **Save**.

Customize Gas		Close
Ad	vanced	
New Transaction Fee 0 ETH	~Tran	nsaction Time
Gas Price (GWEI)	Gas Limit	0
0 Gas Price Extremely Low	54696	0
Send Amount Transaction Fee New Total		0 ETH 0 ETH 0 ETH
	Save	

GBA Page 4 of 5

Step 7

On the **Send Tokens** window, the Transaction Fee is updated to **0** to reflect your Gas Price settings.



Step 8

Review the transaction. If accurate, click **Confirm** to send the tokens.



You can view the transaction in your **Transaction History**.



GBA Page 5 of 5