M4 (ARTIFICIAL early-exit compare fixture, not an upstream CVE): mismatch-first vs mismatch-last, vulnerable vs ct

The two arms are separate builds (m4-vulnerable vs m4-ct). Family m4_compare_arm_session_v1, m = 6, alpha_eff = 0.05/6. Note the very coarse value grid of the vulnerable arm; see QUANTILE_CI.md section 4.4.

panels (a) and (b) use INDEPENDENT y-scales: the arm-to-arm level offset is a build difference, not the tested effect. The tested effect is the within-arm class0 - class1 difference, shown in panel (c).





Source CSVs: docs/evidence/platform-collection-20261016/M4/m4-s1-ct/ct-samples.csv.gz; docs/evidence/platform-collection-20261016/M4/m4-s1-vuln/vuln-samples.csv.gz; docs/evidence/platform-collection-20261016/M4/m4-s2-ct/ct-samples.csv.gz; docs/evidence/platform-collection-20261016/M4/m4-s2-vuln/vuln-samples.csv.gz; docs/evidence/platform-collection-20261016/M4/m4-s3-ct/ct-samples.csv.gz; docs/evidence/platform-collection-20261016/M4/m4-s3-vuln/vuln-samples.csv.gz
Source CSV: docs/evidence/platform-collection-20261016/M4/m4-s1-vuln/vuln-samples.csv.gz
run: m4-s1-vuln | seed 31337 | taskset CPU2 | n = 10000 per class | unit: ns