```
ca. Command Prompt
                                                                                                                                                                  0
                       633 ms nsg-corporate-173.101.187.122.airtel.in [122.187.101.173]
     221 ms
               81 ms
     295 ms
              325 ms
                       205 ms 116.119.106.121
     220 ms
               91 ms
                       64 ms 182.79.142.218
10
              222 ms
                       200 ms 116.119.42.13
11
     173 ms
12
     325 ms
              287 ms
                       236 ms 32787.sgw.equinix.com [27.111.228.157]
13
     181 ms
              126 ms
                       262 ms poll@.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
     86 ms
              164 ms
                       70 ms a72-52-1-157.deploy.static.akamaitechnologies.com [72.52.1.157]
14
15
     703 ms
              611 ms
                      386 ms ae120.access-a.sech-sin.netarch.akamai.com [23.57.186.249]
                       87 ms 93.191.172.104
16
     187 ms
               83 ms
17
     824 ms
              713 ms
                       614 ms a209-200-169-222.deploy.static.akamaitechnologies.com [209.200.169.222]
18
     854 ms
              813 ms
                      712 ms 198.185.159.144
Trace complete.
C:\Users\gowtami>ping 172.18.64.1
Pinging 172.18.64.1 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 172.18.64.1:
   Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Users\gowtami>ifconfig
'ifconfig' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\gowtami>_
```

O Search

28°C

Cloudy

```
root@kali: ~
  File Actions Edit View Help
     -(root@ kali)-[~]
      ifconfig
  eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
           inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
           inet6 fe80::a00:27ff:fe2d:841a prefixlen 64 scopeid 0×20<link>
           ether 08:00:27:2d:84:1a txqueuelen 1000 (Ethernet)
           RX packets 1140 bytes 873813 (853.3 KiB)
           RX errors 0 dropped 0 overruns 0 frame 0
           TX packets 3430 bytes 298402 (291.4 KiB)
           TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
   lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
            inet 127.0.0.1 netmask 255.0.0.0
           inet6 ::1 prefixlen 128 scopeid 0×10<host>
loop txqueuelen 1000 (Local Loopback)
            RX packets 4 bytes 240 (240.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
            TX packets 4 bytes 240 (240.0 B)
            TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
    .3 kB
       85.7%
```