

```
C:\Users\gowtami>tracert www.saveetha.com
```

```
Tracing route to www.saveetha.com [198.185.159.144]  
over a maximum of 30 hops:
```

1	24 ms	4 ms	46 ms	192.168.37.17
2	124 ms	252 ms	224 ms	192.168.29.10
3	84 ms	69 ms	70 ms	192.168.28.29
4	72 ms	71 ms	34 ms	192.168.31.8
5	70 ms	68 ms	111 ms	192.168.31.5
6	*	*	*	Request timed out.
7	*	*	*	Request timed out.
8	110 ms	75 ms	100 ms	nsg-corporate-169.101.187.122.airtel.in [122.187.101.169]
9	215 ms	110 ms	134 ms	116.119.42.19
10	90 ms	110 ms	78 ms	32787.sgw.equinix.com [27.111.228.157]
11	102 ms	74 ms	102 ms	po110.bs-a.sech-sin.netarch.akamai.com [23.57.106.243]
12	109 ms	59 ms	62 ms	a72-52-1-181.deploy.static.akamaitechnologies.com [72.52.1.181]
13	64 ms	95 ms	120 ms	ae120.access-a.sech-sin.netarch.akamai.com [23.57.106.249]
14	80 ms	64 ms	125 ms	93.191.172.99
15	473 ms	504 ms	458 ms	a72-52-39-154.deploy.static.akamaitechnologies.com [72.52.39.154]
16	356 ms	419 ms	361 ms	198.185.159.144

```
Trace complete.
```

```
(root@kali)-[~]
```

```
# ifconfig
```

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fe80::a00:27ff:fe2d:841a prefixlen 64 scopeid 0x20<link>
    ether 08:00:27:2d:84:1a txqueuelen 1000 (Ethernet)
    RX packets 18 bytes 1897 (1.8 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 2482 bytes 184900 (180.5 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 4 bytes 240 (240.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4 bytes 240 (240.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
(root@kali)-[~]
```