
Ex No: 10b Design and Configure an internetwork using
Date: 1/10/26 wireless router, DHCP Server and internet cloud

AIM:

To design and configure an internetwork using a wireless router, DHCP Server and internet cloud in CISCO Packet Tracer

Procedure:

* Open Cisco Packet Tracer and create the required network topology.
* Connect PC, laptop, wireless router, cable modern Internet cloud and Server
* Configure the wireless router with SSCD homenetwork and Enable DHCP
* connect the laptop to the wireless network and Set the PC to DHCP
* Configure the Server with IP 208.67.220.220 and enable DHCP and DNS
* Verify Connectivity using ip config and ping Cisco-Com




```
C:\>ping Cisco.com

Pinging 208.67.220.220 with 32 bytes of data:

Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=18ms TTL=127

Ping statistics for 208.67.220.220:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 18ms, Average = 5ms

C:\>
```

RESULT:

The internetwork was successfully designed and configured using a wireless router, DHCP Server and Internet cloud and connectivity was successfully verified using Ping Cisco-Com