IT-5211

MINI PROJECT



B.Tech
Information Technology

Topic: Techopharm

Subject: IT Essentials

Register Number: 2022506084

Name: Gowtham Rajasekaran

Submitted on: 31-07-2023

Submitted to: Dr.Hemalatha

SERVER: XAMPP

MODULES: Apache, MySQL

REQUIREMENTS: HTML,CSS Libraries, JS,

PHP, MySQL Connections.

DBMS: MYSQL (open source)

CODE EDITOR: Visual Studio Code

General write-up:

I.INTRODUCTION

My idea of this mini project is to create a website, where medicines can be bought online by the customers.

The aim of this project to ensure the comfort and safety of the customers by providing 3-step quality assurance and having good record of essential details like manufacture date, expiry date, etc.

Separate pages are created for admin and users where each page contains different functionalities.

II.FUNCTIONALITIES OF THE WEBSITE

>Admin section:

- 1. To view the orders placed by customers.
- 2. To view the status of different customers' order.
- 3. To keep record of the available medicines.
- 4. To change the availability of medicines.
- 5. To view the details of the users.
- 6. To add and delete the items.
- 7. To logout to general page.
- 8. To view the reports

➤ User section:

- 1. To update profile of the user.
- 2. To view the available medicines for purchase.
- 3. To view status of our orders.
- 4. To logout to general page.

➤ General page:

- 1. Shows answers to common questions about the site.
- 2. To direct to admin login.
- 3. To direct to user login.
- 4. To use forgot password.
- 5. To sign up for new customers.

III.PAGES

- √ General page
 - Admin login page
 - o User login page
 - o New user registration page
 - o Forgot password page
 - Report page
- ✓ Admin page
 - o Orders page
 - o Status page
 - Stock page
 - o Customer details page
 - Add stock page
 - o View reports page
 - Logout page
- √ User page
 - View profile page
 - o Items page
 - o Status page
 - o Logout page

IV.REQUIRMENTS

HTML,CSS Libraries, JS, PHP, MySQL Connections.

File contents of project:




Main page: Cover.html

```
<!DOCTYPE html>
    <link rel="icon" href="icon.png">
     <title> TECHOPHARM : India's first ever online medicine</title>
     <link rel="stylesheet" href="css1.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     <link href="https://fonts.googleapis.com/css2?family=Fasthand&display=swap"</pre>
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Montserrat&display=swap"</pre>
     <link href="https://fonts.googleapis.com/css2?family=Ysabeau+SC&display=swap"</pre>
rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@300&display=swap
 rel="stylesheet">
     <style>
      summary
        cursor: pointer;
     </style>
    </head>
        <body class="bg">
        <div class="header" style="text-align: center;">
            <div class="header-left"><img src="icon.png" width="100" height="100">
            </div><span style="font-size: 75px;opacity:1;"><b>TECHOPHARM
</b></span>
            <span style="font-family: 'Fasthand', cursive; font-size: 50px; opacity:</pre>
1;">Your doorstep drug</span>
            <div class="header-right">
              <a class="active" href="cover.html" >Home</a>
              <a href="adminlogin.php" target="_blank">Admin Login</a>
              <a href="userlogin.php" target="_blank">User Login</a>
              <a href="report.php" target=" blank" >Report</a>
            </div>
          </div>
        <br>
        <br>
        <br>
        <div style="font-family: 'Ysabeau SC', sans-serif;width:70%;padding-left:</pre>
15%;">
           <div class="hd"> India's No. 1 Medicine Delivery App</div>
```


```
<span class="ct">The concept of medicine home delivery has been taken
to a new level by the TechoPharm online medicine delivery app. You can use the
TechoPharm online medicine delivery app to browse through an extensive range of
medicines. Each medicine undergoes a 3-step quality check. <br>
           Whatever be your medicine requirement, you are sure to locate it in
this online pharmacy. All you have to do then is to add it to your cart and place
the order and get your order delivered quickly. India's beloved online medicine
delivery app makes sure that you get your medicines in record time because we know
how vital time is in any treatment. Sit back, and we will have all your medical
necessities delivered to your doorstep.
          </span>
          <hr>>
          <div class="hd" >Online Medicine - Your Online Medical Store in
India</div>
          <br><br><br><br>
           <span class="ct">Tired of walking all the way to your local medicine
store? Worried that going out is risky during the current times? Order medicines
online at TechoPharm, India's trusted online medicine app. With more than 1 lakh
medicines always in stock, you are sure to find what you are looking for, and that
too at affordable prices!<br>
           <hr>>
                Besides, extremely stringent sanitization norms are followed at
your favourite online medical store. TechoPharm takes the safety of customers and
employees very seriously.
        </span><hr>
        <div class="hd" >Reasons To Buy Medicine Online From TechoPharm</div>
           <span class="ct">Here are a few reasons that will convince you to give
online medicine order through the TechoPharm site -
           <br>
           1,200+ cities and 20,000+ Pin codes served
           Express Delivery
           Lakh+ medicines available
          Cash on delivery option available
            Stringent quality check and garnered the trust of more than
10 million users who have made an online purchase through TechoPharm
           <div class="hd" >Order Medicines Online</div>
            <span class="ct"><b> Get 3-Step Quality-checked Medicines</b><br><br><br><br>
          TechoPharm is a one-stop-shop for all your healthcare needs. We have
1L+ products for you to choose from. Buy medicines online at affordable prices
from the comforts of your home in just a few clicks and get them delivered at your
doorstep.
```

```
<br>The entire process of shopping for medicines is hassle-free and
convenient. All you have to do is search for the products you need on our website
or app, add to cart and then proceed with the checkout process.
           <br>With our scheduled refill reminder, you don't even need to keep
track of your refill dates.
          </span><hr>
       </div>
     </center>
     <footer class="foot">
       <details>
         <summary>#Is buying medicines online safe?</summary>
         Absolutely! All our medicines undergo a three-step quality check
process to ensure they are of high quality.
           We source our products only from licensed retail pharmacies.
           TechoPharm is used by 5M+ users across 1.2k+ cities in India incl.
Bangalore, Delhi, Mumbai, Kolkata, Hyderabad, Gurgaon, Noida, Pune, etc. for
purchasing medicines online.
       </details>
       <details>
         <summary>#If a medicine I want is currently unavailable then what should
i do?</summary>
         You can log in from the TechoPharm home page and Notify us through
Report page for that particular product or medicine. The product is back soon in
stock.
       </details>
       <details>
         <summary>#Why choose us?</summary>
         Used by 5M+ customers
Delivery in 24-48* hours
Over 1L+ meds and healthcare products for you to select from
3-step quality-checked products
We deliver in 22k+ pin codes across 1.2k+ cities
A highly capable team of experienced pharmacists and healthcare professionals
Cash-on-delivery available
       </details>
       <hr>>FOR MORE ABOUT US<br>>
       CONTACT: call 0452-635-245 or email TECHOPHARM@mail.com or approach us
through report section.
        </footer>
    </body>
(/html>)
```



Report Page: report.php


```
<!DOCTYPE html>
<html>
    <head><title>Report</title>
    <link rel="icon" href="icon.png">
</head>
<body>
    <form action="cover.html">
    <input type="submit" style="padding:5px;color:white;background-</pre>
color:grey;" value="Back to home page">
    </form><br>>(character limit:100 words)
        <form method=POST>
        <input style="height:150px;width:450px" name="q"</pre>
placeholder="Enter your query/suggestion here with proper user info
and click Submit..." required>
               <br><br><input</td>
style="padding:5px;color:white;background-color:grey;" type="Submit"
value="Submit"><hr>
    </form>
    <?php
        if(isset($_POST['q']))
        $q=$ POST['q'];
        $con=mysqli connect('localhost','root','','miniproject');
        if($con==FALSE)
        die("Error could not connect >>>".mysqli connect error());
        $ct="create table if not exists Query(query varchar(100))";
        $con->query($ct);
        $in="insert into Query values('$q')";
        if($con->query($in))
        echo "<script>alert('Query successfully submitted.We will
take required actions.Thank you for your suggestion.');</script>";
        else
        echo "Couldn't submit";
     ?>
     </body>
        </html>
```



Admin Login Page: adminlogin.php

```
<!DOCTYPE html>
<html>
<head>
<link href="css2.css" rel="stylesheet" >
<link rel="icon" href="administrator.png">
<title>Admin</title>
</head>
<body>
    <form action="cover.html">
    <input type="submit" id="back" value="Back to home page">
    </form>
    <div class="login-panel">
        <div class="login-info-box">
            <img src="log.webp" style="width: 150px; height:</pre>
150px;">
            <h2>Hi...<br> Login to gain ADMIN status.</h2>
        </div>
        <div class="white-panel">
            <div class="login-show">
                 <h2>LOGIN</h2>
                <form method="POST">
                   <input type="text" placeholder="Admin ID"</pre>
name="id" required>
                   <input type="password" placeholder="Password"</pre>
name="password" required>
```

```
<input type="submit" value="LOGIN">
                </form>
            </div>
        </div>
    </div>
<?php
session start();
if(isset($_POST['id']) && isset($_POST['password']))
$id=$_POST['id'];
$pwd=$_POST['password'];
if($id=='adminlauncher#123' && $pwd=='admin')
   $_SESSION['flag']=1;
    echo"<script> window.location.href='order.php'; </script>";
else
echo"<script> alert('Admin ID or PASSWORD is incorrect.Please
check!');</script>";
?>
</body>
</html>
```



User Login Page: userlogin.php

```
<!DOCTYPE html>
<html>
<head>
<link href="css4.css" rel="stylesheet" >
link
href="https://fonts.googleapis.com/css2?family=Pangolin&display=swap
" rel="stylesheet">
<link rel="icon" href="icon.png">
<title>Login</title>
</head>
<body>
   <div >
   <form action="cover.html">
  <input type="submit" id="back" value="Back to home page">
  </form>
   </div>
   <div class="bg" >
       <div class="login-box">
       <img src="icon.png" >
        <h1>WELCOME back user!<br>Enter login details</h1>
       <form method="POST">
           <center>
           <input type="text" name="uname"
placeholder="Username" style="width:200px;padding:7px;"
required>
           <input type="password" name="pwd"</td>
placeholder="Password" style="width:200px;padding:7px;"
required>
           <input id="login" type="submit" value="LOGIN"></center>
       </form>
        <br>
        <a href="usersignup.php"><i>Not a member yet! Wanna join us?
Click here to signup.</i>
       <a href="fp.html"><i>forgot password?</i></a>
       </div>
   </div>
    <?php
       session start();
```

```
if(isset($_POST['uname'])&& isset($_POST['pwd']))
        $u=$ POST['uname'];
        $p=$_POST['pwd'];
        $con=mysqli_connect('localhost','root','','miniproject');
        if($con==FALSE)
        die("Connection to database failed!");
        $s="select Username,Password,DOB from customer_details";
        $res=$con->query($s);
      $f=0;
        if(mysqli num rows($res)>0)
            while($row=mysqli_fetch_array($res))
            {
              if($row['Username']==$u && ($row['Password']==$p ||
$row['DOB']==$p))
        $f=1;
        $ SESSION['uname']=$u;
        echo '<script>window.open("userprofile.php");</script>';
            }
          if($f==0)
          echo"<script> alert('USERNAME or PASSWORD is
incorrect.Please check!');</script>";
        }
        ?>
</body>
```



User signup page: usersignup.php

```
<!DOCTYPE html>
<link href="css3.css" rel="stylesheet" >
<link rel="icon" href="icon.png">
<link href="https://fonts.googleapis.com/css2?family=Lumanosimo&display=swap"</pre>
rel="stylesheet">
link
href="https://fonts.googleapis.com/css2?family=Major+Mono+Display&display=swap"
rel="stylesheet">
<title>Signup</title>
<body style="background-color:#282d31;font-family: 'Lumanosimo',</pre>
cursive;color:white">
  <form action="cover.html">
  <input type="submit" id="back" value="Back to home page">
  </form>
  <br>
  <form action="userlogin.php">
  <input type="submit" id="back" value="Back to login">
```

```
</form><br><h2 style="text-align:center;font-family: 'Major Mono Display',</pre>
monospace;">We are happy that you decided to join our family!</h2>
    <img src="signup bg.jpg" width="50%" style="float:left;">
 <form class="text" method="POST">
   <h1>Please sign up</h1>
   (Note:For username Special characters-only '$',underscore )
     Username
     <input type="text" name="uname" minlength='8' maxlength='8'
placeholder="Only 8 charcters"required>
     Create Password
     <input type="password" name="pwd" minlength='6' maxlength='15'</pre>
placeholder="Password" required>
   Name
   <input type="email" name="em" placeholder="name@example.com" maxlength="25"</pre>
required>
   Date of birth
   <input type="number" name="cn" min=0 max=999999999 placeholder="XXXXX-</pre>
XXXXX"required>
 <br><button id="back" type="submit">Sign in</button> <button id="back"</pre>
type="reset">Reset</button>
 </form>
 <br>
  <div style="text-align:center;position:static">
 <?php
 $con=mysqli_connect('localhost','root','','miniproject');
 if($con==FALSE)
 die('Connection to database failed!');
 $ct="create table if not exists Customer_Details (Username varchar(8) unique not
null,Password varchar(15),Name varchar(20),Email varchar(25),DOB
varchar(10),Contact int,LastDeliveryAddress varchar(100))";
 if($con->query($ct)==FALSE)
 echo"Error in table creation";
 if(isset($ POST['uname']))
   $u=$_POST['uname'];
   $p=$_POST['pwd'];
   $n=$_POST['n'];
   $e=$_POST['em'];
   $d=$_POST['dob'];
```


```
$c=$_POST['cn'];

$s="select * from customer_details where username='$u'";

$res=$con->query($s);
if(mysqli_num_rows($res)>0)
{
    die("Username already taken!...Try different one.");
}

$in="insert into Customer_Details values('$u','$p','$n','$e','$d','$c','Last address does not exist')";
if($con->query($in)==FALSE)
{
    echo"data not added";
}
else
{
    echo"<h3>Successfully signed in...You can now login.</h3>";
}
}

</div>
</dody>
</html>
```



Forgot password: fp.html

Source code:

```
<!Doctype html>
<html>
   <head>
        <link rel="icon" href="icon.png">
        <title>ForgotPassword</title>
       <style>
   float: left;
    color: black;
   text-align: center;
   padding: 10px;
   font-size: 18px;
   text-decoration: none;
   line-height: 10px;
   border-radius: 4px;
 </style></head>
 <body>
<h3><i>Click 'Go Back' button and use you Date of birth (in 'yyyy-mm-dd'
format) instead of original password to login and then later you change
password in your profile.</i></h3>
<button><a href="userlogin.php">Go Back</a></button>
</body></html>
```

Webpage Output:


Click 'Go Back' button and use you Date of birth (in 'yyyy-mm-dd' format) instead of original password to login and then later you change password in your profile.

Go Back

User Profile page: userprofile.php

```
<?php
session_start();
if (isset($_SESSION['uname']))
//empty
else
    echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
<html>
    <head>
     <link rel="icon" href="icon.png">
     <title> Profile </title>
     <link rel="stylesheet" href="css5.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Fasthand&display=swap"
rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=Montserrat&display=swap"
rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=Indie+Flower&display=swap"
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Kalam&display=swap"</pre>
rel="stylesheet">
</head>
    <body >
        <div class="header" style="text-align: center;">
            <div class="header-left"><img src="icon.png" width="100"</pre>
height="100">
            <span style="font-size: 75px;opacity:1;"><b>TECHOPHARM </b></span>
            <span style="font-family: 'Fasthand', cursive; font-size:</pre>
50px;opacity: 1;">Your doorstep drug</span>
            <div class="header-right" >
              <a class="active" href="userprofile.php">Profile</a>
              <a href="useritems.php">Place Order</a>
              <a href="userstatus.php">Status</a>
              <a href="logout.php">Logout</a>
```

```
</div>
 </div><br>
 <?php
 if(isset($ POST['col']))
 { $u=$_SESSION['uname'];
     $cc=$ POST['col'];
     $nv=$_POST['inp'];
 $con=mysqli_connect('localhost','root','','miniproject');
 if($con==FALSE)
 die("Error_could not connect >>>".mysqli_connect_error());
 $upd="update customer details set $cc='$nv' where Username='$u'";
 if($con->query($upd))
 echo "<h2><script>alert('Successfully updated.');</script></h2>";
 else
 echo "Couldn't update";
 }
 <fieldset class="ct">
 <legend><div class="hd">Your Details:</div></legend>
  $con=mysqli connect('localhost','root','','miniproject');
   if($con==FALSE)
   die("Error_could not connect database>>>".mysqli_connect_error());
 $u=$ SESSION['uname'];
 $q="select * from customer_details where username='$u'";
 $res=$con->query($q);
 $row=mysqli fetch array($res);
 echo "<br>>
  Username : $row[Username] 
  Name : $row[Name] 
  Password : $row[Password] 
  Email ID : $row[Email]
  Date of Birth : $row[DOB] 
  Contact Number : $row[Contact] 
 ";
</fieldset>
<img src='hello.gif' style="float:right">
<div class='upd'>
<h3><u>UPDATION</u></h3>
 <form method="post">
   Click the info to be updated:
  <input type="radio" name="col" id="b1" value="Name" required>
  <label for="b1">Name</label>
  <input type="radio" name="col" id="b2" value="Password" required>
  <label for="b2">Password</label>
  <input type="radio" name="col" id="b3" value="Email" required>
  <label for="b3">Email ID</label>
  <input type="radio" name="col" id="b4" value="DOB" required>
  <label for="b4">Date of birth (yyyy-mm-dd)</label>
  <input type="radio" name="col" id="b4" value="Contact" required>
```



Place order page: useritems.php


```
<?php
session_start();
if (isset($_SESSION['uname']))
{
//empty
}
else
{
    echo '<script>window.location.href = "cover.html";</script>';
}
```

```
<!DOCTYPE html>
<html>
   <head>
    <link rel="icon" href="icon.png">
    <title> Place Order </title>
     <link rel="stylesheet" href="css5.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Fasthand&display=swap"
rel="stylesheet">
     k
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@500&display=sw
ap" rel="stylesheet">
     k
href="https://fonts.googleapis.com/css2?family=Montserrat&display=swap"
rel="stylesheet">
    <style>
      input[type='button']
        background:none;
        font-size: 1pc;
        cursor: pointer;
        color:green;
        border-radius:10px;
        width: 20px;
        padding:2px;
        border-style:double;
        font-family: 'Archivo Narrow', sans-serif;
      input[type='number']
        background:none;
        font-size: 1pc;
        width: 50px;
        font-family: 'Archivo Narrow', sans-serif;
        padding:2px;
        color:crimson;
        text-align:center;
        border-color:black;
        border-style:dotted;
      table
        border:2px solid black;
      th
```

```
font-family: 'Roboto Slab', serif;
    font-size: 2pc;
   padding: 30px;
  td
    font-family: 'Archivo Narrow', sans-serif;
    font-size: 1.5pc;
    padding: 12px;
   text-align: center;
    </style>
    </head>
    <body style="font-family: 'Archivo Narrow', sans-serif;">
       <div class="header" style="text-align: center;">
           <div class="header-left"><img src="icon.png" width="100"</pre>
height="100">
           </div>
           <span style="font-size: 75px;opacity:1;"><b>TECHOPHARM </b></span>
           <span style="font-family: 'Fasthand', cursive;font-size:</pre>
50px;opacity: 1;">Your doorstep drug</span>
           <div class="header-right" >
             <a href="userprofile.php">Profile</a>
             <a class="active" href="useritems.php">Place Order</a>
             <a href="userstatus.php">Status</a>
             <a href="logout.php">Logout</a>
           </div>
         </div>
         <h1>Place order by entering required quantity</h1>
        $con=mysqli_connect('localhost','root','','miniproject');
         if($con==FALSE)
         die("Error_could not connect database>>>".mysqli_connect_error());
         $q="select * from medicine where Availability='Available'";
         $i=0;
       $res=$con->query($q);
         echo "<br>>
        S.No.</hr><code</hr> Drug Name</hr>
MRP<hr>
       Our Rate<hr> Quantity<hr>Amount<hr>
<form method='POST'>";
       $c=mysqli_num_rows($res);
       for($i=0;$i<$c;$i++)
       $arr[$i]=0; //array to store quantity
       i=-1;k=-1;l=-1;sum=0;
       while($row=mysqli_fetch_array($res))
         { $i++;
           $i++:
```

```
$k++;
           $1++;
       echo" $j)<hr> <input type='hidden' name='c'</pre>
value='$row[Code]'>$row[Code]<hr>
        $row[OurRate]<hr>
         ";if(isset($_POST[$k]) && $_POST[$k]>0)
         $arr[$i]=$_POST[$k];
         else
         $arr[$i]=0;
         $code[$1]=$row['Code'];//array to store code
         $d[$1]=$row['Drug'];//array to store drug
         $m[$1]=$row['MRP'];//array to store mrp
         $r[$1]=$row['OurRate'];//array to store rate
         $cost[$1]=$arr[$i]*$row['OurRate'];//array to store amt
         $sum+=$cost[$1];
         echo"<input type='number' min=0 name='$k'
value=";if(isset($_POST[$k])) echo $arr[$i]; echo" placeholder='N' > <hr>
<output name='o'>Rs $cost[$1] </output><hr>";
        $e='';
        if(isset($_POST['address']))
        $e=$_POST['address'];
        echo "<br><button class='button' type='Submit'</pre>
required>Calculate Amount</button> <br>
        <h2>Total payable amount:Rs $sum</h2>
        <textarea name='address' rows='7' cols='45' placeholder='Enter your
delivery location' required>$e</textarea><br>
        <br><input class='button' name='sub' value='Place Order'</pre>
type='Submit'></form>";
        if(isset($_POST['sub']) && $_POST['sub']=='Place Order')
        if($sum==0)
        die("<script>alert('Select any items before placing
order.')</script>");
        $n=$_SESSION['uname'];
$con1=mysqli_connect('localhost','root','','order');$con2=mysqli_connect('loc
alhost','root','','dispatch');
        $a="show tables"; $res2=$con2->query($a);$f1=0; $res1=$con1-
>query($a);$f2=0;
        while($arr1=mysqli_fetch_array($res2))
             if($arr1['Tables_in_dispatch']==$n)
            $f1=1;
         while($arr2=mysqli_fetch_array($res1))
         {
           if($arr2['Tables_in_order']==$n)
```

```
$f2=1;
                                    if($f2==1 ||$f1==1)
                                   die("<script>alert('Order already placed.Can not place another order
while previous is yet to
delivery.');window.location.href='useritems.php';</script>");
                                           $ct="create table if not exists $n (code int(4)ZEROFILL unique not
null,drug varchar(50),mrp decimal(10,2),rate decimal(10,2),quantity int,amt
decimal(10,2))";
                                           $con1->query($ct);
                                          $s="select * from $n";
                                       $res=$con1->query($s);
                                for($1=0;$1<$c;$1++)
                                   $ins="insert into $n
values($code[$1],'$d[$1]',$m[$1],$r[$1],$arr[$1],$cost[$1])";
                                   $con1->query($ins);
                                $ad=$_POST['address'];
                                $upd="update customer_details set LastDeliveryAddress='$ad' where
Username='$n'";
                            $con->query($upd);
                                echo "<script>alert('Order placed.Kindly wait for your delivery.');
                               window.location.href='userstatus.php';</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";</script>";<
                            </body>
                             </html>
```



User status page: userstatus.php

```
<?php
session_start();
if (isset($_SESSION['uname']))
{
//empty
}
else
{
    echo '<script>window.location.href = "cover.html";</script>';
}
```

```
<!DOCTYPE html>
<html>
    <head>
     <link rel="icon" href="icon.png">
     <title> Status </title>
     <link rel="stylesheet" href="css5.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Fasthand&display=swap"
rel="stylesheet">
     k
href="https://fonts.googleapis.com/css2?family=Gloria+Hallelujah&display=swap"
rel="stylesheet">
     k
href="https://fonts.googleapis.com/css2?family=Montserrat&display=swap"
rel="stylesheet">
    <style>
      .img
        float:right;
        border-radius:25px;
        margin:25px;
    </style>
    </head>
    <body>
          <div class="header" style="text-align: center;">
           <div class="header-left"><img src="icon.png" width="100"</pre>
height="100">
           </div>
           <span style="font-size: 75px;opacity:1;"><b>TECHOPHARM </b></span>
           <span style="font-family: 'Fasthand', cursive;font-size:</pre>
50px;opacity: 1;">Your doorstep drug</span>
           <div class="header-right" >
             <a href="userprofile.php">Profile</a>
             <a href="useritems.php">Place Order</a>
             <a class="active" href="userstatus.php">Status</a>
             <a href="logout.php">Logout</a>
           </div>
       </div>
          <div style="font-family: 'Gloria Hallelujah', cursive;font-</pre>
size:50px"><?php</pre>
          $u=$ SESSION['uname'];
          $con1=mysqli_connect('localhost','root','','dispatch');
          $con2=mysqli_connect('localhost','root','','order');
          $c="show tables";
          $res1=$con1->query($c);
```

```
$res2=$con2->query($c);
          $f1=0;$f2=0;
          while($arr1=mysqli_fetch_array($res1))
              if($arr1['Tables_in_dispatch']==$u)
              $f1=1;
         while($arr2=mysqli fetch array($res2))
            if($arr2['Tables_in_order']==$u)
              $f2=1;
          echo"<div><img class='img' src='pharm.jpeg'><div>";
          if ($f2==1)
          echo"We have received your order...<br>Order yet to
dispatch...Kindly wait...";
          else if($f1==1)
          echo"We have received your order...<br>Order dispatched...<br>You
might receive your order at your doorstep anytime...<br>Kindly
wait...<br>Thank you for choosing us.";
          else
          echo "No pending orders left.<br>All delivered.<br>Thank you for
choosing us.<br/>f you didnt receive your order...then contact us through
report option in home page or mail us.";
          ?></div>
          </body>
        </html>
```

wait



We have received your order...
Order yet to dispatch...Kindly



User logout: logout.php


```
<?php
session_start();
unset($_SESSION['uname']);
echo"<script>window.location.href='cover.html'</script>";
?>
```

Admin order view page: order.php

```
session_start();
if (isset($_SESSION['flag']))
//empty
else
    echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
    <link rel="icon" href="administrator.png">
     <title>Orders</title>
     <link rel="stylesheet" href="css6.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     link
href="https://fonts.googleapis.com/css2?family=Quicksand:wght@600&display=swap"
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap"</pre>
rel="stylesheet">
   <style>
    .b
    { float:left;
      border:2px solid black;
      margin:5px;
      margin-left:1.2%;
      font-family: 'Quicksand', sans-serif;
    table
        padding: 2px;
        border-collapse:collapse;
        margin-bottom:5%;
```

```
border: 1px solid black;
        font-family: 'Archivo Narrow', sans-serif;
        font-size: 5px;
        padding: 5px;
    .head {
   overflow:hidden;
    background-color: #212529;
   height: 40px;
    color:white;
   th
    {border: 1px solid black;
    font-family: 'Roboto Slab', serif;
    font-size: 10px;
    padding: 5px;
    .dispatch
     background-color:rgb(153, 93, 210);
     color:white;
     padding:5px;
     border-radius:5px;
      float:right;
     border-style:double;
   <body style=" font-family: 'Archivo Narrow', sans-serif;">
        <div class="header" style="text-align: center;">
        <a href="logout2.php" style="float:left">Logout</a>
        <a href="viewreport.php" style="float:right">View Reports</a>
        <div class="header-center" >
              <a class="active" href="order.php">Orders</a>
              <a href="adminstatus.php">Status of Delivery</a>
              <a href="stock.php">Stock</a>
              <a href="customer.php">Customers</a>
              <a href="add.php">Add Items</a>
              </div>
        </div>
        <br><h2 >Current orders yet to delivery</h2>
        $con1=mysqli_connect('localhost','root','','miniproject');
        $con2=mysqli_connect('localhost','root','','order');
        $t="show tables";
        $res=$con2->query($t);
        $i=1;
        if(mysqli_num_rows($res)>0)
            while($cus=mysqli_fetch_array($res))
            $o=$cus[0];
            echo"<div class='b'><form method='POST'><br><div class='head'><input
type='hidden' name='c' value='$o' >Order No:$i <button name='disp'
class='dispatch'>Dispatch</button></form><br>Username: $o</div>";
           $c="select * from $o where quantity<>0";
```

```
$list=$con2->query($c);
          echo "<div><br>Order:
            S.No.<hr>Code<hr>
Quantity<hr> Amount<hr> ";
          $j=1;$amt=0;
          $m1="select LastDeliveryAddress from customer_details where
Username='$o'";
          $res1=$con1->query($m1);
          $row1=mysqli fetch array($res1);
          $a=$row1[0];
          while($row=mysqli_fetch_array($list))
              $row[drug]<hr> $row[quantity]<hr>
$row[amt]<hr> ";
              $j++;
              $amt+=$row['amt'];
          }
          echo"<br/>div><div>Address:<br/>$a<hr>Bill amount:
Rs.$amt only</div></div>";
          $i++;
       echo "<h1 style='font-family:verdana'>There are no orders currently >>> All
orders cleared.</h1>";
       if(isset($ POST['c']) && isset($ POST['disp']))
        $con3=mysqli_connect('localhost','root','','dispatch');
        $un=$_POST['c'];
        $b="select * from $un where quantity<>0";
        $list1=$con2->query($b);
        $ct="create table if not exists $un (code int(4)ZEROFILL unique not null,drug
varchar(50), quantity int, amt decimal(10,2)) ";
        $con3->query($ct);$1=0;
        while($row4=mysqli_fetch_array($list1))
              $code[$1]=$row4['code'];//array to store code
              $d[$1]=$row4['drug'];//array to store drug
              $q[$1]=$row4['quantity'];//array to store quantity
              $r[$1]=$row4['amt'];//array to store rate
              $1++;
          $c=mysqli_num_rows($list1);
          for($1=0;$1<$c;$1++)
              $ins="insert into $un values($code[$1],'$d[$1]',$q[$1],$r[$1])";
              $con3->query($ins);
        $del="drop table $un";
        $con2->query($del);
        echo"<script>window.location.href='order.php'</script>";
       ?></body></html>
```



Reports view page: viewreport.php

```
<?php
session_start();
if (isset($_SESSION['flag']))
//empty
else
     echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
     <link rel="icon" href="administrator.png">
     <title>Reports</title>
     <link rel="stylesheet" href="css6.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     <link href="https://fonts.googleapis.com/css2?family=Archivo+Narrow&display=swap"</pre>
rel="stylesheet">
                      k
href="https://fonts.googleapis.com/css2?family=Cinzel:wght@700&display=swap"
rel="stylesheet">
    <style>
```

```
text-align: left;
   #i
       width: 600px;;
       height: 50px;
       border:none;
       font-size: 20px;
              </style>
   <form action="order.php">
   <input type="submit" id="back" value="Back to Orders">
    <div style="padding-top:50px;">
       <fieldset >
       <legend style="font-family: 'Cinzel', serif;font-size:50px">Public
Queries:</legend>
        $con=mysqli_connect('localhost','root','','miniproject');
         if($con==FALSE)
         die("Error_could not connect database>>>".mysqli_connect_error());
         $q="select * from Query";
         $res=$con->query($q);$i=1;
         echo"";
         while($row=mysqli_fetch_array($res))
                     echo" $i) <form method='POST'</pre>
action='removereport.php'><input type='text' name='q' id='i' value='$row[q]'</pre>
><button id='back' type='Submit'>Query Solved</button></form>";
         $i++;
        echo "";
     </fieldset>
       </div>
       </body>
```

Back to Orders

```
PUBLIC QUERIES:

1) heh admin,paracep 150 is out of stock,can u please check and refill

2) not delivered yet

Ouery Solved
```

Removereport.php

```
<?php
$c=$_POST['q'];
$con=mysqli_connect('localhost','root','','miniproject');
if($con==FALSE)
die("Error_could not connect database>>>".mysqli_connect_error());
$d="DELETE FROM query WHERE q = '$c'";
```

```
if($con->query($d))
echo"<script>window.location.href='viewreport.php'</script>";
?>
```


Status of Delivery page: adminstatus.php

```
<?php
session_start();
if (isset($_SESSION['flag']))
//empty
else
    echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
    <link rel="icon" href="administrator.png">
     <title>Delivery Status</title>
     <link rel="stylesheet" href="css6.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     <link href="https://fonts.googleapis.com/css2?family=Arimo&display=swap"</pre>
rel="stylesheet">
     link
href="https://fonts.googleapis.com/css2?family=Quicksand:wght@600&display=swap"
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Anton&display=swap"</pre>
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap"</pre>
rel="stylesheet">
    <style>
    .delivered
      background-color:white;
      color:teal;
      width:25%;
      padding:10px;
      border-radius:5px;
      float:right;
      font-weight:bold;
      border-style:double;
      font-family:verdana;
```

```
color:white;
        background-image:url('dark.png');
        font-family: 'Arimo', sans-serif;
        width: 700px;
        padding:20px;
        margin:2%;
    }
    span
        font-family: 'Anton', sans-serif;
        letter-spacing:1.5px;
    }
    <body style=" font-family: 'Archivo Narrow', sans-serif;">
        <div class="header" style="text-align: center;">
        <a href="logout2.php" style="float:left">Logout</a>
        <a href="viewreport.php" style="float:right">View Reports</a>
        <div class="header-center" >
              <a href="order.php">Orders</a>
              <a class="active" href="adminstatus.php">Status of Delivery</a>
              <a href="stock.php">Stock</a>
              <a href="customer.php">Customers</a>
              <a href="add.php">Add Items</a>
              </div></div>
              <br><h2>Orders dispatched to delivery</h2>
        $con=mysqli_connect('localhost','root','','dispatch');
        $con1=mysqli_connect('localhost','root','','miniproject');
        $t="show tables";
        $res=$con->query($t);
        if(mysqli num rows($res)>0)
           while($cus=mysqli_fetch_array($res))
            $o=$cus[0];
            $c="select amt from $o where quantity<>0";
            $list=$con->query($c);
            $amt=0;
            $m1="select LastDeliveryAddress from customer details where
Username='$o'";
            $res1=$con1->query($m1);
            $row1=mysqli_fetch_array($res1);
            $a=$row1[0];
            while($row=mysqli_fetch_array($list))
                $amt+=$row['amt'];
                echo"<div class='box'> <form method='POST'><button name='del'</pre>
type='submit' class='delivered'>Delivered</button> <div><span>Username:</span> $o
<input type='hidden' name='c' value='$o'><br><span>Address:</span> $a
<br><span>Amount to be collected:</span> Rs. $amt</div></form></div><br>";
        else
        echo "<h1 style='font-family:verdana'>There are no pending orders currently
>>> All dispatched orders delivered.</h1>";
        if(isset($_POST['c']) && isset($_POST['del']))
         { $c=$_POST['c'];
          $d="drop table $c";
```

```
$con->query($d);
echo"<script>window.location.href='adminstatus.php'</script>";
}

?>
</div></body></html>
```



Stocks page: stock.php

```
session_start();
if (isset($_SESSION['flag']))
else
    echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
     <link rel="icon" href="administrator.png">
     <title>Stocks</title>
     <link rel="stylesheet" href="css6.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
     link
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@500&display=swap"
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Archivo+Narrow&display=swap"</pre>
rel="stylesheet">
   <style>
```

```
button[value='2']
 border:none;
 background:none;
  font-family: 'Archivo Narrow', sans-serif;
  font-size: 1.5pc;
  color:red;
  cursor: pointer;
 text-decoration:underline;
button[value='Available']
  border:none;
 background:none;
  font-family: 'Archivo Narrow', sans-serif;
  font-size: 1.5pc;
  color:green;
 cursor: pointer;
button[value='Unavailable']
 border:none;
  background:none;
 font-family: 'Archivo Narrow', sans-serif;
 font-size: 1.5pc;
 cursor: pointer;
 color:orange;
 text-decoration:underline;
table
 border:2px solid black;
</style>
 <div class="header" style="text-align: center;">
  <a href="logout2.php" style="float:left">Logout</a>
  <a href="viewreport.php" style="float:right">View Reports</a>
  <div class="header-center" >
        <a href="order.php">Orders</a>
        <a href="adminstatus.php">Status of Delivery</a>
        <a class="active" href="stock.php">Stock</a>
        <a href="customer.php">Customers</a>
        <a href="add.php">Add Items</a>
        </div>
  </div>
  $con=mysqli_connect('localhost','root','','miniproject');
    if($con==FALSE)
   die("Error_could not connect database>>>".mysqli_connect_error());
  if(isset($_POST['c']) && isset($_POST['sub']))
   $c=$_POST['c'];
    if($_POST['sub']=='2')
     $d="DELETE FROM medicine WHERE code ='$c'";
```

```
if($_POST['sub']=='Available')
        $d=" UPDATE `medicine` SET `Availability`='Unavailable' WHERE code='$c'";
       if($ POST['sub']=='Unavailable')
        $d=" UPDATE `medicine` SET `Availability`='Available' WHERE code='$c'";
        $con->query($d);
       $q="select * from medicine";$i=0;
     $res=$con->query($q);
       echo "<br><center>
      S.No.<hr>Code<hr> Drug Name<hr>
MRP<hr>
     while($row=mysqli_fetch_array($res))
        $i++;
     echo"<form method='POST'>
       $i)<hr><input type='hidden' name='c'
$row[MRP]<hr>
     Rs $row[OurRate]<hr> <button type='submit' name='sub'
value='$row[Availability]'>$row[Availability]</button><hr>
     <button type='submit' name='sub'
      echo " </center>";
     </body>
```

Webpage Output:

1) 0001 paracep-250mg Rs 23.00 Rs 12.69 Available Delete 2) 0002 sepotum-500 Rs 26.50 Rs 15.23 Available Delete 3) 0003 avil-250 Rs 6.00 Rs 4.00 Available Delete 4) 0004 aspirin-300 Rs 10.00 Rs 10.00 Unavailable Delete 5) 0005 zirtec-250 Rs 36.00 Rs 25.99 Available Delete 6) 0006 thermometer Rs 50.00 Rs 25.00 Available Delete 7) 0007 dolo-650 Rs 10.00 Rs 6.99 Unavailable Delete 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available Delete 9) 0009 citrizin Rs 20.00 Rs 19.99 Available Delete	S.No.	Code	Drug Name	MRP	Our Rate	Availability	Delete
3) 0003 avil-250 Rs 6.00 Rs 4.00 Available Delete 4) 0004 aspirin-300 Rs 10.00 Rs 10.00 Unavailable Delete 5) 0005 zirtec-250 Rs 36.00 Rs 25.99 Available Delete 6) 0006 thermometer Rs 50.00 Rs 25.00 Available Delete 7) 0007 dolo-650 Rs 10.00 Rs 6.99 Unavailable Delete 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available Delete	1)	0001	paracep-250mg	Rs 23.00	Rs 12.69	Available	<u>Delete</u>
4) 0004 aspirin-300 Rs 10.00 Rs 10.00 Unavailable Delete 5) 0005 zirtec-250 Rs 36.00 Rs 25.99 Available Delete 6) 0006 thermometer Rs 50.00 Rs 25.00 Available Delete 7) 0007 dolo-650 Rs 10.00 Rs 6.99 Unavailable Delete 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available Delete	2)	0002	sepotum-500	Rs 26.50	Rs 15.23	Available	Delete
5) 0005 zirtec-250 Rs 36.00 Rs 25.99 Available Delete 6) 0006 thermometer Rs 50.00 Rs 25.00 Available Delete 7) 0007 dolo-650 Rs 10.00 Rs 6.99 Unavailable Delete 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available Delete	3)	0003	avil-250	Rs 6.00	Rs 4.00	Available	<u>Delete</u>
6) 0006 thermometer Rs 50.00 Rs 25.00 Available Delete 7) 0007 dolo-650 Rs 10.00 Rs 6.99 Unavailable Delete 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available Delete	4)	0004	aspirin-300	Rs 10.00	Rs 10.00	<u>Unavailable</u>	<u>Delete</u>
7) 0007 dolo-650 Rs 10.00 Rs 6.99 <u>Unavailable</u> <u>Delete</u> 8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available <u>Delete</u>	5)	0005	zirtec-250	Rs 36.00	Rs 25.99	Available	<u>Delete</u>
8) 0008 Moods-Vannilla Rs 20.00 Rs 15.00 Available <u>Delete</u>	6)	0006	thermometer	Rs 50.00	Rs 25.00	Available	<u>Delete</u>
	7)	0007	dolo-650	Rs 10.00	Rs 6.99	<u>Unavailable</u>	<u>Delete</u>
9) 0009 citrizin Rs 20.00 Rs 19.99 Available <u>Delete</u>	8)	0008	Moods-Vannilla	Rs 20.00	Rs 15.00	Available	<u>Delete</u>
	9)	0009	citrizin	Rs 20.00	Rs 19.99	Available	<u>Delete</u>


Customers' detail Page:customer.php

Source code:

```
<?php
session start();
if (isset($_SESSION['flag']))
//empty
    echo '<script>window.location.href = "cover.html";</script>';
<!DOCTYPE html>
     <link rel="icon" href="administrator.png">
     <title>Customers</title>
     <link rel="stylesheet" href="css6.css">
     <link rel="preconnect" href="https://fonts.googleapis.com">
     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@500&display=swap"
rel="stylesheet">
     <link href="https://fonts.googleapis.com/css2?family=Archivo+Narrow&display=swap"</pre>
rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=Cinzel:wght@700&display=swap"
rel="stylesheet">
        <div class="header" style="text-align: center;">
        <a href="logout2.php" style="float:left">Logout</a>
        <a href="viewreport.php" style="float:right">View Reports</a>
        <div class="header-center" >
              <a href="order.php">Orders</a>
              <a href="adminstatus.php">Status of Delivery</a>
              <a href="stock.php">Stock</a>
              <a class="active" href="customer.php">Customers</a>
              <a href="add.php">Add Items</a>
              </div>
              <div style="padding-top:50px;">
        <fieldset >
        <legend style="font-family: 'Cinzel', serif;font-size:50px">Customers
Data:</legend>
         $con=mysqli_connect('localhost','root','','miniproject');
          if($con==FALSE)
          die("Error_could not connect database>>>".mysqli_connect_error());
          $q="select * from customer_details";
        $res=$con->query($q);
          echo "<br>
```

```
 Username Name Password
```

Webpage Output:



Add items to Stock page: add.php


Source code:

```
<?php
session_start();
if (isset($_SESSION['flag']))
{
//empty
}
else
{
    echo '<script>window.location.href = "cover.html";</script>';
}
?>
<!DOCTYPE html>
```

```
<link rel="icon" href="administrator.png">
    <title>Add Items</title>
    <link rel="stylesheet" href="css6.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Roboto+Mono:wght@600&display=swap"
rel="stylesheet">
   <style>
       td
           text-align:left;
           font-family: 'Roboto Mono', monospace;
           font-size :25px;
       </style>
       <div class="header" style="text-align: center;">
       <a href="logout2.php" style="float:left">Logout</a>
       <a href="viewreport.php" style="float:right">View Reports</a>
       <div class="header-center" >
             <a href="order.php">Orders</a>
             <a href="adminstatus.php">Status of Delivery</a>
             <a href="stock.php">Stock</a>
             <a href="customer.php">Customers</a>
             <a class="active" href="add.php">Add Items</a>
             </div>
           </div>
           <div class='add'>
     <u>Enter details to add drug to table:</u>
       <form method="post">
<
Drug Name :
<input type="text" name="name" required><font color="red">*</font>
<input type="text" name="code" minlength="4" maxlength="4" required><font
color="red">*</font>
MRP:
<input type="text" name="mrp" required ><font color="red">*</font>
Our Price:
<input type="text" name="op" required><font color="red">*</font>
<br><input id='back' type="submit"> <input id='back' type="reset">
       </form></div>
```

```
$con=mysqli_connect('localhost','root','','miniproject');
  if($con==FALSE)
  die('Connection to database failed!');
   if(isset($_POST['name']))
    $n=$_POST['name'];
    $c=$ POST['code'];
    $m=$_POST['mrp'];
    $o=$_POST['op'];
$s="select * from medicine where code='$c'";
$res=$con->query($s);
if(mysqli_num_rows($res)>0)
die("Code already taken!...Try different one.");
$in="insert into medicine(drug,code,mrp,ourrate) values('$n','$c','$m','$o')";
if($con->query($in)==FALSE)
  echo"data not added";
  echo"<h3>Data Successfully added</h3>";
</div>
```

Webpage Output:



Admin Logout Page: logout2.php

```
<?php
session_start();
unset($_SESSION['flag']);
echo"<script>window.location.href='cover.html'</script>";
?>
```

Style sheets:

css1.css:

```
.bg {
 /* The image used */
 background-image: url("doc.jpg");
 font-size: large;
 /* Center and scale the image nicely */
 -webkit-background-size: cover;
 -moz-background-size: cover;
 -o-background-size: cover;
 background-size: cover;
 background-repeat: no-repeat;
.header {
   overflow:hidden;
   background-color: #f1f1f1;
   opacity: 0.8;
   padding: 20px 10px;
   font-family: 'Montserrat', sans-serif;
 .header a {
   float: left;
   color: black;
   text-align: center;
   padding: 12px;
   text-decoration: none;
   font-size: 18px;
   line-height: 25px;
   border-radius: 4px;
 .header a:hover {
   background-color: #ddd;
   border-radius:10px ;
   color: purple;
  .header-left {
```

```
float:left;
}
.header-right {
  float:right;
.header a.active {
  background-color: dodgerblue;
 color: white;
.hd
{ float: left;
  background-color: #f2f1f6;
  color: rgb(19, 19, 19);
  opacity: 0.8;
  text-align: center;
  padding: 12px;
  font-size: x-large;
  line-height: 25px;
  border-radius: 4px;
  font-weight: bold;
  }
  .ct
{ float: left;
  background-color: #000000;
  color: rgb(255, 255, 255);
  opacity: 0.8;
  padding: 8px;
  line-height: 25px;
  border-radius: 4px;
 font-weight: bold;
  .foot
    font-family:'Space Grotesk', sans-serif;
    background-color: #00000069;
    color: rgb(154, 141, 141);
    padding: 8px;
    opacity: 1;
    padding-top: 5cm;
```

css2.css:

```
@import url('https://fonts.googleapis.com/css?family=Mukta');
body{
 font-family: 'Mukta', sans-serif;
    height:100vh;
    min-height:550px;
    background-image: url(admin.jpg);
    background-repeat: no-repeat;
    background-size:cover;
    background-position:center;
    position:relative;
    overflow-y: hidden;
#back
    font-weight: bold;
    color:#347715;
    background-color: #242424;
    padding: 0.5%;
    border-radius: 5px;
    border-style: groove;
.login-panel{
    position: relative;
    top: 20%;
    text-align:center;
    width:70%;
    left:15%;
    height:400px;
    background-color: rgba(236, 48, 20, 0.85);
.login-info-box{
    width:30%;
    padding: 50px;
    top:10%;
    position:absolute;
    text-align:left;
```

```
.white-panel{
   background-color: rgba(255,255, 255, 0.5);
   height:500px;
   position:absolute;
   top:-14%;
   width:50%;
   left:40%;
   box-shadow: 0 0 10px 15px#00000096;
.login-show
   color:#383737;
   text-align:left;
   padding:60px;
.login-show input[type="text"], .login-show input[type="password"]{
   width: 100%;
   margin:20px 0;
   padding: 15px;
   padding-right: 0px; ;
   border: 1px solid #b5b5b5;
.login-show input[type="submit"]
   max-width: 150px;
   width: 100%;
   background: #444444;
   color: #f9f9f9;
   padding: 10px;
   border-radius: 2px;
   float:right;
   cursor:pointer;
   position: relative;
   right:-15%;
   border: 0;
```

css3.css:

```
#back
    font-weight: bold;
    color:#eef4eb;
    background-color: #6d0a91;
    padding: 5px;
    border-radius: 5px;
    border-style:double;
.bg
    padding-top: 5%;
    padding-left: 10%;
    padding-right: 10%;
    width: 35%;
    height: 35%;
    text-align: center;
    background-color: rgb(244, 148, 24);
img {
    max-width: 20%;
    max-height:20%;
    float: left;
    padding-left: 5%;
    padding-top: 5%;
    .text {
    position: relative;
    font-size: 20px;
    padding-left: 50px;
    padding-right:23%;
    padding-top: 4%;
    padding-bottom: 7.5%;
    float: left;
  table,td,input
    padding: 5px;
```

css4.css:

```
table,td,input
  padding: 5px;
h1
    font-family: 'Pangolin', cursive;
img
    height:100px;
    width:100px;
    background-color: rgb(255, 255, 255);
    border-radius:40px ;
    padding: 4px;
#login
    background-color: bisque;
    color: black;
    border-radius: 10px;
   font-family: 'Pangolin', cursive;
    height: 30px;
    width: 60px;
#back
{ position: static;
   font-weight: bold;
    color:#c32424;
    background-color: #e1e6e1;
    position: static;
    padding: 7.5px;
    border-radius: 5px;
    border-style:groove;
htm1
```

```
height: 85%;
а
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet
MS', sans-serif;
   font-size: large;
body
    background-image: url(userlogin.jpg);
    background-repeat: no-repeat;
    background-size:cover;
    background-position:center;
    position:relative;
.bg
    background-color:rgba(244, 89, 143, 0.553);
    position: relative;
    text-align:center;
    background-size: cover;
    padding-top: 150px;
    padding-left: 35%;
    height:550px;
    width:65%;
.login-box
position: absolute;
width: max-content;
height: max-content;
padding-left:50px;
padding-right:50px;
padding-bottom: 30px;
background-color: rgb(168, 94, 94);
box-shadow: 0 0 10px 15px rgba(216, 201, 201, 0.553);;
text-align: center;
```

css5.css:

```
.header {
   overflow:hidden;
   background-color: #ccc1c1;
   opacity: 0.8;
   padding: 20px 10px;
   font-family: 'Montserrat', sans-serif;
.header a:hover {
   background-color: #171515;
   border-radius:10px ;
   color: rgb(255, 255, 255);
 .header a {
   color: black;
   text-align: center;
   padding: 12px;
   text-decoration: none;
   font-size: 18px;
   line-height: 25px;
   border-radius: 4px;
  .header-right {
   float:right;
 .header-left {
   float:left;
  .header a.active {
   background-color: dodgerblue;
   color: white;
  .hd
 { float: left;
   background-color: #c0b8dd;
   color: rgb(19, 19, 19);
   opacity: 1;
   text-align: center;
```

```
padding: 12px;
  font-size: x-large;
  line-height: 25px;
  border-radius: 4px;
 font-weight: bold;
  border: rgb(215, 151, 31);
  border-style:double;
  .ct
{ position: relative;
 float: left;
  background-color: #1260aea4;
  color: rgb(255, 255, 255);
  opacity: 1;
 text-align:left;
  line-height: 25px;
  border-radius: 4px;
 font-weight: bold;
  border: rgb(27, 165, 211);
  border-style:double;
  th, table, td
    font-size: larger;
    padding:10px;
  th
    font-family: 'Indie Flower', cursive;
   font-size: xx-large;
  .upd
  position: absolute;
 float:center;
 text-align:left;
 line-height: 25px;
  padding-top:5%;
  padding-left: 5px;
 top: 65%;
 width: 70%;
 font-family: 'Kalam', cursive;
```

```
font-weight:800;
  font-size: 20px;
  }
.button
{
  background-color:#171515;
  padding: 7px;
  color:rgb(253, 254, 254);
  border-style:groove;
  width: 200px;
  height:50px;
  font-size: large;
  border-radius: 50px;
}
```

css6.css:

```
html, body {
   margin: 0px;
    padding: 0px;
.header {
    overflow:hidden;
    background-color: #212529;
    height: 60px;
   font-family: 'verdana', sans-serif;
 .header a:hover {
    background-color: #e5d4d4;
    border-radius:2px ;
    color: rgb(0, 0, 0);
 .header a {
    color: rgb(149, 201, 194);
    text-align: center;
    padding: 20px;
    text-decoration: none;
    font-size: 18px;
    line-height: 25px;
```

```
border-radius: 4px;
.header-center {
 float:center;
.header a.active {
 background-color: rgb(255, 255, 255);
  color: rgb(52, 50, 50);
}
th
 font-family: 'Roboto Slab', serif;
 font-size: 2pc;
 padding: 30px;
td
 font-family: 'Archivo Narrow', sans-serif;
  font-size: 1.5pc;
  padding: 12px;
 text-align: center;
#back
 font-weight: bold;
  color:#ffffff;
 background-color: #242424;
  padding: 0.5%;
  margin: 10px;
  border-radius: 5px;
  border-style: groove;
```

