Exercise No 5: Information gathering using the Harvester

Aim: To demonstrate information gathering using the Harvester **Procedure:**

STEP 1: Open Terminal in the kali linux

- -d [url] will be the remote site from which you wants to fetch
- -1 will limit the search for specified number.
- -b is used to specify search engine name.

STEP 2: Run the following command

Command: the Harvester -d arms.sse.saveetha.com-l 300 -b all

Step 4: run this command "theHarvester -d arms.sse.saveetha.com -l 300 -b all -f test" and hit enter to export the result as html file and xml file

Step 5: now close the terminal and navigate the home folder and search

OUTPUT

```
new recording the accurrent, Gamest connect to host dons.tofferover.rom.447 slicisi.SSContext object at ##/f28801800800 [Name or service not known]

Secreting English

Secreting Bags

Secret
```

```
theMarvester - .2.0

theMarvester - .2.2

theMarvester - .2.2

theMarvester - .2.2

coded by Christian Matterella

Edge-Security Research

castrorelladege-security.com

target: www.zoho.com

[] Missing API key for binaryedge.

[] Missing API key for censys ID and/or Secret.

[] Missing API key for fensys ID and/or Secret.

[] Missing API key for finithm.

[] Missing API key for follhunt.

[] Missing API key for Intelx.

[] Missing API key for Intelx.

[] Missing API key for PentestTools.

[] Missing API key for FocketReach.

[] Missing API key for virustotal.

[] Missing API key for virustotal
```

```
https://www.zoho.com/nt/salesiq/
https://www.zoho.com/speople/frare=fromproduct
https://www.zoho.com/salesia/
https://www
```

Result

Information gathering using the Harvester is performed successfully.