Rajalakshmi Engineering College

Name: Gowtham M 1

Email: 241501059@rajalakshmi.edu.in

Roll no: 241501059 Phone: 8778441691

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 5_COD_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Mike is learning about Binary Search Trees (BSTs) and wants to implement various operations on them. He wants to write a basic program for creating a BST, inserting nodes, and printing the tree in the pre-order traversal.

Write a program to help him solve this program.

Input Format

The first line of input consists of an integer N, representing the number of values to insert into the BST.

The second line consists of N space-separated integers, representing the values to insert into the BST.

Output Format

The output prints the space-separated values of the BST in the pre-order traversal.

Refer to the sample output for formatting specifications.

```
Sample Test Case
```

```
Input: 5
   31524
   Output: 3 1 2 5 4
   Answer
   #include <stdio.h>
#include <stdlib.h>
   struct Node {
      int data:
      struct Node* left;
      struct Node* right;
   };
   struct Node* createNode(int value) {
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      newNode->data = value;
      newNode->left = newNode->right = NULL;
   return newNode;
   // You are using GCC
   struct Node* insert(struct Node* root, int value) {
      //Type your code here
      if(root==NULL)
      return createNode(value);
      if(value<root->data){
        root->left=insert(root->left,value);
      else if( value>root->data){
       root->right=insert(root->right,value);
```

```
24,150,1059
                                                      24,150,1059
       return root;
    void printPreorder(struct Node* node) {
       //Type your code here
       if(node!=NULL){
         printf("%d ",node->data);
         printPreorder(node->left);
         printPreorder(node->right);
      }
struct Node* root = NULL;
int n:
                                                                                  24,150,1059
       scanf("%d", &n);
       for (int i = 0; i < n; i++) {
         int value;
         scanf("%d", &value);
         root = insert(root, value);
       }
       printPreorder(root);
                                                      24,150,1059
       return 0;
                                                                          Marks: 10/10
    Status: Correct
```

24,150,1059

241501059

24,150,1059

241501059