

Week-6

Hol-1:

```
Last login: Sat Jul 25 18:21:00 on console
gopisetigowtham@Gopisettis-MacBook-Air ~ % git --version
git version 2.52.0
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global user.name "G Gowtham"
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global user.email "gopisetigowtham2@gmail.com"
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=G Gowtham
user.email=gopisetigowtham2@gmail.com
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global core.editor "code --wait"
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global -e
hint: Waiting for your editor to close the file... code --wait: code: command not found
error: there was a problem with the editor 'code --wait'
gopisetigowtham@Gopisettis-MacBook-Air ~ % git config --global -e
hint: Waiting for your editor to close the file... code --wait: code: command not found
error: there was a problem with the editor 'code --wait'
gopisetigowtham@Gopisettis-MacBook-Air ~ % mkdir GitDemo
gopisetigowtham@Gopisettis-MacBook-Air ~ % cd GitDemo
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /Users/gopisetigowtham/GitDemo/.git/
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % ls -la
total 0
drwxr-xr-x  3 gopisetigowtham  staff   96 29 Jul 22:49 .
drwxr-xr-x 34 gopisetigowtham  staff 1088 29 Jul 22:49 ..
drwxr-xr-x  9 gopisetigowtham  staff  288 29 Jul 22:49 .git
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % echo "Welcome to the version control" > welcome.txt
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % cat welcome.txt
Welcome to the version control
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        welcome.txt

nothing added to commit but untracked files present (use "git add" to track)
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % git add welcome.txt
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % git commit
hint: Waiting for your editor to close the file... code --wait: code: command not found
error: there was a problem with the editor 'code --wait'
Please supply the message using either -m or -F option.
gopisetigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Initial Commit"
```

```

[gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Initial Commit"
[master (root-commit) f41f41d] Initial Commit
 1 file changed, 1 insertion(+)
 create mode 100644 welcome.txt
[gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Initial Commit"
[git status
On branch master
nothing to commit, working tree clean
On branch master
nothing to commit, working tree clean

```

Hol-2:

```

gopisettigowtham@Gopisettis-MacBook-Air GitDemo % touch error.log
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % mkdir log
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % touch log/test.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % touch .gitignore
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "*.log" >> .gitignore
echo "log/" >> .gitignore
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % cat .gitignore
*.log
log/
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add .gitignore
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Added .gitignore file"
[master e080b1a] Added .gitignore file
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % █

```

Hol-3:

```

gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch GitNewBranch
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch -a
  GitNewBranch
* master
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout GitNewBranch
Switched to branch 'GitNewBranch'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "This file belongs to GitNewBranch" > branch.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % cat branch.txt
This file belongs to GitNewBranch
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch GitNewBranch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        branch.txt

nothing added to commit but untracked files present (use "git add" to track)
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add branch.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Added branch.txt in GitNewBranch"
[GitNewBranch 7710caf] Added branch.txt in GitNewBranch
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch GitNewBranch
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout master
Switched to branch 'master'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git diff master GitNewBranch
diff --git a/branch.txt b/branch.txt
new file mode 100644
index 0000000..e2eb06f
--- /dev/null
+++ b/branch.txt
@@ -0,0 +1 @@
+This file belongs to GitNewBranch
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git merge GitNewBranch
Updating e080b1a..7710caf
Fast-forward
 branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 7710caf (HEAD -> master, GitNewBranch) Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 7710caf (HEAD -> master, GitNewBranch) Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch -d GitNewBranch
Deleted branch GitNewBranch (was 7710caf).
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
nothing to commit, working tree clean

```

Hol-4:

```
status

gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch GitNewBranch
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout master
Switched to branch 'master'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git diff master GitNewBranch
diff --git a/branch.txt b/branch.txt
new file mode 100644
index 0000000..e2eb06f
--- /dev/null
+++ b/branch.txt
@@ -0,0 +1 @@
+This file belongs to GitNewBranch
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git merge GitNewBranch
Updating e080b1a..7718caf
Fast-forward
 branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 7718caf (HEAD -> master, GitNewBranch) Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 7718caf (HEAD -> master, GitNewBranch) Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch -d GitNewBranch
Deleted branch GitNewBranch (was 7718caf).
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch master
nothing to commit, working tree clean
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout -b GitWork
Switched to a new branch 'GitWork'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "<message>Hello from GitWork</message>" > hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add hello.xml
git commit -m "Added hello.xml in GitWork"
[GitWork 3b3e38e] Added hello.xml in GitWork
 1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout master
Switched to branch 'master'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "<message>Hello from Master</message>" > hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add hello.xml
git commit -m "Added hello.xml in master"
[master 22e9a9c] Added hello.xml in master
 1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
```

```
status

create mode 100644 hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git checkout master
Switched to branch 'master'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "<message>Hello from Master</message>" > hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add hello.xml
git commit -m "Added hello.xml in master"
[master 22e9a9c] Added hello.xml in master
 1 file changed, 1 insertion(+)
 create mode 100644 hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate --all
* 22e9a9c (HEAD -> master) Added hello.xml in master
* 3b3e38e (GitWork) Added hello.xml in GitWork
/
* 7718caf Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git diff GitWork
diff --git a/hello.xml b/hello.xml
index 84f3217..3fa01db 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>Hello from GitWork</message>
+<message>Hello from Master</message>
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % <<<<<< HEAD
<message>Hello from Master</message>
=====
<message>Hello from GitWork</message>
>>>>>> GitWork
zsh: parse error near '<<<'
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add hello.xml
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git commit -m "Resolved merge conflict"
[master 4121190] Resolved merge conflict
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % echo "*.orig" >> .gitignore
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git add .gitignore
git commit -m "Ignored backup files"
[master b355a02] Ignored backup files
 1 file changed, 1 insertion(+)
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch
GitWork
* master
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git branch -d GitWork
Deleted branch GitWork (was 3b3e38e).
gopisettigowtham@Gopisettis-MacBook-Air GitDemo % git log --oneline --graph --decorate
* b355a02 (HEAD -> master) Ignored backup files
* 4121190 Resolved merge conflict
/
* 3b3e38e Added hello.xml in GitWork
* 22e9a9c Added hello.xml in master
/
* 7718caf Added branch.txt in GitNewBranch
* e080b1a Added .gitignore file
* f41f41d Initial Commit
gopisettigowtham@Gopisettis-MacBook-Air GitDemo %
```

Hol-5:

From <https://github.com/Gowtham2143/GitDemo>

* branch master -> FETCH_HEAD

Already up to date.

Enumerating objects: 7, done.

Counting objects: 100% (7/7), done.

Writing objects: 100% (5/5), done.

To <https://github.com/Gowtham2143/GitDemo.git>

b7fd891..c4f7d28 master -> master