

Demo 1

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1> Hi Simple Program Just to check....!</h1>
</body>
</html>
```

Demo 2

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1>Heading tag</h1>
  <h2>Heading tag</h2>
  <h3>heading tag</h3>
  <h4>heading tag</h4>
  <h5>heading tag</h5>
  <h6>heading tag</h6>
```

Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...

Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...<p>
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...
Simplilearn is the popular online Bootcamp & online courses learning platform that ...</p>

```
<hr>
  Simplilearn is the popular online Bootcamp & online courses learning platform that ...
  Simplilearn is the popular online Bootcamp & online courses learning platform that ...
  Simplilearn is the popular online Bootcamp & online courses learning platform that ...
  Simplilearn is the popular online Bootcamp & online courses learning platform that ...
  Simplilearn is the popular online Bootcamp & online courses learning platform that ...
</hr>
</body>
</html>
```

Demo 3

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table border="1">

    <tr>
      <th>ID </th>
      <th>Name </th>
      <th>Age </th>
      <th>Salary </th>
      <th>Designation </th>
    </tr>

    <tr>
      <td>100</td>
      <td>Gowtham</td>
      <td>25</td>
      <td>25000</td>
      <td>Developer</td>
    </tr>

    <tr>
      <td>200</td>
      <td>Ramesh</td>
      <td>35</td>
      <td>60000</td>
      <td>Clerk</td>
    </tr>

    <tr>
      <td>300</td>
      <td>Rajesh</td>
      <td>65</td>
      <td>90000</td>
      <td>Manager</td>
    </tr>

    <tr>
      <td>400</td>
      <td>Prasad</td>
      <td>50</td>
      <td>83000</td>
      <td>Supervisor</td>
    </tr>
```

```

        <tr>
            <td>500</td>
            <td>Lakshmi</td>
            <td>40</td>
            <td>40000</td>
            <td>Asst.Manager</td>
        </tr>
    </table>
</body>
</html>

```

Demo 4

```

<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <table border="1" cellspacing="20" cellpadding="10">

        <tr>
            <th>ID </th>
            <th colspan="2">Full Name </th>
            <!-- <th>Last Name </th> -->
            <th>Age </th>
            <th>Salary </th>
            <th>Designation </th>
        </tr>

        <tr>
            <td>100</td>
            <td>Gowtham</td>
            <td>Kumar</td>
            <td>25</td>
            <td>25000</td>
            <td>Developer</td>
        </tr>

        <tr>
            <td>200</td>
            <td>Ramesh</td>
            <td>Kumar</td>
            <td>35</td>

```

```
        <td>60000</td>
        <td>Clerk</td>
    </tr>

    <tr>
        <td>300</td>
        <td>Rajesh</td>
        <td>Kumar</td>
        <td>65</td>
        <td>90000</td>
        <td>Manager</td>
    </tr>

    <tr>
        <td>400</td>
        <td>Prasad</td>
        <td>Kumar</td>
        <td>50</td>
        <td>83000</td>
        <td rowspan="2">Tester</td>
    </tr>

    <tr>
        <td>500</td>
        <td>Lakshmi</td>
        <td>Kumar</td>
        <td>40</td>
        <td>40000</td>
        <!-- <td>Tester</td> -->
    </tr>
</table>
</body>
</html>
```

Time Table:

```
<!DOCTYPE html>
<html>

<body>
  <h1>TIME TABLE</h1>
  <table border="5" cellspacing="0" align="center">
    <!--<caption>Timetable</caption>-->
    <tr>
      <td align="center" height="50"
        width="100"><br>
        <b>Day/Period</b></td>
      <td align="center" height="50"
        width="100">
        <b>I<br>9:30-10:20</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>II<br>10:20-11:10</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>III<br>11:10-12:00</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>12:00-12:40</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>IV<br>12:40-1:30</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>V<br>1:30-2:20</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>VI<br>2:20-3:10</b>
      </td>
      <td align="center" height="50"
        width="100">
        <b>VII<br>3:10-4:00</b>
      </td>
    </tr>
    <tr>
      <td align="center" height="50">
        <b>Monday</b></td>
```

```

        <td align="center" height="50">Eng</td>
        <td align="center" height="50">Mat</td>
        <td align="center" height="50">Che</td>
        <td rowspan="6" align="center" height="50">
            <h2>L<br>U<br>N<br>C<br>H</h2>
        </td>
        <td colspan="3" align="center"
            height="50">LAB</td>
        <td align="center" height="50">Phy</td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Tuesday</b>
        </td>
        <td colspan="3" align="center"
            height="50">LAB
        </td>
        <td align="center" height="50">Eng</td>
        <td align="center" height="50">Che</td>
        <td align="center" height="50">Mat</td>
        <td align="center" height="50">SPORTS</td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Wednesday</b>
        </td>
        <td align="center" height="50">Mat</td>
        <td align="center" height="50">phy</td>
        <td align="center" height="50">Eng</td>
        <td align="center" height="50">Che</td>
        <td colspan="3" align="center"
            height="50">LIBRARY
        </td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Thursday</b>
        </td>
        <td align="center" height="50">Phy</td>
        <td align="center" height="50">Eng</td>
        <td align="center" height="50">Che</td>
        <td colspan="3" align="center"
            height="50">LAB
        </td>
        <td align="center" height="50">Mat</td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Friday</b>
        </td>
        <td colspan="3" align="center"

```

```

        height="50">LAB
    </td>
    <td align="center" height="50">Mat</td>
    <td align="center" height="50">Che</td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Phy</td>
</tr>
<tr>
    <td align="center" height="50">
        <b>Saturday</b>
    </td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Che</td>
    <td align="center" height="50">Mat</td>
    <td colspan="3" align="center"
        height="50">SEMINAR
    </td>
    <td align="center" height="50">SPORTS</td>
</tr>
</table>
</body>

</html>

```

Output:

TIME TABLE

Day/Period	I 9:30-10:20	II 10:20-11:10	III 11:10-12:00	12:00-12:40	IV 12:40-1:30	V 1:30-2:20	VI 2:20-3:10	VII 3:10-4:00
Monday	Eng	Mat	Che	L U N C H	LAB			Phy
Tuesday	LAB				Eng	Che	Mat	SPORTS
Wednesday	Mat	phy	Eng		Che	LIBRARY		
Thursday	Phy	Eng	Che		LAB			Mat
Friday	LAB				Mat	Che	Eng	Phy
Saturday	Eng	Che	Mat		SEMINAR			SPORTS

Demo 5

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1>Order LIST Demo</h1>

```



```
<!-- 1, A, a, l, i -->
<ol type="1" start="5">
  <li>Rohit</li>
  <li>Virat</li>
  <li>path</li>
  <li>Rahul</li>
  <li>Manish</li>
  <li>Dawan</li>
  <li>Raina</li>
  <li>Jadeja</li>
  <li>Bhuvaneswar</li>
  <li>Ishanth</li>
  <li>Chahat</li>
</ol>
<h4>Un Order List</h4>
<!-- circle, disc, square -->
<ul type="square">
  <li>Apple</li>
  <li>Banana</li>
  <li>Chicco</li>
  <li>Dates</li>
  <li>grapes</li>
  <li>Strawberry</li>
  <li>Promagranate</li>
</ul>

</body>
</html>
```

Demo 6

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1> Form Demo </h1>
  <form>
    Name : <input type="text" required> <br>
    Password : <input type="password"> <br>
    Email : <input type="email"> <br>
    Mobile : <input type="number"> <br>
    Gender :
      <input type="radio" name="g1">MALE
      <input type="radio" name="g1">FEMALE
      <input type="radio" name="g1">Others
    <br>
    Subjects:
      <input type="checkbox">JAVA
      <input type="checkbox">CPP
      <input type="checkbox">Python
      <input type="checkbox">HTML
  <br>
    DOB : <input type="Date">
    Time : <input type="time">
    <br>
    Address :
      <textarea>

      </textarea>
  <br>
    Resume:
      <input type="file"><br>
    Min: <input type="range"> :Max <br>
    Color: <input type="color">
    Salary: <input type="hidden" value="40000"> <br>
  <br> <br>
  <input type="Submit">
  <input type="Submit" value="Login">
  <input type="Submit" value="Register">
  <input type="Reset" value="Reset">

  </form>
</body>
</html>
```

Demo 8

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table>
    <tr>
      <th>USER NAME : </th>
      <td><input type="text" name="" id=""></td>
    </tr>
    <tr>
      <th>USER PASSWORD : </th>
      <td><input type="text" name="" id=""></td>
    </tr>
    <tr>
      <td><input type="submit"></td>
      <td><input type="submit"></td>
    </tr>
  </table>
</body>
</html>
```

Demo 9

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1> image Demo</h1>

  

  <video controls>
    <source src="welcome_class_for_full_stack_java_developer_-28all_eng.mp4"
  </video>

  <audio>
    <source>
```

```
</audio>
</body>
</html>
```

Demo 10

pastebin

Paste from thaneshwara 03 December 2022 6:47 +0000

Syntax highlighting: text

View raw Copy to clipboard

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1> Link Demo </h1>
  image as link <br>
  link as link <br>
  button as a link <br>

  <h1>
    <a >CLICK </a> |
    <a href="Demo5.html">CLICK </a> |
    <a href="Demo5.html" target="_blank">NEXT WINDOW </a> |
    <a href="Demo5.html" target="_self">SELF </a>
    <hr>

    
    <a href="Demo8.html"> </a>
    <hr>
    <a href="Demo9.html"><input type="submit"></a>
  </h1>

</body>
</html>
```

Demo 11

```
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>

<body>
  <h1>Map Demo </h1>
  https://www.embedgooglemap.net/

  <a href="https://www.embedgooglemap.net/" target="_blank">MAP LINK </a>

  <div class="mapouter">
    <div class="gmap_canvas"><iframe width="381" height="383" id="gmap_canvas"

src="https://maps.google.com/maps?q=Bangalore%20&t=&z=13&ie=UTF8&iwloc=&output=embed"
frameborder="0"
    scrolling="no" marginheight="0" marginwidth="0"></iframe><a
    href="https://www.embedgooglemap.net/blog/divi-discount-code-elegant-themes-
coupon/"></a><br>
    <style>
      .mapouter {
        position: relative;
        text-align: right;
        height: 383px;
        width: 381px;
      }
    </style><a href="https://www.embedgooglemap.net">embed google map on website</a>
    <style>
      .gmap_canvas {
        overflow: hidden;
        background: none !important;
        height: 383px;
        width: 381px;
      }
    </style>
  </div>
</div>
</body>

</html>
```

Demo 12

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <title>Document</title>
</head>
<body>
  <h1> Emjois Demo </h1>
  &#128516;&#128517;&#128518;&#128519;&#128510;&#128521;<br>
  &#128510;&#128511;&#128512;&#128513;&#128515;&#128515;<br>
  &#128531;&#128532;&#128533;&#128534;&#128535;&#128536;<br>
  &#128541;&#128542;&#128543;&#128544;&#128545;&#128546;<br>

</body>
</html>
```

https://www.quackit.com/character_sets/emoji/emoji_v3.0/unicode_emoji_v3.0_characters_all.cfm

Demo 14

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1> text Demo </h1>

  <p>Hi Just to check SIMPLE DEMO </p>
  <b><p>Hi Just to check SIMPLE DEMO </p></b>
  <i><p>Hi Just to check SIMPLE DEMO </p></i>
  <p>Hi Just to check <mark>SIMPLE </mark> DEMO </p>
  <p>Hi Just to check <del>SIMPLE</del> DEMO </p>
  <h1>
    H<sub>2</sub>SO<sub>4</sub><br>

    (a+ b )<sup>2</sup>

  </h1>
```

```
</body>  
</html>
```