

AEM Training - Day 7 Assignment (26-03-2025)


1. Create `SampleServlet` Extending `SlingAllMethodsServlet`

Description:

AEM Servlet registered using `resourceType`.

Screenshots

1. `SlingAllMethodsServlet`




```
26  * {@Link SlingSafeMethodsServlet} shall be used for HTTP methods that are
27  * idempotent. For write operations use the {@Link SlingAllMethodsServlet}.
28  */
29  @Component(service = { Servlet.class })
30  @SlingServletResourceTypes(
31      resourceTypes="myTraining/components/basepage",
32      methods=HttpConstants.METHOD_GET,
33      extensions="txt")
34  @ServiceDescription("Simple Demo Servlet")
35  public class SimpleServlet extends SlingSafeMethodsServlet {
36
37      @Reference 2 usages
38      SimpleInt si;
39
40      private static final long serialVersionUID = 1L; no usages
41      private final Logger logger = LoggerFactory.getLogger(SimpleServlet.class); 2 usages
42      @Override 1 usage
43      protected void doGet(final SlingHttpServletRequest req,
44                          final SlingHttpServletResponse resp) throws ServletException, IOException {
45          String helloWorld= si.getHelloWorld();
46          final Resource resource = req.getResource();
47          logger.info("-----inside doGet method by resource Type servlet method- and hello world---");
48
49          String str=si.getHelloWorld();
50          resp.setContentType("text/plain");
51          resp.getWriter().write("% Title = " + resource.getValueMap().get(JcrConstants.JCR_TITLE));
52          logger.info("-----inside resourceType servlet---"+str);
53          resp.getWriter().write("% hello service"+str);
54      }
55  }
56
57
```

2. Create `CreatePageServlet.java` Extending `SlingSafeMethodsServlet`

Description:

A Servlet registered using `path` that creates pages based on user input.

1. SlingSafeMethodsServlet



3. Use PageManager API to Create Pages

Description:

The above servlet uses the **PageManager API** to create pages dynamically.

Steps:

1. Get the **PageManager** instance from **ResourceResolver**.
2. Call the **create()** method with parameters: parent path, page name, template path, and title.
3. Commit the changes using **resolver.commit()**.

Code Snippet:

```

PageManager pageManager = resolver.adaptTo(PageManager.class);
if (pageManager != null) {
    Page newPage = pageManager.create("/content/mysite", pageName,
    "/apps/myapp/templates/page", pageName);
    resolver.commit();
}

```

4. Create SearchServlet Using PredicateMap

Description:

AEM Servlet to search content using **QueryBuilder API**.

1. SearchServlet

