

AEM Training - Day 6 Assignment (25-03-2025)

Implementation Guide

1. Create a Custom Workflow (my custom workflow)

Description:


A custom workflow will be created in AEM to handle specific tasks.

Steps:

1. Navigate to **Tools > Workflow > Models** in AEM.
2. Create a new workflow model named **my custom workflow**.
3. Add workflow steps to process content.
4. Save and activate the workflow.

Screenshots

1. Custom Workflow



2. Create a Custom Workflow Process to Print Page Title in Logs

Description:

AEM Workflow Process step will be created to log page titles and metadata.


Steps:

1. Develop a custom **Workflow Process** class.
2. Extract the **page title** from the resource.
3. Log the title and metadata in AEM logs.

- Assign the workflow to a page and run it.

Screenshots

1. Custom Workflow



3. Create an Event Handler in AEM to Print Resource Path in Logs

Description:


An AEM **Event Listener** will log resource changes.

Steps:

- Create an **OSGi Event Listener**.
- Listen for **resource added/modified/deleted** events.
- Log the resource path in AEM logs.

Screenshots

1. Event Handler



4. Create a Sling Job to Print "Hello World" in Logs

Description:


A **Sling Job** will be scheduled to log a simple message.

Steps:

1. Develop a Sling Job class.
2. Log a **Hello World** message.
3. Trigger the job manually or programmatically.

Screenshots

1. Sling Job



5. Create a Scheduler to Print "Hellow World" in Logs Every 5 Minutes

Description:


An AEM **Scheduler** will print a message at a fixed interval using a **cron expression**.

Steps:

1. Create a **Scheduler** using OSGi configuration.
2. Set a cron job to run every **5 minutes**.
3. Log the **Hellow World** message.

Screenshots

1. Scheduler



6. Create 3 Users and Add Them to a Group with Read and Replication Access

Description:


Three users will be created and added to a new group with limited permissions.

Steps:

1. Navigate to **Tools > Security > Users**.
2. Create three users: **user1**, **user2**, **user3**.
3. Navigate to **Groups** and create a new group **Dev Author**.
4. Add all three users to **Dev Author**.
5. Assign **read-only** access to **/content** and **/dam**.
6. Grant **replication access** to the group.

Screenshots

1. User Group



2. Users

