



Service Details - IBM Cloud x IBM Watson IoT Platform x IBM Watson IoT Platform x +

es7xtpunbemetotthingubmcloud.com/dashboard/devices/drilldown/testDeviceType1234?returnUrl=/devices/browse

IBM Watson IoT Platform

per@pulsardev077@pulsardev077.com  
ID: es7xtp

← Back

## Device Drilldown - 1234

**Device Credentials**

[Connection Information](#)

[Recent Events](#)

[State](#)

[Device Information](#)

[Metadata](#)

[Diagnostics](#)

[Connection Logs](#)

[Device Actions](#)

### Device Credentials


You registered your device to the organization. Add these credentials to the device to connect it to the platform. After the device is connected, you can navigate to view connection and event details.

Organization ID	es7xtp
Device Type	TestDeviceType
Device ID	1234
Authentication Method	use-token-auth
Authentication Token	a181+8uAqrHMKXibo4

**⚠** Authentication tokens are non-recoverable. If you misplace this token, you will need to re-register the device to generate a new authentication token.

[Find out how to add these credentials to your device.](#)

18:24  
02-11-2022



Service Details - IBM Cloud | IBM Watson IoT Platform

ea7d4p.internetofthings.ibmcloud.com/dashboard/settings

### IBM Watson IoT Platform

## General Settings

Here you can see and modify global organization information and locally enable experimental W

**PLATFORM**

- About
- Identity
- Experimental Features
- Last Event Cache**
- Client Connection State API

**DATA AND DEVICES**

- Custom Device Management Packages
- Device Simulator

### Client Connection State API

The Client Connection State API provides client conn  
[documentation.](#)

Activate Client Connection State API ☐

### Custom Device Management Packages

#### Simulations

[Refresh/Reset simulation](#)

1/60 Simulations Running [+ New Simulation](#)

Device Type: TestDeviceType [+ Event](#) ☒ [-](#)

1 Device

1234

[1 +](#) [Create Simulated Device](#) [Use Registered Device](#)

