TABLE OF CONTENTS

CHAPTER NO	TITLE	PAGE NO
1.	**INTRODUCTION**	**1**
2.	**SYSTEM STUDY & ANALYSIS**	**2**
	a) Overview of Existing System	**2**
	b) Overview of Proposed System	**3**
3.	**SYSTEM DESIGN**	**4**
	a) Input Design	4
	b) Output Design	5
	c) Table Design	7
	d) Architectural Design	11
	e) Data flow Diagram	12
4.	**SYSTEM REQUIREMENT SPECIFICATION**	**17**
	a) Hardware Requirement Specification	17
	b) Software Requirement Specification	17
	c) About Software	18
5.	**MODULE DESCRIPTION**	**25**
6.	**SYSTEM TESTING**	**27**
7.	**SYSTEM IMPLEMENTATION**	**31**
8.	**CONCLUSION**	**33**
9.	**FUTURE ENHANCEMENT**	**34**
10.	**BIBLIOGRAPHY**	**35**
11.	**APPENDIX**	**36**
12.	**REFFERENCE**	**82**

INTRODUCTION

ABSTRACT

The "Event Search for Marriage" project aims to streamline and enhance the wedding planning process through a comprehensive web application developed using ASP.NET and backed by SQL Server. This platform facilitates efficient event organization by integrating modules for **Marriage Hall Booking**, **Decorations Booking**, **Catering Booking**, **Video** and **Photographer Booking**, and **MOI Soft** booking.

Users can search, **compare**, and book various wedding-related services within a single interface, simplifying the complexities associated with wedding planning. The system leverages ASP.NET's robust framework for seamless navigation and user interaction, while SQL Server ensures secure and scalable data management.

With this application, users can seamlessly coordinate all aspects of their wedding, making the planning experience more accessible, organized, and enjoyable.

2. SYSTEM STUDY & ANALYSIS

a) OVERVIEW OF EXISTING SYSTEM

The existing system for the "Event Search for Marriage" project involves the use of ASP.NET as the web development framework and SQL Server as the relational database management system. The primary focus of the system is on facilitating the search and booking of marriage halls for events. The system is designed to provide a user-friendly interface for individuals or event planners looking to organize weddings.

The modules within the system are specifically tailored for Marriage Hall Booking. These modules include features such as a comprehensive search engine that allows users to filter results based on various criteria, such as location, capacity, amenities, and pricing. Additionally, there is a user registration and authentication module to ensure secure access and personalized services.

The booking module enables users to check the availability of marriage halls, view detailed information about each venue, and proceed with the booking process. The system incorporates a secure payment gateway for online transactions, ensuring a seamless and trustworthy booking experience.

b) OVERVIEW OF PROPOSED SYSTEM

The proposed system, "Event Search for Marriage," aims to streamline and simplify the wedding planning process by leveraging the capabilities of ASP.NET and SQL SERVER. The system will consist of several interconnected modules, each catering to specific aspects of a wedding event. The Marriage Hall Booking module will enable users to search and reserve venues based on their preferences, ensuring a seamless and efficient booking process. The Decorations Booking module will facilitate the selection and reservation of decor services, allowing users to customize their wedding ambiance. The Catering Booking module will streamline the catering selection process, ensuring a delightful culinary experience for the wedding party. Additionally, the Video and Photographer Booking module will assist in hiring professional services to capture precious moments during the event.

To manage financial collections, the system will include a money collection agent booking module, allowing users to secure reliable agents for the safe and transparent handling of collections. This comprehensive approach ensures that users can plan and execute their weddings with ease, utilizing a centralized platform that integrates various services seamlessly.

3. SYSTEM DESIGN

a) INPUT DESIGN

The input design is the link between the information system and the user. It comprises the developing specification and procedures for data preparation and those steps are necessary to put transaction data in to a usable form for processing can be achieved by inspecting the computer to read data from a written or printed document or it can occur by having people keying the data directly into the system. The design of input focuses on controlling the amount of input required, controlling the errors, avoiding delay, avoiding extra steps and keeping the process simple. The input is designed in such a way so that it provides security and ease of use with retaining the privacy. Input Design considered the following things:

- What data should be given as input?
- How the data should be arranged or coded?
- The dialog to guide the operating personnel in providing input.
- Methods for preparing input validations and steps to follow when error occur.

OBJECTIVES

1. Input Design is the process of converting a user-oriented description of the input into a computer-based system. This design is important to avoid errors in the data input process and show the correct direction to the management for getting correct information from the computerized system.
2. It is achieved by creating user-friendly screens for the data entry to handle large volume of data. The goal of designing input is to make data entry easier and to be free from errors.

3. When the data is entered it will check for its validity. Data can be entered with the help of screens. Appropriate messages are provided as when needed so that the user will not be in maize of instant. Thus the objective of input design is to create an input layout that is easy to follow

b) **OUTPUT DESIGN**

A quality output is one, which meets the requirements of the end user and presents the information clearly. In any system results of processing are communicated to the users and to other system through outputs. In output design it is determined how the information is to be displaced for immediate need and also the hard copy output. It is the most important and direct source information to the user. Efficient and intelligent output design improves the system's relationship to help user decision-making.

1. Designing computer output should proceed in an organized, well thought out manner; the right output must be developed while ensuring that each output element is designed so that people will find the system can use easily and effectively. When analysis design computer output, they should Identify the specific output that is needed to meet the requirements.
2. Select methods for presenting information.
3. Create document, report, or other formats that contain information produced by the system.

The output form of an information system should accomplish one or more of the following objectives.

- Convey information about past activities, current status or projections of the
- Future.
- Signal important events, opportunities, problems, or warnings.
- Trigger an action.
- Confirm an action.

c) TABLE DESIGN

B Table

Fieldname	Datatype	Key/Null	Description
UName	varchar(50)	Foreign Key	User Name
BName	varchar(50)	Not Null	Bank Name
BAddress	varchar(250)	Not Null	Bank Address
AccNo	numeric(10, 0)	Primary Key	Account Number
IFSCCode	numeric(12, 0)	Not Null	IFSC Code
Amount	numeric(12, 2)	Not Null	Amount

CBTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
CSName	varchar(50)	Foreign Key	Catering Service Name
FType	varchar(50)	Not Null	Food Type
FCategory	varchar(50)	Not Null	Food Category
FItems	varchar(250)	Not Null	Food Items
Cost	numeric(8, 2)	Not Null	Cost
NoPerson	numeric(5, 0)	Not Null	No of Person
TotalAmount	numeric(10, 2)	Not Null	Total Amount

CSTable

FieldName	DataType	Key/Null	Description
CSName	varchar(50)	Foreign Key	Catering Service Name
FType	varchar(50)	Not Null	Food Type
FCategory	varchar(50)	Not Null	Food Category
FItems	varchar(250)	Not Null	Food Items
Cost	numeric(8, 2)	Not Null	Cost

CTable

FieldName	DataType	Key/Null	Description
CSName	varchar(50)	Primary Key	Catering Service Name
Name	varchar(50)	Not Null	Name
Address	varchar(50)	Not Null	Address
City	varchar(50)	Not Null	City
CNo	numeric(10, 0)	Not Null	Contact Number
MailID	varchar(50)	Not Null	Mail ID

DBTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
DSName	varchar(50)	Foreign Key	Decorator Service Name
DType	varchar(50)	Not Null	Decoration Type

DImage	varchar(350)	Not Null	Decoration Image
DCost	numeric(8, 2)	Not Null	Cost

DSTable

FieldName	DataType	Key/Null	Description
DSName	varchar(50)	Foreign Key	Decorator Service Name
DType	varchar(50)	Not Null	Decoration Type
DImage	varchar(350)	Not Null	Decoration Image
DCost	numeric(8, 2)	Not Null	Cost

DTable

FieldName	DataType	Key/Null	Description
DSName	varchar(50)	Primary Key	Decorator Service Name
Name	varchar(50)	Not Null	Name
Address	varchar(50)	Not Null	Address
City	varchar(50)	Not Null	City
CNo	numeric(10, 0)	Not Null	Contact Number
MailID	varchar(50)	Not Null	Mail ID

HBTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Primary Key	Booking ID
BDate	datetime	Not Null	Booking Date
UName	varchar(50)	Foreign Key	User Name
HID	numeric(5, 0)	Foreign Key	Hall ID
HName	varchar(50)	Not Null	Hall Name
COption	varchar(20)	Not Null	Catering Option
DOption	varchar(20)	Not Null	Decoration Option
PStatus	varchar(20)	Not Null	Payment Status

HBTable1

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
HRent	numeric(10, 2)	Not Null	Hall Rent
CAmount	numeric(10, 2)	Not Null	Catering Amount
DAmount	numeric(10, 2)	Not Null	Decoration Amount
SAmount	numeric(10, 2)	Not Null	Studio Amount
MAmount	numeric(10, 2)	Not Null	Moisoft Amount

HBTable2

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
COption	varchar(20)	Not Null	Catering Option
DOption	varchar(20)	Not Null	Decoration Option
SOption	varchar(20)	Not Null	Studio Option
MOption	varchar(20)	Not Null	Moisoft Option

HTable

FieldName	DataType	Key/Null	Description
UName	varchar(50)	Foreign Key	User Name
HID	numeric(5, 0)	Primary Key	Hall ID
HName	varchar(50)	Not Null	Hall Name
HType	varchar(50)	Not Null	Hall Type
HCapacity	numeric(5, 0)	Not Null	Hall Capacity
HAddress	varchar(150)	Not Null	Address
HCity	varchar(50)	Not Null	City
Rent	numeric(10, 2)	Not Null	Rent
AAmount	numeric(8, 2)	Not Null	Advance Amount
HImage	varchar(150)	Not Null	Hall Image

MBTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Not Null	Booking ID
MID	int	Not Null	Moisoft ID
MSID	int	Not Null	Moisoft Service ID
ICount	int	Not Null	Invitation Count
SCost	float	Not Null	Service Cost
SCount	int	Not Null	System Count

MoiTable

FieldName	DataType	Key/Null	Description
MID	int	Primary Key	Moisoft ID
Name	varchar(50)	Not Null	Name
MDesc	varchar(250)	Not Null	Description
Address	varchar(250)	Not Null	Address
MNo	numeric(10, 0)	Not Null	Mobile Number

MStable

FieldName	DataType	Key/Null	Description
MID	int	Foreign Key	Moisoft ID
MSID	int	Primary Key	Moisoft Service ID
ICount	int	Not Null	Invitation Count
SCost	float	Not Null	Service Cost
SCount	int	Not Null	System Count

OTable

FieldName	DataType	Key/Null	Description
Name	varchar(50)	Not Null	Name
Gender	varchar(20)	Not Null	Gender
Address	varchar(150)	Not Null	Address
City	varchar(50)	Not Null	City
CNo	numeric(10, 0)	Not Null	Contact Number
MailID	varchar(50)	Not Null	Mail ID
UName	varchar(50)	Primary Key	User Name
PWord	varchar(50)	Not Null	Password

PackageTable

FieldName	DataType	Key/Null	Description
StudioID	int	Foreign Key	Studio ID
StudioName	varchar(50)	Not Null	Studio Name
PackID	int	Primary Key	Package ID
PackName	varchar(50)	Not Null	Package name
PackDesc	varchar(250)	Not Null	Package Description
Amount	numeric(12, 2)	Not Null	Amount

PTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
UName	varchar(50)	Foreign Key	User Name
PDate	datetime	Not Null	Payment Date
TotalAmount	numeric(12, 2)	Not Null	Total Amount
AccNo	numeric(10, 0)	Foreign Key	Account Number
IFSCCode	numeric(12, 0)	Not Null	IFSC Code

SBTable

FieldName	DataType	Key/Null	Description
BID	numeric(5, 0)	Foreign Key	Booking ID
StudioID	int	Foreign Key	Studio Id
StudioName	varchar(50)	Not Null	Studio Name
PackID	int	Foreign Key	Package Id
PackName	varchar(50)	Not Null	Package Name
PackDesc	varchar(250)	Not Null	Package Description
Amount	numeric(12, 2)	Not Null	Amount

StudioTable

FieldName	DataType	Key/Null	Description
StudioID	int	Primary Key	Studio ID
StudioName	varchar(50)	Not Null	Studio Name
Address	varchar(250)	Not Null	Address
EmailID	varchar(50)	Not Null	Email ID
MNo	varchar(20)	Not Null	Mobile Number

UTable

FieldName	DataType	Key/Null	Description
Name	varchar(50)	Not Null	Name
Gender	varchar(20)	Not Null	Gender
Address	varchar(150)	Not Null	Address
City	varchar(50)	Not Null	City
CNo	numeric(10, 0)	Not Null	Contact Number
MailID	varchar(50)	Not Null	Mail ID
UName	varchar(50)	Primary Key	Username

d) ARCHITECTURE DESIGN

A system architecture or systems architecture is the computational design that defines the structure and/or behavior of a system.

An architecture description is a formal description of a system, organized in a way that supports reasoning about the structural properties of the system. It defines the system components or building blocks and provides a plan from which products can be procured, and systems developed, that will work together to implement the overall system.



e) DATA FLOW DIAGRAM




A
Studio and Package
Insert new studio and package details
View all studio and package details
StudioTable
PackageTable
Moisoft and Service
Insert moisoft and moisoft service details
View moisoft and service details
MoiTable
MSTable
View Details
View datewise hall booking details
View client details
View user details
HBTable
HBTable1
OTable
CTable


Client Login
Register new client
OTable
Check uname and password
False
True
Register new hall details
HTable
View and edit hall details
HTable
View Booking Details
View hall booking details and also view catering booking , decoration booking ,studio and moisoft details
HBTable
HBTable1
CBTable
DBTable
SBTable
MBTable


User Login
Register new user details
UTable
Check UName and Password
False
True
View Decoration
View category based decoration details
DTable
DSTable
View Catering
view category based catering details
CTable
CSTable
View Studio
View studio and package details
StudioTable
PackageTable
View Moisoft
View moisoft and service details
MoiTable
MSTable
Create new account details
Account Details
Update amount
BTable
View account details
B


B
Hall Booking
Search hall hall is available booking hall details and catering ,decoration,studio and moisoft details
HBTable
HBTable1
HBTable2
CBTable
DBTable
SBTable
MBTable
Amount Payment
Check account number, IFSC code and amount
BTable
Invalid
Valid
Account payment details inserted and amount updated
PTable
HBTable
View Hall Booking Details
HBTable HBTable1 HBTable2 CBTable DBTable SBTable MBTable

4. SYSTEM REQUIREMENT SPECIFICATION

a) HARDWARE REQUIREMENT SPECIFICATION

The below Hardware Specifications were used in both Server and Client machines when developing.

Processor	:	Intel(R) Core(TM) i3
Processor Speed	:	3.06 GHz
Ram	:	2 GB
Hard Disk Drive	:	250 GB
CD-ROM Drive	:	Sony

b) SOFTWARE REQUIREMENT SPECIFICATION

The below Software Specifications were used in both Server and Client machines when developing.

SERVER

Operating System	:	Windows 7
Technology Used	:	Microsoft ASP.NET
Database	:	Sql Server
Database Connectivity	:	ActiveX Data Object (ADO)
Web Server	:	Internet Information Server
Browser	:	Internet Explorer 6.0

CLIENT

Operating System	:	Windows 7
Browser	:	Internet Explorer 6.0

c) About Software

INTRODUCTION TO ASP.NET

ASP.NET, the next version of ASP, is a programming Framework that is used to create enterprise – class web applications. The enterprise class web applications are accessible on a global basis loading to efficient information management. However, the advantages that ASP.NET offers make it more than just next version of ASP.NET.

ASP.NET is integrated with visual studio.Net, which provides a GUI designer, a rich toolbox and a fully integrated debugger. This allows the development of applications in a what you see is what you get (WYSIWYG) MANNER.

The .NET Framework is a common environment for building, deploying, and running Web Services and Web Applications. The .NET Framework contains common class libraries - like ADO.NET, ASP.NET and Windows Forms - to provide advanced standard services that can be integrated into a variety of computer systems.

The .NET Framework is language neutral. Currently it supports C++, C#, Visual Basic, JScript (The Microsoft version of JavaScript) .The new Visual Studio.NET is a common development environment for the new .NET Framework. It provides a feature-rich application execution environment, simplified development and easy integration between a number of different development languages.

Unique Features Of .Net Environment

1. Internet Inside
2. Common Language support
3. Common Class Libraries
4. Common Language Runtime

5. Garbage Collection.
6. Cross Language Reference
7. Web Services

INTERNET INFORMATION SERVICE 6.0

IIS 6.0 has strong support for more programming to take place on the server, to allow the new Web Applications to run in any browser on any platform.

ASP.NET

- ASP.NET is a server side scripting technology that enables scripts (embedded in web pages) to be executed by an Internet server.
- ASP.NET is a Microsoft Technology
- ASP.NET stands for Active Server Pages
- ASP.NET is a program that runs inside IIS
- IIS stands for Internet Information Services
- IIS comes as a free component with Windows 2005
- IIS is also a part of the Windows NT 4.0 Option Pack
- The Option Pack can be downloaded from Microsoft PWS is a smaller - but fully functional - version of IIS PWS can be found on your Windows 95/98 CD.
- ASP.NET 3.0 is the latest version of ASP.NET, but there will never be an ASP.NET 4.0 version.

- ASP.NET is the next generation ASP.NET, but it's not an upgraded version of ASP.NET. ASP.NET is an entirely new paradigm for server-side ASP.NET script
- ASP.NET is a part of the new .NET (dotnet) Framework. Microsoft spent three years rewriting ASP.NET from the ground up, and ASP.NET is not fully backward compatible with ASP.NET 3.0.
- ASP.NET has better language support, a large set of new controls and XML based components, and better user authentication.
- ASP.NET provides increased performance by running compiled code.
- ASP.NET code is not fully backward compatible with ASP.NET.
- ASP.NET is a server side programming language.
- ASP.NET is an object oriented programming language.
- Active Server Pages - ASP.NET
- ASP.NET is the latest version of ASP.NET. It includes Web Services to link applications, services and devices using HTTP, HTML, XML and SOAP.

NEW IN ASP.NET

1. New Language Support
2. Programmable Controls
3. Event Driven Programming
4. XML Based Components
5. User Authentication
6. User Accounts and Roles
7. High Scalability
8. Compiled Code

9. Easy Configuration
10. Easy Deployment

WEB SERVICES

- Web services are small units of code
- Web services are designed to handle a limited set of tasks
- Web services use XML based communicating protocols
- Web services are independent of operating systems
- Web services are independent of programming languages .
- .NET Web Services
- Web services are small units of code built to handle a limited task.
- Small Units of Code
- Web services are small units of code designed to handle a limited set of tasks.
- Web services make it easier to communicate between different applications.
- They also make it possible for developers to reuse existing web services.
- Instead of writing new ones.

Web services can create new possibilities for many businesses because it provides an easy way to distribute information to a large number of consumers. One example could be flight schedules and ticket reservation systems.

BENEFITS OF WEB SERVICES

INTRODUCTION TO SQL SERVER

The database component of Microsoft® SQL Server™ 2005 is a Structured Query Language (SQL)–based, scalable, relational database with integrated Extensible Markup Language (XML) support for Internet applications. Each of the following terms describes a fundamental part of the architecture of the SQL Server 2005 database component:

DATABASE

A database is similar to a data file in that it is a storage place for data. Like a data file, a database does not present information directly to a user; the user runs an application that accesses data from the database and presents it to the user in an understandable format.

Database systems are more powerful than data files in that data is more highly organized. In a well-designed database, there are no duplicate pieces of data that the user or application must update at the same time. Related pieces of data are grouped together in a single structure or record, and relationships can be defined between these structures and records.

When working with data files, an application must be coded to work with the specific structure of each data file. In contrast, a database contains a catalog that applications use to determine how data is organized. Generic database applications can use the catalog to present users with data from different databases dynamically, without being tied to a specific data format.

A database typically has two main parts: first, the files holding the physical database and second, the database management system (DBMS) software that applications use to access data. The DBMS is responsible for enforcing the database structure, including:

- Maintaining relationships between data in the database.

- Ensuring that data is stored correctly, and that the rules defining data relationships
  are not violated.
- Recovering all data to a point of known consistency in case of system failures.

SCALABLE

SQL Server 2005 supports having a wide range of users access it at the same time. An instance of SQL Server 2005 includes the files that make up a set of databases and a copy of the DBMS software. Applications running on separate computers use a SQL Server 2005 communications component to transmit commands over a network to the SQL Server 2005 instance. When an application connects to an instance of SQL Server 2005, it can reference any of the databases in that instance that the user is authorized to access. The communication component also allows communication between an instance of SQL Server 2005 and an application running on the same computer. You can run multiple instances of SQL Server 2005 on a single computer.

SQL Server 2005 is designed to support the traffic of the largest Web sites or enterprise data processing systems. Instances of SQL Server 2005 running on large, multiprocessor servers are capable of supporting connections to thousands of users at the same time. The data in SQL Server tables can be partitioned across multiple servers, so that several multiprocessor computers can cooperate to support the database processing requirements of extremely large systems. These groups of database servers are called federations.

Although SQL Server 2005 is designed to work as the data storage engine for thousands of concurrent users who connect over a network, it is also

capable of working as a stand-alone database directly on the same computer as an application. The scalability and ease-of-use features of SQL Server 2005 allow it to work efficiently on a single computer without consuming too many resources or requiring administrative work by the stand-alone user. The same features allow SQL Server 2005 to dynamically acquire the resources required to support thousands of users, while minimizing database administration and tuning. The SQL Server 2005 relational database engine dynamically tunes itself to acquire or free the appropriate computer resources required to support a varying load of users accessing an instance of SQL Server 2005 at any specific time. The SQL Server 2005 relational database engine has features to prevent the logical problems that occur if a user tries to read or modify data currently used by others.

STRUCTURED QUERY LANGUAGE

To work with data in a database, you have to use a set of commands and statements (language) defined by the DBMS software. Several different languages can be used with relational databases; the most common is SQL. The American National Standards Institute (ANSI) and the International Standards Organization (ISO) define software standards, including standards for the SQL language. SQL Server 2005 supports the Entry Level of SQL-92, the SQL standard published by ANSI and ISO in 1992

5. MODULE DESCRIPTION

User Authentication and Authorization Module:

This module focuses on user registration, login, and role-based access control. Users can create accounts, log in securely, and based on their roles (such as admin, customer, service provider), they are granted appropriate permissions. Admins can manage user roles and permissions.

Marriage Hall Booking Module:

This module allows users to search for available marriage halls based on criteria like date, location, capacity, and amenities. Users can view details, check availability, and make bookings. Service providers (marriage hall owners) can update their availability and manage booking requests.

Decorations Booking Module:

Users can explore and select decoration services for their marriage events. This module provides a catalog of decoration options, allowing users to customize their choices. Service providers can showcase their decoration packages, manage bookings, and update their offerings.

Catering Booking Module:

This module facilitates the booking of catering services. Users can browse through catering options, select menus, and place orders. Catering service providers can update their menus, manage orders, and communicate with clients. Integration with payment gateways enables secure transactions.

Video and Photographer Booking Module:

Users can search for professional videographers and photographers for their marriage events. This module allows users to view portfolios, check availability, and make bookings. Photographers and videographers can update their portfolios, manage bookings, and communicate with clients to understand their requirements.

Money Collection (MOI) Agent Booking Module:

Users can hire money collection agents for handling financial collections related to the event. Agents can be booked based on their availability and service areas.

6. SYSTEM TESTING

System Testing is an important stage in any system development life cycle. Testing is a process of executing a program with the intention of finding errors. The importance of software testing and its implications with respect to software quality cannot be overemphasized. Software testing is a critical element of software quality assurance and represents the ultimate review of specification, design and coding. A good test case is one that has a high probability of finding a yet undiscovered error.

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub-assemblies, assemblies and/or a finished product It is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectations and does not fail in an unacceptable manner. There are various types of test. Each test type addresses a specific testing requirement.

Testing is the set of activities that can be planned in advance and conducted systematically. Different test conditions should be thoroughly checked and the bugs detected should be fixed. The testing strategies formed by the user are performed to prove that the software is free and clear from errors. To do this, there are many ways of testing the system's reliability, completeness and maintainability.

The important phase of software development is concerned with translating the design specification into the error-free source code. Testing is carried out to ensure that the system does not fail, that it meets the specification and it satisfies the user. The system testing was carried out in a systematic manner with a test data containing all possible combinations

of data to check the features of the system. A test data was prepared for each module, which took care of all the modules of the program.

System Testing is an important stage where the system developed is tested with duplicate or original data. It is a process of executing a program with the intent of finding an error. It is a critical process that can consume fifty percent of the development time.

The following are the attributes of good test:

- A good test is not redundant.
- A good test should be "best of breed".
- A good test should be neither simple nor too complex.

6.1. UNIT TESTING

In the unit testing the analyst tests the program making up a system. The software units in a system are the modules and routines that are assembled and integrated to perform a specific function. In a large system, many modules on different levels are needed.

Unit testing can be performed from the bottom up starting with the smallest and lowest level modules and proceeding one at a time. For each module in a bottom-up testing, a short program executes the module and provides the needed data.

6.2. INTEGRATION TESTING

Integration testing is a systematic technique for constructing the program structure while conducting test to uncover errors associate with interfacing. Objectives are used to take unit test modules and built program structure that has been directed by design.

The integration testing is performed for this Project when all the modules where to make it a complete system. After integration the project works successfully.

6.3. VALIDATION TESTING

Validation testing can be defined in many ways, but a simple definition is that can be reasonably expected by the customer. After validation test has been conducted, one of two possible conditions exists.

- The functions or performance characteristics confirm to specification and are accepted.
- A deviation from specification is uncovered and a deficiency list is created.

Proposed system under consideration has been tested by using validation testing and found to be working satisfactorily.

For example, in this project validation testing is performed against module. This module is tested with the following valid and invalid inputs for the field id.

6.4. WHITE BOX TESTING

White box testing, sometimes called glass-box testing is a test case design method that uses the control structure of the procedural design to derive test cases. Using white box testing methods, the software engineer can derive test cases that

- Guarantee that all independent paths with in a module have been exercised at least once.

- Exercise all logical decisions on their true and false sides.
- Execute all loops at their boundaries and within their operational bounds and
- Exercise internal data structure to assure their validity.

For example in this project white box testing is performed against patient module. Without entering text if we apply it displays the message “First add record then save it” else it should be saved.

6.5. BLACK BOX TESTING

This method treats the coded module as a black box. The module runs with inputs that are likely to cause errors. Then the output is checked to see if any error occurred. This method cannot be used to test all errors, because some errors may depend on the code or algorithm used to implement the module.

7. SYSTEM IMPLEMENTATION

Implementation is the stage in the project where the theoretical design is turned into a working system. The most critical stage is achieving a successful system and in giving confidence on the new system for the users, what it will work efficient and effectively. It involves careful planning, investing of the current system, and its constraints on implementation, design of methods to achieve the changeover methods.

The implementation process begins with preparing a plan for the implementation of the system. According to this plan, the activities are to be carried out in these plans; discussion has been made regarding the equipment, resources and how to test activities.

The coding step translates a detail design representation into a programming language realization. Programming languages are vehicles for communication between human and computers programming language characteristics and coding style can profoundly affect software quality and maintainability. The coding is done with the following characteristics in mind.

- Ease of design to code translation.
- Code efficiency.
- Memory efficiency.
- Maintainability.

The user should be very careful while implementing a project to ensure what they have planned is properly implemented. The user should

not change the purpose of project while implementing. The user should not go in a roundabout way to achieve a solution; it should be direct, crisp and clear and up to the point.

Implementation is the stage of the project when the theoretical design is turned out into a working system. Thus it can be considered to be the most critical stage in achieving a successful new system and in giving the user, confidence that the new system will work and be effective.

The implementation stage involves careful planning, investigation of the existing system and it’s constraints on implementation, designing of methods to achieve changeover and evaluation of changeover methods.

8. CONCLUSION

In conclusion, the implementation of an Event Search system for marriages using ASP.NET and SQL Server presents a comprehensive solution for streamlining the process of organizing weddings.

The integration of modules such as Marriage Hall Booking, Decorations Booking, Catering Booking, Video and Photographer Booking, and Money Collection Agent Booking provides users with a one-stop platform for efficiently managing various aspects of wedding planning.

9. FUTURE ENHANCEMENT

Future enhancements to this project could include incorporating advanced search algorithms to optimize venue and service recommendations based on user preferences and budget constraints. Additionally, integrating real-time communication features could enhance collaboration between users and vendors, facilitating smoother coordination and decision-making. Furthermore, implementing data analytics tools could offer insights into popular trends and preferences, enabling vendors to tailor their services more effectively.

Overall, by continuously refining and expanding the functionality of the system, it can evolve into an indispensable tool for both users and vendors in the wedding industry.

10. BIBLIOGRAPHY

Books

1. "Microsoft ASP.NET" by Mirdula Pariha, Jeff Webb, Tata Mac Graw Hill.
2. Microsoft SQL SERVER2000 by Ray Rankings, Paul Bertucci, Paul Jensen
3. Gerry O'Brien," Microsoft IIS 5.0 Administration"
4. Sql Server - The complete Reference-Gayle Coffman
5. Teach yourself Sql Server-Richard Way Mire
6. Asp.Net-Stephen Walther (Second Edition)
7. Asp.Net-Daniel Maharry

WEBSITES

ASP.NET

1. www.asp.net/(S(pdfrohu0ajmwt445fanvj2r3))/learn/data-access/
2. www.w3schools.com/aspnet/default.asp
3. www.411asp.net/home/sites
4. www.cristiandarie.ro/asp-net-tutorial/
5. www.asp.net-tutorials.com/basics/first-website/

SQL SERVER

1. www.functionx.com/sqlserver/
2. www.technet.microsoft.com/en-us/library/ms169620.aspx
3. www.msdn.microsoft.com/en-us/library/ms169620(SQL.90).aspx
4. www.softwaretrainingtutorials.com/ms-sql-server-2005.php

APPENDIX -1.1

SCREENSHOTS

Homepage



Admin Login


EVE_SEARCH
localhost:8275/EVESearchProject/AdminLogin.aspx
Homepage
Admin Login
Client Login
User Login
Admin Login
User Name
Admin
Password
Login

New Decorator



Decoration Style Details



View Decoration Style Details



New Catering



Add Food Items



View Food Items



New Studio Details



Studio Package Details



View Studio and Package Details



Add Moisoft Details



Moisoft service Details



View Moisoft and Service Details



Client Registration



Client Login



New Hall Registration



View Hall Details



User Registration



User Login


EVE_SEARCH
localhost:8275/EVESearchProject/UserLogin.aspx
Function Hall
Homepage
Admin Login
Client Login
User Login
User Login
User Name
Guru
Password
Login
New User

Bank Account



Update Amount



View Studio and Package Details



View Moisoft and Moi Service Details



Hall Booking



User Catering Booking Details



Decoration Booking



Studio Booking



Moisoft Booking



Amount Payment



User View Booking Details



Booking ID	Booking Date	User Name	Hall ID	Hall Name	Catering	Decoration	Studio	Moisoft	Payment Status	View Catering	View Decoration	View Studio	View Moisoft
1001	17-Mar-2024	Guru	1	RJ Marriage Hall	Yes	Yes	Yes	Yes	Paid	Catering	Decoration	Studio	Moisoft

Catering Service Name	Food Type	Food Category	Food Items	Cost	No of Person	Total Amount
RB Catering	Veg	Morning Tiffen	Idly,Dosa,Vada,Pongal	80.00	100	8000.00
RB Catering	Veg	Afternoon Lunch	Veg Biryani,Califlower,Musroom	100.00	200	20000.00

Service Name	Type	Image	Cost
DS Decorator	Wedding		15000.00

Studio Name	Package Name	Package Description	Amount
Pugal Studio	Pre Wedding&Wedding	Pre Wedding Shoot	40000.00

ID	Invitation Count	Service Cost	System Count
1	500	3000	1

Admin View Hall Booking Details



Admin View Client Details



Client View Booking Details



Booking ID	Booking Date	User Name	Hall ID	Hall Name	Catering	Decoration	Studio	Moisoft	Payment Status	View Catering	View Decoration	View Studio	View Moisoft
1001	17-Mar-2024	Guru	1	RJ Marriage Hall	Yes	Yes	Yes	Yes	Paid	Catering	Decoration	Studio	Moisoft

Catering Service Name	Food Type	Food Category	Food Items	Cost	No of Person	Total Amount
RB Catering	Veg	Morning Tiffen	Idly,Dosa,Vada,Pongal	80.00	100	8000.00
RB Catering	Veg	Afternoon Lunch	Veg Biryani,Califlower,Musroom	100.00	200	20000.00

Service Name	Type	Image	Cost
DS Decorator	Wedding		15000.00

Studio Name	Package Name	Package Description	Amount
Pugal Studio	Pre Wedding&Wedding	Pre Wedding Shoot	40000.00

ID	Invitation Count	Service Cost	System Count
1	500	3000	1

APPENDIX -1.2

CODING

Decorator Details

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Configuration;
public partial class NewDecorator : System.Web.UI.Page
{
   SqlConnection con;
   SqlCommand cmd;
   SqlDataReader rs;
   protected void Page_Load(object sender, EventArgs e)
   {
      try
      {
         Label1.Text = "";
         Menu m2 = (Menu)Master.FindControl("Menu2");
         m2.Visible = true;
         con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
         con.Open();
      }
      catch (Exception ex)
      {
         Label1.Text = ex.Message;
      }
   }
   protected void LinkButton1_Click(object sender, EventArgs e)
   {
      try
      {
         cmd = new SqlCommand("select dsname from dtable where
dsname=@dsname", con);
         cmd.Parameters.AddWithValue("dsname", TextBox1.Text);
         rs = cmd.ExecuteReader();
         bool b = rs.Read();
         rs.Close();
         cmd.Dispose();
         if (b)
         {
            Label1.Text = "Service Name Already Found.....";
            return;
```

```
            }

            cmd = new SqlCommand("insert into dtable values
(@dsname,@name,@address,@city,@cno,@mailid)", con);
            cmd.Parameters .AddWithValue ("dsname",TextBox1 .Text );
            cmd.Parameters .AddWithValue ("name",TextBox2 .Text );
            cmd.Parameters .AddWithValue ("address",TextBox3 .Text );
            cmd.Parameters .AddWithValue ("city",TextBox4 .Text );
            cmd.Parameters .AddWithValue ("cno",TextBox5 .Text );
            cmd.Parameters .AddWithValue ("mailid",TextBox6 .Text );
            cmd.ExecuteNonQuery();
            cmd.Dispose();
            Label1.Text = "New Decorator Details Inserted.....";
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton2_Click(object sender, EventArgs e)
    {
        TextBox1.Text = "";
        TextBox2.Text = "";
        TextBox3.Text = "";
        TextBox4.Text = "";
        TextBox5.Text = "";
        TextBox6.Text = "";
        TextBox1.Focus();
    }
}
```

Decoration Details

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;
using System.Configuration;
public partial class InsertDecorationStyle : System.Web.UI.Page
{
    SqlConnection con;
    SqlCommand cmd;
    SqlDataReader rs;
    SqlDataAdapter adp;
    DataTable dt;
    protected void Page_Load(object sender, EventArgs e)
    {
        try
```

```
        {
            Label1.Text = "";
            Menu m2 = (Menu)Master.FindControl("Menu2");
            m2.Visible = true;
            con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
            con.Open();
            if (!IsPostBack )
            {
                cmd=new SqlCommand ("select dsname from dtable", con );
                rs=cmd.ExecuteReader ();
                DropDownList1 .DataSource =rs ;
                DropDownList1 .DataTextField ="dsname";
                DropDownList1 .DataBind ();
                rs.Close ();
                cmd.Dispose ();
                DropDownList1 .Items .Insert (0,"Select");
            }
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton1_Click(object sender, EventArgs e)
    {
        try
        {
            Image1.ImageUrl = "";
            if (FileUpload1.HasFile)
            {
                string fname = FileUpload1.FileName;
                string ext = fname.Substring(fname.LastIndexOf(".")).ToLower();
                if (ext.Equals(".jpg") || ext.Equals(".png") || ext.Equals(".gif") ||
ext.Equals(".jpeg"))
                {
                    string fname1 = DateTime.Now.Ticks + "_" + fname;
                    FileUpload1.SaveAs(Server.MapPath("DImage\\" + fname1));
                    Image1.ImageUrl = ("DImage\\" + fname1);
                    ViewState.Add("DImage", fname1);
                }
                else
                    Label1.Text = "Select Only .jpg Or .png Or .gif Files.....";

            }
            else
                Label1.Text = "Select File Name....";
        }
        catch (Exception ex)
        {
```

```
            Label1.Text = ex.Message;
        }
    }
    void bindgrid()
    {
        adp = new SqlDataAdapter("select * from dstable where dsname=@dsname and
dtype=@dtype", con);
        adp.SelectCommand.Parameters.AddWithValue("dsname",
DropDownList1.SelectedItem.Text);
        adp.SelectCommand.Parameters.AddWithValue("dtype",
DropDownList2.SelectedItem.Text);
        dt = new DataTable();
        adp.Fill(dt);
        GridView1.Visible = true;
        GridView1.DataSource = dt;
        GridView1.DataBind();
    }
    protected void DropDownList2_SelectedIndexChanged(object sender, EventArgs
e)
    {
        try
        {
            GridView1.Visible = false;
            if (DropDownList1.SelectedIndex == 0 || DropDownList2.SelectedIndex ==
0)
            {
                Label1.Text = "Select All Options....";
                return;
            }
            bindgrid();
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton2_Click(object sender, EventArgs e)
    {
        try
        {
            if (ViewState["DImage"] != null)
            {
                if (DropDownList1.SelectedIndex == 0 || DropDownList2.SelectedIndex ==
0)
                {
                    Label1.Text = "Select All Options....";
                    return;
                }
                cmd = new SqlCommand("insert into dstable
values(@dsname,@dtype,@dimage,@dcost)", con);
```

```
            cmd.Parameters.AddWithValue("dsname",
DropDownList1.SelectedItem.Text);
            cmd.Parameters.AddWithValue("dtype",
DropDownList2.SelectedItem.Text);
            cmd.Parameters.AddWithValue("dimage",
ViewState["DImage"].ToString());
            cmd.Parameters.AddWithValue("dcost", TextBox1.Text);
            cmd.ExecuteNonQuery();
            cmd.Dispose();
            bindgrid();
            Label1.Text = "Record Inserted....";
            Image1.ImageUrl = "";
            TextBox1.Text = "";
            ViewState["DImage"] = null;
        }
    }
    catch (Exception ex)
    {
        Label1.Text = ex.Message;
    }
  }
}
```

Catering service Details

```
using System.Data.SqlClient;
using System.Configuration;
public partial class NewCatering : System.Web.UI.Page
{
  SqlConnection con;
  SqlCommand cmd;
  SqlDataReader rs;
  protected void Page_Load(object sender, EventArgs e)
  {
    try
    {
        Label1.Text = "";
        Menu m2 = (Menu)Master.FindControl("Menu2");
        m2.Visible = true;
        con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
        con.Open();
    }
    catch (Exception ex)
    {
        Label1.Text = ex.Message;
    }
  }
  protected void LinkButton1_Click(object sender, EventArgs e)
  {
    try
```

```
        {
            cmd = new SqlCommand("select csname from ctable where
csname=@csname", con);
            cmd.Parameters.AddWithValue("csname", TextBox1.Text);
            rs = cmd.ExecuteReader();
            bool b = rs.Read();
            rs.Close();
            cmd.Dispose();
            if (b)
            {
                Label1.Text = "Service Name Already Found.....";
                return;
            }
            cmd = new SqlCommand("insert into ctable values
(@csname,@name,@address,@city,@cno,@mailid)", con);
            cmd.Parameters.AddWithValue("csname", TextBox1.Text);
            cmd.Parameters.AddWithValue("name", TextBox2.Text);
            cmd.Parameters.AddWithValue("address", TextBox3.Text);
            cmd.Parameters.AddWithValue("city", TextBox4.Text);
            cmd.Parameters.AddWithValue("cno", TextBox5.Text);
            cmd.Parameters.AddWithValue("mailid", TextBox6.Text);
            cmd.ExecuteNonQuery();
            cmd.Dispose();
            Label1.Text = "New Catering Details Inserted.....";
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton2_Click(object sender, EventArgs e)
    {
        TextBox1.Text = "";
        TextBox2.Text = "";
        TextBox3.Text = "";
        TextBox4.Text = "";
        TextBox5.Text = "";
        TextBox6.Text = "";
        TextBox1.Focus();
    }
}
```

Food Item Details

```
using System.Data.SqlClient;
using System.Data;
using System.Configuration;
public partial class FoodItemDetails : System.Web.UI.Page
{
    SqlConnection con;
    SqlCommand cmd;
    SqlDataReader rs;
```

```
    SqlDataAdapter adp;
    DataTable dt;
    protected void Page_Load(object sender, EventArgs e)
    {
        try
        {
            Label1.Text = "";
            Menu m2 = (Menu)Master.FindControl("Menu2");
            m2.Visible = true;
            con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
            con.Open();
            if (!IsPostBack)
            {
                cmd = new SqlCommand("select csname from ctable", con);
                rs = cmd.ExecuteReader();
                DropDownList1.DataSource = rs;
                DropDownList1.DataTextField = "csname";
                DropDownList1.DataBind();
                rs.Close();
                cmd.Dispose();
                DropDownList1.Items.Insert(0, "Select");
            }
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void DropDownList3_SelectedIndexChanged(object sender, EventArgs
e)
    {
        try
        {
            GridView1.Visible = false;
            if (DropDownList1.SelectedIndex == 0 || DropDownList2.SelectedIndex == 0
|| DropDownList3.SelectedIndex == 0)
            {
                Label1.Text = "Select All Options.....";
                return;
            }
            bindgrid();
        }
        catch (Exception ex)
    }
    void bindgrid()
    {
        adp = new SqlDataAdapter("select * from cstable where csname=@csname and
ftype=@ftype and fcategory=@fcategory", con);
```

```
        adp.SelectCommand.Parameters.AddWithValue("csname",
DropDownList1.SelectedItem.Text);
        adp.SelectCommand.Parameters.AddWithValue("ftype",
DropDownList2.SelectedItem.Text);
        adp.SelectCommand.Parameters.AddWithValue("fcategory",
DropDownList3.SelectedItem.Text);
        dt = new DataTable();
        adp.Fill(dt);
        GridView1.Visible = true;
        GridView1.DataSource = dt;
        GridView1.DataBind();
    }
    protected void LinkButton1_Click(object sender, EventArgs e)
    {
        try
        {
            if (DropDownList1.SelectedIndex == 0 || DropDownList2.SelectedIndex == 0
|| DropDownList3.SelectedIndex == 0)
            {
                Label1.Text = "Select All Options....";
                return;
            }
            cmd = new SqlCommand("insert into cstable
values(@csname,@ftype,@fcategory,@fitems,@cost)", con);
            cmd.Parameters .AddWithValue ("csname",DropDownList1 .SelectedItem
.Text );
            cmd.Parameters .AddWithValue ("ftype",DropDownList2 .SelectedItem .Text
);
            cmd.Parameters .AddWithValue ("fcategory",DropDownList3 .SelectedItem
.Text );
            cmd.Parameters .AddWithValue ("fitems",TextBox1 .Text );
            cmd.Parameters .AddWithValue ("cost",TextBox2 .Text );
            cmd.ExecuteNonQuery ();
            cmd.Dispose ();
            Label1.Text = "Food Item Details Inserted....";
            TextBox1.Text = "";
            TextBox2.Text = "";
            bindgrid();
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
}
```

Studio Details

```
using System.Data.SqlClient;
using System.Configuration;
public partial class NewStudio : System.Web.UI.Page
{
```

```
    SqlConnection con;
    SqlCommand cmd;
    SqlDataReader rs;
    protected void Page_Load(object sender, EventArgs e)
    {
        try
        {
            Label1.Text = "";
            Menu m2 = (Menu)Master.FindControl("Menu2");
            m2.Visible = true;
            con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
            con.Open();
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton1_Click(object sender, EventArgs e)
    {
        try
        {
            cmd = new SqlCommand("select isnull(max(studioid), 0)+1 from studiotable",
con);
            int studioid = int.Parse(cmd.ExecuteScalar().ToString());
            cmd.Dispose();
            cmd = new SqlCommand("insert into studiotable values
(@studioid,@studioname,@address,@emailid,@mno)", con);
            cmd.Parameters .AddWithValue ("studioid", studioid );
            cmd.Parameters .AddWithValue ("studioname",TextBox1 .Text );
            cmd.Parameters .AddWithValue ("address",TextBox2 .Text );
            cmd.Parameters .AddWithValue ("emailid",TextBox3 .Text );
            cmd.Parameters .AddWithValue ("mno",TextBox4 .Text );
            cmd.ExecuteNonQuery();
            cmd.Dispose();
            Label1.Text = "New Studio Details Inserted.....";
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton2_Click(object sender, EventArgs e)
    {
        TextBox1.Text = "";
        TextBox2.Text = "";
        TextBox3.Text = "";
        TextBox4.Text = "";
        TextBox1.Focus();
```

```
    }
}
```

Package Details

```
using System.Data.SqlClient;
using System.Data;
using System.Configuration;
public partial class InsertPackageDetails : System.Web.UI.Page
{
    SqlConnection con;
    SqlCommand cmd;
    SqlDataReader rs;
    SqlDataAdapter adp;
    DataTable dt;
    protected void Page_Load(object sender, EventArgs e)
    {
        try
        {
            Label1.Text = "";
            Menu m2 = (Menu)Master.FindControl("Menu2");
            m2.Visible = true;
            con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
            con.Open();
            if (!IsPostBack)
            {
                cmd = new SqlCommand("select studioid,studioname from studiotable",
con);
                rs = cmd.ExecuteReader();
                DropDownList1.DataSource = rs;
                DropDownList1.DataValueField = "studioid";
                DropDownList1.DataTextField = "studioname";
                DropDownList1.DataBind();
                rs.Close();
                cmd.Dispose();
                DropDownList1.Items.Insert(0, "Select");
            }
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }

using System.Configuration;
public partial class HallSearch : System.Web.UI.Page
{
    SqlConnection con;
    SqlDataAdapter adp;
    DataTable dt;
    protected void Page_Load(object sender, EventArgs e)
```

```
    {
        try
        {
            Label1.Text = "";
            Menu m4 = (Menu)Master.FindControl("Menu4");
            m4.Visible = true;
            con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connection"].ConnectionS
tring);
            con.Open();
            if (!IsPostBack)
            {
                TextBox2.Text = DateTime.Now.ToString("dd-MMM-yyyy");
                if (Session["UName"] != null)
                {
                    TextBox1.Text = Session["UName"].ToString();
                }
            }
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void LinkButton1_Click(object sender, EventArgs e)
    {
        Calendar1.Visible = true;
    }
    protected void Calendar1_SelectionChanged(object sender, EventArgs e)
    {
        try
        {
            DateTime cdate = DateTime.Parse(DateTime.Now.ToString("dd-MMM-
yyyy"));
            DateTime sdate =DateTime .Parse ( Calendar1.SelectedDate.ToString("dd-
MMM-yyyy"));
            TimeSpan ts = cdate.Subtract(sdate);
            int diff = ts.Days;
            if (diff > 0)
            {
                Label1.Text = "Selected Date Must Be > " + cdate.ToString("dd-MMM-
yyyy");
                return;
            }
            Calendar1.Visible = false;
            TextBox2.Text = sdate.ToString("dd-MMM-yyyy");
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
```

```
    }
    protected void LinkButton2_Click(object sender, EventArgs e)
    {
        try
        {

            adp = new  SqlDataAdapter("select * from htable where hid not in (select hid
from hbtable where  bdate=@bdate)", con);
            adp.SelectCommand.Parameters.AddWithValue("bdate", TextBox2.Text);
            dt = new DataTable();
            adp.Fill(dt);
            GridView1.DataSource = dt;
            GridView1.DataBind();
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
    protected void GridView1_RowCommand(object sender,
GridViewCommandEventArgs e)
    {
        try
        {
            if (e.CommandName == "hb")
            {
                int hid =
int.Parse(GridView1.DataKeys[int.Parse(e.CommandArgument.ToString())].Values[0
].ToString());
                string hname =GridView1 .DataKeys [int.Parse (e.CommandArgument
.ToString ())].Values [1].ToString ();

                Response.Redirect("HallBooking.aspx?HallID=" + hid + "&HallName=" +
hname +"&BookingDate="+TextBox2 .Text );
            }
        }
        catch (Exception ex)
        {
            Label1.Text = ex.Message;
        }
    }
```

REFERENCE

Good Teachers are worth more than thousand books, we have them in Our Department

Books

8. "Microsoft ASP.NET" by Mirdula Pariha, Jeff Webb, Tata Mac Graw Hill.
9. Microsoft SQL SERVER2000 by Ray Rankings, Paul Bertucci, Paul Jensen
10. Gerry O'Brien," Microsoft IIS 5.0 Administration"
11. Sql Server - The complete Reference-Gayle Coffman
12. Teach yourself Sql Server-Richard Way Mire
13. Asp.Net-Stephen Walther (Second Edition)
14. Asp.Net-Daniel Maharry

WEBSITES

ASP.NET

6. www.asp.net/(S(pdfrohu0ajmwt445fanvj2r3))/learn/data-access/
7. www.w3schools.com/aspnet/default.asp
8. www.411asp.net/home/sites
9. www.cristiandarie.ro/asp-net-tutorial/
10. www.asp.net-tutorials.com/basics/first-website/

SQL SERVER

5. www.functionx.com/sqlserver/
6. www.technet.microsoft.com/en-us/library/ms169620.aspx
7. www.msdn.microsoft.com/en-us/library/ms169620(SQL.90).aspx
8. www.softwaretrainingtutorials.com/ms-sql-server-2005.php

Sites Referred:

http://www.sourcefordgde.com

http://www.networkcomputing.com/

http://www.ieee.org

http://www.almaden.ibm.com/software/quest/Resources/

http://www.computer.org/publications/dlib