In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
```

In [2]:

```
df=pd.read_csv(r"C:\Users\Gowthami\Downloads\drug200.csv")
df
```

Out[2]:

	Age	Sex	ВР	Cholesterol	Na_to_K	Drug
0	23	F	HIGH	HIGH	25.355	drugY
1	47	М	LOW	HIGH	13.093	drugC
2	47	М	LOW	HIGH	10.114	drugC
3	28	F	NORMAL	HIGH	7.798	drugX
4	61	F	LOW	HIGH	18.043	drugY
195	56	F	LOW	HIGH	11.567	drugC
196	16	М	LOW	HIGH	12.006	drugC
197	52	М	NORMAL	HIGH	9.894	drugX
198	23	М	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

200 rows × 6 columns

In [3]:

df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 6 columns):
                 Non-Null Count Dtype
 #
    Column
     ----
                 -----
                 200 non-null
                                 int64
 0
    Age
 1
    Sex
                 200 non-null
                                 object
 2
                 200 non-null
                                 object
 3
    Cholesterol 200 non-null
                                 object
 4
                                 float64
    Na to K
                 200 non-null
 5
                 200 non-null
                                 object
    Drug
dtypes: float64(1), int64(1), object(4)
memory usage: 9.5+ KB
```

In [4]:

```
df['BP'].value_counts()
```

Out[4]:

ΒP

HIGH 77 LOW 64 NORMAL 59

Name: count, dtype: int64

In [5]:

```
df['Cholesterol'].value_counts()
```

Out[5]:

Cholesterol HIGH 103 NORMAL 97

Name: count, dtype: int64

In [6]:

```
convert={"BP":{"LOW":1,"NORMAL":2,"HIGH":3}}
df=df.replace(convert)
df
```

Out[6]:

	Age	Sex	ВР	Cholesterol	Na_to_K	Drug
0	23	F	3	HIGH	25.355	drugY
1	47	М	1	HIGH	13.093	drugC
2	47	М	1	HIGH	10.114	drugC
3	28	F	2	HIGH	7.798	drugX
4	61	F	1	HIGH	18.043	drugY
195	56	F	1	HIGH	11.567	drugC
196	16	М	1	HIGH	12.006	drugC
197	52	М	2	HIGH	9.894	drugX
198	23	М	2	NORMAL	14.020	drugX
199	40	F	1	NORMAL	11.349	drugX

200 rows × 6 columns

In [7]:

```
convert={"Drug":{"drugX":1,"drugY":2,"drugA":3,"drugB":4,"drugC":5}}
df=df.replace(convert)
df
```

Out[7]:

	Age	Sex	ВР	Cholesterol	Na_to_K	Drug
0	23	F	3	HIGH	25.355	2
1	47	М	1	HIGH	13.093	5
2	47	М	1	HIGH	10.114	5
3	28	F	2	HIGH	7.798	1
4	61	F	1	HIGH	18.043	2
195	56	F	1	HIGH	11.567	5
196	16	М	1	HIGH	12.006	5
197	52	М	2	HIGH	9.894	1
198	23	М	2	NORMAL	14.020	1
199	40	F	1	NORMAL	11.349	1

200 rows × 6 columns

In [8]:

```
x=["Drug","BP"]
y=["M","F"]
all_inputs=df[x]
all_classes=df["Sex"]
```

In [9]:

```
(x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.25)
```

In [10]:

```
clf=DecisionTreeClassifier(random_state=0)
```

In [11]:

```
clf.fit(x_train,y_train)
```

Out[11]:

```
DecisionTreeClassifier
DecisionTreeClassifier(random_state=0)
```

In [12]:

score=clf.score(x_test,y_test)
print(score)

0.36

In []: