

1. INTRODUCTION

In modern democratic societies, voting is a fundamental process that enables citizens to participate in selecting their representatives. Ensuring that this process is secure, transparent and efficient is essential for maintaining trust in the electoral system. However, traditional voting methods such as paper-based ballots and conventional electronic voting machines often face significant challenges including voter impersonation, duplicate voting, long queues and manual errors in verification and counting.

With the advancement of technology, there is a growing need to modernize voting systems to address these issues and improve overall efficiency. One promising approach is the integration of biometric authentication, particularly face recognition, into the voting process. Face recognition technology provides a reliable and contactless method of verifying voter identity and reduces the chances of fraud and unauthorized access.

The Smart Voting System Based on Face Recognition is designed to provide a secure and automated solution for digital elections. The system uses a camera to capture the voter's facial image and compares it with pre-stored data in a database using advanced recognition algorithms. Only verified users are allowed to proceed to the voting interface, ensuring that each individual can vote only once.

The system is developed using Java technologies along with image processing and machine learning techniques. It includes multiple modules such as voter registration, face authentication, vote casting, result computation and administrative control. These modules work together to create a seamless and efficient voting environment.

By eliminating manual verification processes and introducing real-time authentication, the system significantly reduces waiting time and enhances user convenience. Additionally, it improves the accuracy, security and transparency of elections. Overall, this project demonstrates how modern technologies like face recognition can transform traditional voting systems into smarter and more reliable platforms.

1.1 SYSTEM OVERVIEW

The Smart Voting System Based on Face Recognition is a secure and automated platform designed to modernize the traditional voting process. It integrates biometric authentication with digital technologies to ensure that only authorized voters can participate in elections. The system focuses on improving accuracy, reducing fraud and enhancing the overall efficiency of voting operations.

The system consists of multiple interconnected modules that work together to perform key functions. The voter registration module collects personal details and captures facial data, which is stored in a secure database. During the voting process, the face recognition module captures the voter's live image and compares it with the stored data to verify identity. Once authenticated, the voter is allowed to access the voting interface and cast their vote.

An admin module is provided to manage the system, including adding candidates, monitoring voter data and controlling election settings. The vote casting module ensures that each voter can vote only once and securely stores the vote in the database. The result processing module automatically calculates and displays election results, while the audit log module tracks all system activities for security and transparency.

The system is developed using Java along with OpenCV for face detection and recognition and a database system such as MySQL or SQLite for data storage. The integration of these technologies ensures real-time processing, reliability and scalability.

Overall, the Smart Voting System provides a user-friendly, efficient and secure solution for conducting elections, reducing manual effort and ensuring a fair voting process.

1.2 ABOUT THE ORGANIZATION



Nitroware is a Coimbatore-based information technology company and software development firm located in Peelamedu, near Hope College, Tamil Nadu. Established in 2012, the company operates as a small-scale IT solutions provider, focusing on delivering innovative and cost-effective digital services to startups, small businesses and individual clients. The organization functions actively within the IT services sector, offering practical and client-oriented solutions tailored to modern business requirements.

Nitroware specializes in providing services such as custom software development, web design and development, mobile application development and SEO-based digital marketing solutions. The company emphasizes building responsive, user-friendly and scalable applications that enhance business efficiency and online presence. Alongside its technical services, the organization also supports students by offering internship opportunities and real-time project experience, helping bridge the gap between academic learning and industry requirements.

The mission of Interface Nitroware is to deliver reliable, high-quality and affordable IT solutions while empowering young professionals and students with practical knowledge and industry exposure. It aims to foster innovation, creativity and technical excellence by working on real-world projects and encouraging continuous learning. The company also strives to maintain strong client relationships through timely delivery, customer satisfaction and consistent performance.

With its focus on hands-on training, client-based project development and emerging technologies, Nitroware continues to contribute to the local IT ecosystem in Coimbatore by supporting both business growth and skill development among aspiring IT professionals.

2. SYSTEM STUDY AND ANALYSIS

2.1 EXISTING SYSTEM

The existing voting system primarily includes traditional paper-based voting and basic electronic voting machines (EVMs). In paper-based systems, voters manually mark their choices on ballot papers, which are later collected and counted by election officials. This process is time-consuming and requires significant manpower. Electronic Voting Machines were introduced to improve efficiency, but they still rely on manual identity verification and physical presence at polling stations.

In both systems, voter identification is typically verified using ID cards and manual checking by officials. This approach is prone to human errors, impersonation and inefficiencies, especially during large-scale elections. Additionally, the counting process, whether manual or electronic, can still take considerable time and may lack transparency in certain cases.

2.1.1 DRAWBACKS

- Voter Impersonation: Manual verification can allow unauthorized individuals to vote.
- Duplicate Voting: Lack of strong authentication may lead to multiple voting attempts.
- Time-Consuming Process: Long queues during voting and delays in result declaration.
- Human Errors: Mistakes during verification, vote counting, or data handling.
- Lack of Transparency: Difficult to track and audit votes in real time.
- Limited Security: Vulnerable to tampering, fraud, or manipulation in some cases.
- Accessibility Issues: Difficult for elderly or disabled individuals to participate easily.

2.2 PROPOSED SYSTEM

The proposed Smart Voting System Based on Face Recognition is designed to provide a secure, efficient and automated voting process. In this system, voters are registered along with their facial data, which is stored in a secure database.

During voting, the system captures the voter's live facial image and verifies it with the stored data using face recognition technology. Only authenticated voters are allowed to access the voting interface, ensuring that each person can vote only once. The system also securely stores votes and maintains records to ensure transparency and accuracy.

2.2.1 OBJECTIVES OF THE SYSTEM

- To implement a secure voting system using face recognition technology.
- To prevent voter impersonation and duplicate voting.
- To automate the verification and voting process.
- To reduce time consumption and improve efficiency.
- To ensure transparency and accuracy in election results.

2.2.2 ADVANTAGES

- Provides strong security through biometric authentication.
- Eliminates chances of duplicate or fake voting.
- Reduces manual errors and human intervention.
- Saves time with faster verification and vote casting.
- Improves transparency and reliability of the election process.
- Easy to use and scalable for large numbers of voters.

2.3 Feasibility Study

The proposed Smart Voting System is analyzed for feasibility to ensure that it can be successfully implemented within available resources and constraints.

2.3.1. Technical Feasibility

The system is technically feasible as it uses widely available technologies such as Python, OpenCV for face recognition and Java Spring Boot for backend development. These technologies are well-supported and can be integrated efficiently. The required hardware such as cameras and computers are easily accessible, making implementation practical.

2.3.2. Economic Feasibility

The cost of development is relatively low as the system uses open-source tools and frameworks. There is no need for expensive proprietary software. Maintenance and operational costs are also minimal, making the system cost-effective for deployment.

2.3.3. Operational Feasibility

The system is user-friendly and can be easily operated by both voters and administrators. The interface is simple and the voting process is straightforward. Proper training can ensure smooth adoption by users.

2.3.4. Legal Feasibility

The system must comply with election laws and data privacy regulations. Biometric data such as facial information should be securely stored and used only for authentication purposes to avoid legal issues.

2.3.5. Schedule Feasibility

The project can be completed within the planned timeline as it uses existing technologies and frameworks. Development, testing and deployment can be done in phases.

3. DEVELOPMENT ENVIRONMENT

3.1 HARDWARE REQUIREMENTS

- Processor : Intel Core i3
- RAM Capacity : 8 GB
- Hard Drive : 512 GB
- Monitor : 15.6 inch

3.2 SOFTWARE REQUIREMENTS

- Front end : HTML , CSS , Bootstrap
- Language : Java
- Operating system : Windows 11
- Tools : Java , VS Code
- Database : SQLite / MySQL

3.3 SOFTWARE DESCRIPTION

The successful implementation of the Smart Voting System Based on Face Recognition relies on a well-structured and integrated software stack. The system combines Java-based application development with computer vision and machine learning techniques to deliver a secure, efficient and user-friendly voting platform. Each software component plays a vital role in ensuring system performance, accuracy and scalability.

JAVA

Java serves as the core programming language for the system. It is widely used due to its platform independence, security and robustness, making it suitable for developing reliable applications.

In this system, Java is responsible for:

- Handling the overall system logic and workflow
- Managing voter registration and authentication
- Controlling vote casting and result processing
- Interacting with the database for storing and retrieving data
- Implementing security features such as session management and access control
- Integrating external libraries like OpenCV for face recognition

Java's object-oriented nature also allows easy expansion of the system with additional features in the future.

OpenCV (Computer Vision Library)

OpenCV is a powerful open-source library used for image processing and face detection. It enables the system to capture and process images from the webcam in real time.

Key functionalities of OpenCV include:

- Capturing live video frames from the webcam
- Detecting faces using Haar Cascade or DNN-based classifiers
- Preprocessing images (grayscale conversion, resizing, noise reduction)
- Preparing facial data for recognition

OpenCV ensures fast and accurate face detection, which is essential for real-time authentication.

FACE RECOGNITION (LBPH / CNN)

Face recognition is a critical component of the system, used to verify voter identity. The system utilizes algorithms such as Local Binary Pattern Histogram (LBPH) and Convolutional Neural Networks (CNN).

LBPH is used for:

- Fast and efficient real-time recognition
- Working well with small datasets
- Low computational requirements

CNN is used for:

- High accuracy in facial recognition
- Learning complex facial patterns

The system extracts unique facial features and compares them with stored data to authenticate the voter before allowing access to the voting interface.

DATABASE MANAGEMENT (MySQL / SQLite)

The system uses a database to store and manage all essential information.

Database responsibilities include:

- Storing voter details (ID, name, contact information)
- Saving facial data for authentication
- Maintaining candidate information
- Recording votes securely
- Storing logs for system activities

SQLite is used during development due to its simplicity, while MySQL is preferred for large-scale deployment because of its scalability and multi-user support. The database ensures data consistency, security and fast retrieval.

IDE (NetBeans / Eclipse)

Integrated Development Environments such as NetBeans or Eclipse are used for developing the application.

Key features include:

- Code writing and editing
- Debugging and error detection
- Project management
- These tools improve development efficiency and help maintain clean and organized code.

USER INTERFACE (Swing / JavaFX)

The graphical user interface is developed using Swing or JavaFX, providing an interactive platform for users.

Functions include:

- Voter registration forms
- Face authentication interface
- Voting panel displaying candidates
- Admin dashboard for system management
- The interface is designed to be simple, intuitive and user-friendly.

WEBCAM INTEGRATION

The system uses a webcam to capture real-time images of voters during registration and authentication.

Key roles include:

- Capturing facial images
- Providing live input to OpenCV
- Enabling contactless verification
- This ensures a smooth and quick authentication process

SECURITY MECHANISMS

Security is a major focus of the system to prevent fraud and unauthorized access.

Key security features include:

- Encrypted storage of voting data
- Secure login and authentication
- Session management and auto logout
- Activity logging for audit purposes
- Prevention of duplicate voting
- These measures ensure the integrity and confidentiality of the voting process.

SYSTEM INTEGRATION

All components work together in a seamless workflow:

- Webcam captures image → OpenCV processes image → Face Recognition verifies identity → Java handles logic → Database stores and retrieves data
- This integration ensures that the system operates efficiently, providing a fast, secure and reliable voting experience.
- Real-time communication between modules ensures quick processing and response.
- The system maintains synchronization between frontend and backend operations.
- Error handling mechanisms are implemented to manage failed recognition or invalid inputs.
- Secure data transmission is ensured between application and database layers.

4. SYSTEM DESIGN

4.1 LOGICAL DESIGN (DFD)

System design defines the overall structure and functionality of the Smart Voting System Based on Face Recognition. It illustrates how data flows within the system, how different components interact and how user inputs are processed to produce the desired output. Data Flow Diagrams (DFDs) are used to represent the logical flow of information in a clear and structured manner.

DFD LEVEL 0 – CONTEXT DIAGRAM




Figure 4.1 – DFD Level 1

The Level 0 DFD represents the entire system as a single process and shows its interaction with external entities. The main external entities in this system are:

- Voter
- Administrator
- Database

DFD LEVEL -1

The Level 1 DFD breaks down the main system into multiple sub-processes to show how the system functions internally. The key processes include:

- Voter Registration: Collects voter details and captures facial data
- Face Recognition: Verifies voter identity using facial features
- Authentication: Grants or denies access based on verification
- Vote Casting: Allows verified voters to select and submit their vote
- Result Processing: Counts votes and generates results
- Admin Management: Handles candidate and voter management

These processes interact with the database to store and retrieve relevant information.




Figure 4.2 – DFD Level 1

DFD LEVEL - 2

The Level 2 DFD provides a more detailed view of specific processes within the system. For example, the Voter Registration and Face Recognition processes can be further broken down as:

- Voter Registration Sub-process
- Face Recognition Sub-process
- Vote Casting Sub-process.

DFD Level 2: Detailed Process Diagram




Figure 4.3 – DFD LEVEL 2

4.2 DATABASE DESIGN (ER DIAGRAM)

The ER Diagram represents the structure of the database in the Smart Voting System. It shows the main entities such as Admin, Voter, Candidate, Election, Vote and Voter_Face along with their relationships.

Each entity stores specific data and relationships define how they are connected, such as voters casting votes and admins managing the system. Primary keys uniquely identify records, while foreign keys link different tables.




Figure 4.4 – ER Diagram

4.3 TABLE DESIGN

ADMIN TABLE

Table Name: admins

Primary Key: admin_id

Field Name	Data Type	Constraint	Description
admin_id (PK)	INT	PRIMARY KEY	Unique patient identifier
username	VARCHAR(25)		Login username
password	VARCHAR(15)		Hashed login password
Role	VARCHAR(10)		Role of Amin
created_at	DATETIME		Registration timestamp

VOTERS TABLE

Table Name: voters

Primary Key: voter_id

Field Name	Data Type	Key	Description
voter_id	INT	PRIMARY KEY	Unique voter ID
full_name	VARCHAR(25)		Voter name
Phone_number	NUMBER(10)		Contact number
aadhar_number	NUMBER(12)		Aadhar Number
address	VARCHAR(25)		
date_of_birth	DOB		Date of birth
username	VARCHAR(15)		Login username
password	VARCHAR(15)		Encrypted password
face_registered	BOOLEAN		Face data status
status	VARCHAR(20)		Approved / Pending / Rejected

FACE DATA TABLE

Table Name: face_data

Primary Key: face_id

Foreign Key: voter_id

Field Name	Data Type	Constraint	Description
face_id	INT	PRIMARY KEY	Unique face ID
voter_id	INT	FOREIGN KEY	Linked voter ID
image_path	VARCHAR(15)		Stored image path
captured_at	TIMESTAMP		Capture timestamp

VOTES TABLE

Table Name: votes

Primary Key: vote_id

Foreign Key: voter_id, candidate_id, election_id

Field Name	Data Type	Constraint	Description
vote_id	INT	PRIMARY KEY	Unique vote ID
voter_id	INT	FOREIGN KEY	Linked voter ID
candidate_id	INT	FOREIGN KEY	Linked candidate ID
election_id	INT	FOREIGN KEY	Linked election ID
voted_at	TIMESTAMP		Voting time

CANDIDATES TABLE

Table Name: candidates

Primary Key: vote_id

Foreign Key: election_id

Field Name	Data Type	Constraint	Description
candidate_id	INT	PRIMARY KEY	Unique candidate ID
candidate_name	VARCHAR(15)		Candidate name
party_name	VARCHAR(30)		Party name
symbol_image	VARCHAR(30)		Symbol image path
election_id	INT	FOREIGN KEY	Linked election ID
created_at	TIMESTAMP		Record creation time

VERIFICATION LOGS

Table Name: face_data

Primary Key: face_id

Foreign Key: voter_id

Field Name	Data Type	Constraint	Description
log_id	INT	PRIMARY KEY	Unique log ID
voter_id	INT	FOREIGN KEY	Voter reference
status	VARCHAR(15)		Success / Failed
timestamp	TIMESTAMP		Log Time

4.4 INPUT DESIGN

This input design represents the **Voter Management module** of the Smart Voting System. It is mainly used by the admin to monitor and control voter registration data. The interface is structured with a sidebar for navigation, a header for filtering options and a central table that displays all voter details in an organized manner. This layout ensures that the admin can easily access different sections of the system and focus on managing voter information efficiently.

The table displays important fields such as Voter ID, Name, Email, Aadhaar (masked for security), face registration status and approval status. Each record represents data collected from the voter registration form and face recognition module. The inclusion of face registration status helps ensure that only users who have completed biometric verification are allowed to proceed further in the voting process.

The design also includes action buttons that allow the admin to view, approve, or reject voter applications. Additionally, filter options like All, Pending, Approved and Rejected help in quickly sorting and managing large datasets. Overall, this input design improves system usability, enhances security and simplifies the process of verifying voters before they are allowed to cast their vote.


VOTER ID	NAME	EMAIL	AADHAAR	FACE REGISTERED	STATUS	ACTIONS
1234567890	Gowtham K	gowthamkaruppusamy6@gmail.com	7410****6302	Yes	APPROVED	View
78579085	Naveen S	naveen14@gmail.com	7410****6303	Yes	REJECTED	View
UYR2643276	Gayathiri K	gayathiriraman6@gmail.com	5610****6097	Yes	APPROVED	View
UYR2643245	Harini k	harinilokesg2@gmail.com	5610****6768	Yes	APPROVED	View

4.5 OUTPUT DESIGN

This output design represents the **Dashboard module** of the Smart Voting System, which provides a quick overview of the entire system's status. It is designed for the system administrator to monitor key activities such as voter registration, verification and election progress. The layout is clean and structured with summary cards, status sections and visual indicators, making it easy to understand system performance at a glance.

The top section displays key metrics including total voters, verified voters, pending verifications and total votes cast. These summary cards help the admin quickly assess the current state of the system without navigating into detailed pages. Below that, election status is categorized into active, upcoming and completed elections, allowing efficient tracking of election phases.

Additionally, the dashboard includes visual components like face verification statistics and voter turnout percentage. The success and failure bars in face verification help identify system accuracy, while the turnout chart provides insight into voter participation. Overall, this output design improves decision-making by presenting important data in a simple, visual and user-friendly manner.



5. SYSTEM DEVELOPMENT

5.1 MODULE DESCRIPTION

ADMIN MODULE

This module is responsible for managing and controlling the overall Smart Voting System. It allows the administrator to perform operations such as managing voter records, adding or updating candidate details and configuring election settings. The admin logs into the system using secure credentials and all actions are recorded for audit purposes.

The admin module provides secure login authentication and allows the admin to add, update and delete candidate details, approve or reject voter registrations, manage election details and status and view system logs and reports.

VOTER REGISTRATION MODULE

This module handles the registration of voters into the system. It collects personal details such as voter ID, name, date of birth and contact information. Additionally, it captures the voter's facial image using a webcam, which is stored in the database for future authentication. All inputs are validated to ensure data accuracy and uniqueness.

The system enables voter registration by collecting personal details and capturing facial images through a webcam for biometric authentication. It securely stores both voter information and face data, ensuring data protection and validates the uniqueness of each voter record to prevent duplicate registrations and maintain system integrity.

This module plays a crucial role in ensuring the authenticity of voters before they are allowed to participate in the election process. It incorporates validation checks such as format verification, mandatory field completion and duplicate record detection. The integration of facial data adds an additional layer of security, making the system more reliable and resistant to fraudulent registrations. Overall, this module forms the foundation of a secure and efficient voting system.

FACE RECOGNITION MODULE

This module is responsible for authenticating voters before they are allowed to vote. It captures a live image of the voter through a webcam and compares it with stored facial data using OpenCV and recognition algorithms such as LBPH or CNN. Only verified users are granted access to the voting interface.

The system performs real-time face detection using a webcam, extracts facial features and compares them with stored data for authentication. It verifies the user's identity based on a defined accuracy threshold, ensuring reliable recognition while preventing unauthorized access and duplicate voting.

LOGIN AND AUTHENTICATION MODULE

This module ensures secure access to the system by implementing proper authentication mechanisms. Admin users log in using a username and password, while voters are authenticated through face recognition technology. It also manages user sessions effectively and automatically logs out inactive users to maintain system security.

The system provides secure admin login using credentials, while voters authenticate through face recognition for enhanced security. It implements proper session management and access control to ensure that only authorized users can access specific functionalities. Additionally, the system includes an auto logout feature for inactive sessions, helping to prevent unauthorized access and maintain system security.

This module plays a vital role in protecting the system from unauthorized access and potential security threats. It ensures that sensitive operations are restricted based on user roles and permissions. The combination of password-based and biometric authentication enhances reliability and minimizes the risk of identity fraud. Overall, this module strengthens the security framework of the entire voting system and ensures safe and controlled access.

VOTE CASTING MODULE

This module allows authenticated voters to cast their votes securely. Once verified, the system displays the list of candidates and the voter can select and confirm their choice. The vote is encrypted and stored in the database, ensuring that each voter can vote only once.

The system displays a list of candidates with their details, allowing the voter to easily review and make a selection. After selecting a candidate, the voter must confirm their choice before submission to avoid errors. Once confirmed, the vote is securely encrypted and stored in the database to maintain confidentiality and integrity.

The system also enforces strict validation to prevent multiple voting by the same user, ensuring that each voter can cast only one vote and maintaining a fair and transparent election process.

RESULT PROCESSING MODULE

This module automatically calculates and displays election results in an efficient and accurate manner. It counts the total votes received by each candidate and presents the results in a clear and organized format such as tables or charts, making it easy to understand.

The system processes the collected voting data to generate a detailed result summary. It identifies and displays the winner based on the highest number of votes. Additionally, the system provides statistical reports, including vote distribution and voter turnout, offering better insights into the election process and ensuring transparency.

This module ensures accuracy and reliability by eliminating manual counting errors and providing real-time result processing. It enhances the credibility of the election system by maintaining data integrity and presenting results instantly after voting ends. Overall, this module plays a crucial role in delivering fast, transparent and trustworthy election outcomes.

AUDIT AND LOG MODULE

This module records all activities within the system to ensure transparency and security. It logs actions such as login attempts, voter registrations, vote casting and admin operations. These logs help in monitoring the system and detecting any suspicious activity.

The system maintains a complete history of operations by tracking both user and admin actions, ensuring accountability and transparency. Audit logs are stored securely and are used to detect unauthorized access or unusual behavior. Additionally, these logs support system monitoring and analysis, helping to improve overall performance and reliability.

Furthermore, this module plays an important role in maintaining the integrity of the system by providing traceability of all actions performed. It allows administrators to review past activities, investigate issues and ensure compliance with security standards. By maintaining detailed and structured logs, the system enhances trust and provides a reliable mechanism for auditing and future analysis.

These modules work together to form a secure, efficient and reliable Smart Voting System based on face recognition technology.

6. SYSTEM TESTING

System testing is a critical phase that ensures the developed system meets all specified requirements and functions correctly under various conditions. The testing strategy follows a multi-level approach.

6.1 UNIT TESTING

Unit testing verifies individual components and functions in isolation. The following unit tests were performed:

Test ID	Module	Test Case	Expected Result	Status
UT-01	Face Recognition	Capture and verify voter face	Voter successfully authenticated	PASS
UT-02	Voter Registration	Register with valid data	Voter record created successfully	PASS
UT-03	Voter Registration	Register duplicate voter ID	Error: voter already exists	PASS
UT-04	Login Module	Admin login with valid credentials	Access granted to admin dashboard	PASS
UT-05	Login Module	Invalid login attempt	Error: invalid credentials	PASS
UT-06	Vote Casting	Cast vote after authentication	Vote recorded successfully	PASS
UT-07	Vote Casting	Attempt duplicate voting	Error: already voted	PASS
UT-08	Result Processing	Generate election results	Correct vote count displayed	PASS

6.2 INTEGRATION TESTING

Integration testing verifies that all modules work correctly together as a combined system.

Test ID	Scenario	Modules Involved	Result
IT-01	Registration + Database	Voter data stored successfully in database	PASS
IT-02	Face Recognition + Database	Face matched with stored data	PASS
IT-03	Login + Face Recognition	Access granted after successful authentication	PASS
IT-04	Vote Casting + Database	Vote stored and linked to voter	PASS
IT-05	Vote Casting + Validation	System prevents second vote	PASS
IT-06	Admin + Candidate Module	Candidate stored and displayed in voting list	PASS
IT-07	Vote + Result Processing	Correct results generated	PASS
IT-08	Audit Log + All Modules	All actions recorded in audit logs	PASS

7. SYSTEM IMPLEMENTATION AND MAINTENANCE

System implementation refers to the process of converting the designed Smart Voting System Based on Face Recognition into a fully functional system and deploying it in a real-time environment. This phase ensures that all modules are properly integrated, tested and made operational for actual use.

IMPLEMENTATION STRATEGY

Phase 1 – Infrastructure Setup:

Setup of required hardware and software environment including computers, webcams, Java runtime environment, OpenCV library installation and database configuration (MySQL/SQLite).

Phase 2 – Database Initialization:

Creation of database schema, tables for voters, candidates, votes and admin. Initial data such as admin accounts and candidate details are added to the system.

Phase 3 – Application Deployment:

Deployment of the Java-based application with integrated OpenCV modules. The system is configured to run on local machines or network environments with proper connectivity to the database.

Phase 4 – User Training:

Basic training is provided to administrators on managing voters, candidates and election processes. Users (voters) are guided on how to register and vote using face recognition.

Phase 5 – Parallel Run:

The existing voting system and the new smart voting system are run simultaneously for a short period to ensure accuracy, reliability and smooth transition without data loss.

Phase 6 – Full Implementation:

After successful testing and validation, the traditional system is replaced and the Smart Voting System becomes fully operational for conducting elections.

8. CONCLUSION AND FUTURE ENHANCEMENT

8.1 CONCLUSION

The Smart Voting System Based on Face Recognition has been successfully designed, developed and tested. The system achieves its primary objectives by providing a secure, efficient and transparent voting process. It ensures accurate voter authentication using face recognition technology and eliminates issues such as voter impersonation and duplicate voting.

The integration of biometric authentication with modern software technologies demonstrates how digital solutions can significantly improve the traditional voting system. Voters can cast their votes quickly and securely without lengthy verification procedures, while administrators can efficiently manage elections with reduced manual effort. The system enhances reliability, minimizes errors and ensures fair election practices.

The system was validated through unit testing, integration testing, alpha testing and beta testing, achieving high accuracy in face recognition and a strong user satisfaction rate. Overall, this project proves that face recognition technology can be effectively applied to modernize voting systems, improving security, transparency and efficiency in the electoral process.

8.2 FUTURE ENHANCEMENT

Multi-Factor Authentication: Integrate additional authentication methods such as OTP or fingerprint for enhanced security.

- **Mobile Application:** Develop mobile-based voting applications for Android and iOS platforms.
- **Cloud Integration:** Deploy the system on cloud platforms for better scalability and remote access.
- **Blockchain Integration:** Use blockchain technology to ensure tamper-proof and transparent vote storage.
- **Accessibility Features:** Add support for visually impaired and differently-abled users for inclusive voting.

9. BIBLIOGRAPHY

TEXTBOOKS REFERRED

1. Craig Walls (2016). *Spring Boot in Action*. Manning Publications.
2. Craig Walls (2022). *Spring in Action* (6th ed.). Manning Publications.
3. Herbert Schildt (2019). *Java: The Complete Reference* (11th ed.). McGraw-Hill.
4. Kathy Sierra & Bert Bates (2005). *Head First Java* (2nd ed.). O'Reilly Media.
5. Jon Duckett (2011). *HTML and CSS: Design and Build Websites*. Wiley.
6. David Flanagan (2020). *JavaScript: The Definitive Guide* (7th ed.). O'Reilly Media.
7. Paul DuBois (2019). *MySQL Cookbook* (4th ed.). O'Reilly Media.
8. Alan Beaulieu (2020). *Learning SQL* (3rd ed.). O'Reilly Media.
9. Ian Sommerville (2016). *Software Engineering* (10th ed.). Pearson Education.

WEBSITES REFERRED

1. <https://opencv.org>
2. <https://www.python.org>
3. <https://docs.djangoproject.com>
4. <https://www.geeksforgeeks.org>
5. <https://www.w3schools.com>
6. <https://www.researchgate.net>
7. <https://www.tensorflow.org>

ANNEXURES

A. SAMPLE CODING

Login.java

```
import jakarta.persistence.*;
import lombok.*;
import java.time.LocalDateTime;

@Entity
@Table(name = "users")
@Data
@NoArgsConstructor
@AllArgsConstructor
@Builder
@Inheritance(strategy = InheritanceType.SINGLE_TABLE)
@DiscriminatorColumn(name = "user_type", discriminatorType =
DiscriminatorType.STRING)
public class User {

    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private Long id;

    @Column(unique = true, nullable = false)
    private String email;

    @Column(nullable = false)
    private String password;

    @Column(nullable = false)
    private String firstName;
```

```
@Column(nullable = false)
```

```
private String lastName;
```

```
@Column(unique = true)
```

```
private String phone;
```

```
@Enumerated(EnumType.STRING)
```

```
@Column(nullable = false)
```

```
private Role role;
```

```
@Column(nullable = false)
```

```
private boolean enabled = true;
```

```
@Column(nullable = false)
```

```
private boolean accountNonLocked = true;
```

```
private LocalDateTime createdAt;
```

```
private LocalDateTime updatedAt;
```

```
@PrePersist
```

```
protected void onCreate() {
```

```
    createdAt = LocalDateTime.now();
```

```
    updatedAt = LocalDateTime.now();
```

```
}
```

```
@PreUpdate
```

```
protected void onUpdate() {
```

```
    updatedAt = LocalDateTime.now();
```

```
}
```



```
    public String getFullName() {  
        return firstName + " " + lastName;  
    }  
}
```

ELECTION.JAVA

```
import jakarta.persistence.*;  
  
import lombok.*;  
  
import java.time.LocalDateTime;  
  
import java.util.ArrayList;  
  
import java.util.List;
```

@Entity

@Table(name = "elections")

@Data

@NoArgsConstructor

@AllArgsConstructor

@Builder

```
public class Election {
```

@Id

@GeneratedValue(strategy = GenerationType.IDENTITY)

```
    private Long id;
```

@Column(nullable = false)

```

private String title;

@Column(columnDefinition = "TEXT")

private String description;


@Column(nullable = false)

private LocalDateTime startDate;


@Column(nullable = false)

private LocalDateTime endDate;


@Enumerated(EnumType.STRING)

@Column(nullable = false)

private ElectionStatus status = ElectionStatus.UPCOMING;


@Enumerated(EnumType.STRING)

@Column(nullable = false)

private ElectionType type;


private String constituency; // For location-based elections


@OneToMany(mappedBy = "election", cascade = CascadeType.ALL, orphanRemoval =
true)

@Builder.Default

private List<Candidate> candidates = new ArrayList<>();


@OneToMany(mappedBy = "election", cascade = CascadeType.ALL)

```

```

@Builder.Default
private List<Vote> votes = new ArrayList<>();

private LocalDateTime createdAt;

private LocalDateTime updatedAt;

@Column(nullable = false)
private boolean resultsPublished = false;

@PrePersist
protected void onCreate() {
    createdAt = LocalDateTime.now();
    updatedAt = LocalDateTime.now();
}

@PreUpdate
protected void onUpdate() {
    updatedAt = LocalDateTime.now();
}

public boolean isActive() {
    LocalDateTime now = LocalDateTime.now();
    return status == ElectionStatus.ACTIVE &&
        now.isAfter(startDate) &&

```

```
now.isBefore(endDate);  
}
```

```
public int getTotalVotes() {  
    return votes.size();  
}  
}
```

app.js

```
document.addEventListener('DOMContentLoaded', function() {  
    console.log('Smart Voting System initialized');  
    var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'));  
    tooltipTriggerList.map(function (tooltipTriggerEl) {  
        return new bootstrap.Tooltip(tooltipTriggerEl);  
    });  
}
```


// Smooth scroll for anchor links

```
function initSmoothScroll() {  
    document.querySelectorAll('a[href^="#"]').forEach(anchor => {  
        anchor.addEventListener('click', function (e) {  
            e.preventDefault();  
            const target = document.querySelector(this.getAttribute('href'));
```

B. SAMPLE SCREEBSHOTS

HOME PAGE

Our Smart voting system based on the face recognition home will looks like below screenshot. It shows how this system working with we can create our vote by register new account.



REGISTER PAGE

To register with our VOTERID unique id , AADHAR NUMBER and DOB with GENDER for verify our details in admin page.

Register | Smart Voting System

localhost:8081/register

Verify that it's you Relaunch to update

Create Account

Register to participate in secure digital voting

Identity Verification

Voter ID *

1234567890

Aadhaar Number *

741025896302

Date of Birth * 15-02-2026

Gender * Male

← Back Next →

1. Account 2. Identity 3. Address

Already have an account? [Sign in here](#)

31°C Mostly clear

Search

ENG US 19:17 15-02-2026

VOTERS DETAILS

To enter our address to this form for verify our voter address is correct or wrong by admin.

The screenshot shows a web browser at localhost:8081/register. The page is titled 'Create Account' with a sub-header 'Register to participate in secure digital voting'. Under the 'Address Details' section, there are input fields for 'Address *' (containing 'Tirupur'), 'City *' (containing 'Perumanallur'), 'State *' (containing 'Tamil Nadu'), and 'PIN Code *' (containing '641654'). Below these fields is a checkbox for 'I agree to the Terms of Service and Privacy Policy'. At the bottom of the form are two buttons: 'Back' and 'Register'. A progress bar at the very bottom indicates three steps: '1. Account', '2. Identity', and '3. Address', with the third step being the current active step.


VOTER HOME PAGE

After login user can access their user page to register their face and

The screenshot shows the 'Voter Dashboard' for a user named Gowtham K. The dashboard has a dark blue header with the 'Smart Voting' logo and a 'Logout' button. A purple banner at the top says 'Welcome, Gowtham!' with a green 'APPROVED' badge. Below this are three white cards: 'Face Registration Completed' with a 'View' button, 'Account Verification Verified', and 'Voter ID 78579e85'. The 'Active Elections' section shows a card for an election named 'test' with '1 Candidates' and '0 Votes', ending on '13 Mar 2026, 01:53'. At the bottom of this section is a purple 'Cast Your Vote' button. The browser's taskbar at the bottom shows the date as 15-02-2026 and time as 19:20.


VOTER FACE REGISTER

Voter will capture their face to upload on this system for verify their account.




VOTING PAGE

When the voting will start the voter can vote on the election member when the admin verify after they can vote.



ADMIN PAGE

The admin page shows the how many elections, new login voters, pending list, face verified or not on this admin page.



ADMIN APPROVAL PAGE

It shows the new login users to approve them after cross check.


The screenshot shows the 'Voter Management' page in the 'Smart Voting' system. The page is titled 'Voter Management' and has tabs for 'All', 'Pending', 'Approved', and 'Rejected'. The 'All' tab is selected. The page displays a table of voters with the following columns: VOTER ID, NAME, EMAIL, AADHAAR, FACE REGISTERED, STATUS, and ACTIONS.

VOTER ID	NAME	EMAIL	AADHAAR	FACE REGISTERED	STATUS	ACTIONS
1234567890	test user	test@gmail.com	1234****9012	Yes	APPROVED	View
78579085	Gowtham K	gowthamkaruppusamy6@gmail.com	7410****6302	Yes	APPROVED	View

A 'Logout' button is located at the bottom left of the sidebar. The browser's address bar shows 'localhost:8081/admin/voters'.

CREATING ELECTION

We can create the elections to fill the Central Minister, Chief Minister, Prime Minister role to create the election and candidates.



LOGOUT

After the voter complete their voting then they logout. It shows logout page.

