



UiPath Advanced RPA Developer v1.0 Practice Test

Below is the scored review of your practice test. Only questions marked as incorrect are shown.

- 52** The output variable of an Extract Structured Data activity contains company names and stock symbols. Which activity will return the company name for a specific input stock symbol?

Explanation

Topic: Describe how to work with complex data structures and data manipulation; for example, datatables, lists, dictionaries

- 54** A developer has followed UiPath best practices when automating a process by using the Robotic Enterprise (RE) Framework. A large number of Orchestrator assets of type Integer are required for the process.

Where in the Config.xlsx file should the names of the Integer assets be referenced?

Explanation

Topic: Differentiate between using the Settings sheet and the Assets sheet in the configuration file

55 A developer is building a process that needs to click an element which requires a mouse hover to become visible. However, the element does not appear with the default click setting. The input method for the Click activity is Hardware Events.

Which property should the developer configure to be able to click the element?

Explanation

Topic: Identify and describe the key Classic UI Activities' properties; for example, ContinueOnError, DelayBefore, DelayAfter

- 56** A developer scrapes data from a website and stores it in three variables: **FirstName**, **LastName**, and **City**. When passing the data to another workflow to be used later in the process, the developer wants to store the three String variables in a fixed-sized data structure named **UserData**.

Based on best practices, which data structure and assignment should the developer use?

Explanation

Topic: Describe how to initialize variables such as lists and datatables, and how to filter datatables

57

A developer creates a workflow using PDF Automation in order to extract some fields in an invoice. The selector shown in the following graphic is used for extracting the Invoice Number:

```
<wnd app='acrord32.exe' cls='AcrobatSDIWindow' title='34272.PDF - Adobe Acrobat Reader DC' />  
<ctrl name='PO Number' role='text' />
```

The developer needs to fine-tune the selector in order to use it for more fields in the same invoice. What represents an example of a good selector?

Explanation

Topic: Determine and describe how robust selectors are created; for example, dynamic versus static selectors

58 A developer runs Workflow Analyzer with the default rules and receives the following warning description on one of the workflows:

Log Message display name is defined many times. Current allowed threshold is 1. Code contains 2.

What is the cause of the warning?

Explanation

Topic: Describe the functionality of the Workflow Analyzer and how to use or customize existing rules

61

During the testing phase of developing a process, there was a timeout error. The development team wants to debug the process. They need to know which activities started and ended before the timeout occurred.

To ensure the logs provide this descriptive information in Orchestrator, which logging level must be set?

Explanation

Topic: Describe how to write coherent log messages (default or user-defined), how to use them to diagnose and debug a process from UiPath Studio, and analyze them in UiPath Orchestrator

Page 2 of 2

Summary

Prev Page

Logout

Software by

Version 11.2

Privacy Policy. Assessment content is copyright 2022, UiPath.