trip_tailor
admin

Column	Type	Null	Default	Links to	Comments	Media type
AdminID *(Primary)*	int(11)	No				
Name	varchar(100)	No				
Password	varchar(100)	No				

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	AdminID	0	A	No	

attraction

Column	Type	Null	Default	Links to	Comments	Media type
AttractionID *(Primary)*	int(11)	No				
AttractionName	varchar(100)	No				
AttractionType	varchar(100)	Yes	*NULL*			
ActivityType	varchar(100)	Yes	*NULL*			
EntryFee	decimal(10,2)	Yes	0.00			
Description	text	Yes	*NULL*			
DestinationID	int(11)	Yes	*NULL*	destination -> DestinationID		

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	AttractionID	151	A	No	
fk_destination_id	BTREE	No	No	DestinationID	151	A	Yes	

destination

Column	Type	Null	Default	Links to	Comments	Media type
DestinationID *(Primary)*	int(11)	No				

Column	Type	Null	Default	Links to	Comments	Media type
DestinationName	varchar(100)	No				
DestinationType	varchar(100)	Yes	*NULL*			
DestinationLocation	varchar(100)	No				

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comme...
PRIMARY	BTREE	Yes	No	DestinationID	50	A	No	
DestinationName	BTREE	Yes	No	DestinationName	50	A	No	

expense

Column	Type	Null	Default	Links to	Comments	Media type
ExpenseID *(Primary)*	int(11)	No				
DestinationID	int(11)	Yes	*NULL*	destination -> DestinationID		
category	varchar(100)	No				
costamount	decimal(10,2)	No				

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ExpenseID	99	A	No	
fk_destination_expense	BTREE	No	No	DestinationID	99	A	Yes	

feedback

Column	Type	Null	Default	Links to	Comments	Media type
FeedbackID *(Primary)*	int(11)	No				
Description	text	Yes	*NULL*			
Rating	int(11)	Yes	*NULL*			
DestinationID	int(11)	Yes	*NULL*	destination -> DestinationID		

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	FeedbackID	11	A	No	
fk_destination_feedback	BTREE	No	No	DestinationID	11	A	Yes	

itinerary

Column	Type	Null	Default	Links to	Comments	Media typ...
ItineraryID (Primary)	int(11)	No				
UserID	int(11)	Yes	NULL	user -> UserID		
DestinationID	int(11)	Yes	NULL	destination -> DestinationID		
StartDate	date	No				
EndDate	date	No				

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ItineraryID	9	A	No	
fk_destination_itinerary	BTREE	No	No	DestinationID	9	A	Yes	
fk_user_itinerary	BTREE	No	No	UserID	9	A	Yes	

itineraryattraction

Column	Type	Null	Default	Links to	Comments	Media type
ItineraryID (Primary)	int(11)	No		itinerary -> ItineraryID		
AttractionID (Primary)	int(11)	No		attraction -> AttractionID		

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ItineraryID	20	A	No	
				AttractionID	20	A	No	
itineraryattraction_ibfk_2	BTREE	No	No	AttractionID	20	A	No	

report

Column	Type	Null	Default	Links to	Comments	Media type
ReportID *(Primary)*	int(11)	No				
Description	text	Yes	*NULL*			
TotalSpent	decimal(10,2)	Yes	0.00			
ItineraryID	int(11)	Yes	*NULL*	itinerary -> ItineraryID		

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ReportID	9	A	No	
fk_itinerary_report	BTREE	No	No	ItineraryID	9	A	Yes	

user

Column	Type	Null	Default	Links to	Comments	Media type
UserID *(Primary)*	int(11)	No				
Name	varchar(100)	No				
Email	varchar(100)	No				
Password	varchar(100)	No				
Phone	varchar(100)	Yes	*NULL*			
age	int(11)	Yes	*NULL*			
gender	varchar(100)	Yes	*NULL*			
Pref_DestinationType	varchar(100)	Yes	*NULL*			
Pref_ActivityType	varchar(100)	Yes	*NULL*			

INDEXES

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	UserID	11	A	No	
Email	BTREE	Yes	No	Email	11	A	No	
Phone	BTREE	Yes	No	Phone	11	A	Yes	