

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025

To,

Darekar Aishwarya

Survey No:45

Village: Hadapsar Taluka: Haveli District: Pune Pincode: 411028

Kothrud, karvenagar, Royal house

**SUB: AUTHENTICATION OF CO-ORDINATES, AMSL, HEIGHTS AND
AERIAL DISTANCE REGARDING**

Survey No:45

Village: Hadapsar Taluka: Haveli District: Pune Pincode: 411028

Sir,

With reference to above Site, the Co-ordinates, Aerial Distance and AMSL, Heights of site shown by you are given in Annexure - I which is enclosed herewith for purpose of Airport NOC.

**For Monarch Surveyors & Engineering
Consultants Ltd.**

Director

**Enclosure: i) Annexure – IA & IB
ii) Toposheet for reference purpose only.**

MONARCH/PMC-AAI/AN_13687

Annexure - IA (Co-Ordinates Of Site/Plot)

Sr. No	Description of Pillars	Co-ordinates (in WGS-84)		AMSL, height of Co-ordinates given in column(C) in meters	Aerial Distance between Co-ordinates given in column (C) and ARP of NDA, Pune	Aerial Distance between Co-ordinates given in column (C) and ARP of LOHEGAON, Pune	Remarks
		Latitude	Longitude				
(A)	(B)	(C)		(D)	(E)	(F)	(G)
1	Point No. P1 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.37"	73°53'0.27"	558.303	11.90 KM	4.06 KM	
2	Point No. P2 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.88"	73°52'59.85"	556.389	11.88 KM	4.08 KM	
3	Point No. P3 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.80"	73°52'59.46"	555.531	11.86 KM	4.10 KM	
4	Point No. P4 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.84"	73°52'55.22"	555.49	11.74 KM	4.23 KM	
5	Point No. P5 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.84"	73°52'51.30"	554.378	11.62 KM	4.35 KM	
6	Point No. P6 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.85"	73°52'46.34"	553.599	11.47 KM	4.50 KM	

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025

7	Point No. P7 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.85"	73°52'42.72"	553.433	11.36 KM	4.61 KM	
8	Point No. P8 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'44.84"	73°52'40.23"	558.6	11.29 KM	4.68 KM	
9	Point No. P9 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.05"	73°52'40.50"	554.876	11.30 KM	4.67 KM	
10	Point No. P10 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.72"	73°52'39.91"	555.644	11.29 KM	4.69 KM	
11	Point No. P11 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'54.03"	73°52'39.92"	556.707	11.30 KM	4.68 KM	
12	Point No. P12 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'54.58"	73°52'41.35"	557.12	11.34 KM	4.64 KM	
13	Point No. P13 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'54.00"	73°52'44.79"	557.665	11.44 KM	4.53 KM	
14	Point No. P14 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.49"	73°52'47.87"	558.595	11.53 KM	4.44 KM	

MONARCH/PMC-AAI/AN_13687

15	Point No. P15 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'52.65"	73°52'52.82"	559.019	11.68 KM	4.29 KM	
16	Point No. P16 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'52.08"	73°52'56.52"	559.048	11.79 KM	4.18 KM	

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025

Annexure - IB (Co-Ordinates Of Building/Block)

Sr. No	Description of Pillars	Co-ordinates (in WGS-84)		AMSLL, height of Co-ordinates given in column(C) in meters	Aerial Distance between Co-ordinates given in column (C) and ARP of NDA, Pune	Aerial Distance between Co-ordinates given in column (C) and ARP of LOHEGAON, Pune	Remarks
		Latitude	Longitude				
(A)	(B)	(C)		(D)	(E)	(F)	(G)
1	Point No. B1 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.25"	73°52'59.24"	558.825	11.87 KM	4.10 KM	
2	Point No. B2 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.81"	73°52'59.21"	557.847	11.87 KM	4.10 KM	
3	Point No. B4 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.46"	73°52'56.32"	558.774	11.78 KM	4.18 KM	
4	Point No. B3 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.96"	73°52'56.39"	558.036	11.78 KM	4.18 KM	
5	Point No. B5 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.54"	73°52'55.95"	558.465	11.77 KM	4.20 KM	

MONARCH/PMC-AAI/AN_13687

6	Point No. B6 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.54"	73°52'54.55"	558.569	11.73 KM	4.24 KM	
7	Point No. B7 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.81"	73°52'54.56"	557.747	11.73 KM	4.24 KM	
8	Point No. B8 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.82"	73°52'55.96"	558.244	11.77 KM	4.20 KM	
9	Point No. B9 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.24"	73°52'55.88"	557.646	11.77 KM	4.20 KM	
10	Point No. B10 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.24"	73°52'54.14"	557.488	11.71 KM	4.25 KM	
11	Point No. B11 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.68"	73°52'54.14"	556.717	11.71 KM	4.26 KM	
12	Point No. B12 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.67"	73°52'55.89"	556.84	11.76 KM	4.20 KM	
13	Point No. B13 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.01"	73°52'55.90"	556.631	11.76 KM	4.20 KM	
14	Point No. B14 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.01"	73°52'54.15"	556.16	11.71 KM	4.26 KM	

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025

15	Point No. B15 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.36"	73°52'54.13"	555.13	11.71 KM	4.26 KM	
16	Point No. B16 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.36"	73°52'55.87"	555.871	11.76 KM	4.21 KM	
17	Point No. B17 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.36"	73°52'57.39"	555.1	11.80 KM	4.16 KM	
18	Point No. B18 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.02"	73°52'57.39"	556.632	11.81 KM	4.16 KM	
19	Point No. B19 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.01"	73°52'59.12"	556.366	11.86 KM	4.11 KM	
20	Point No. B20 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.34"	73°52'59.14"	556.045	11.86 KM	4.11 KM	
21	Point No. B21 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.38"	73°52'47.69"	553.675	11.51 KM	4.46 KM	
22	Point No. B22 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'45.38"	73°52'45.97"	558.3	11.46 KM	4.51 KM	

MONARCH/PMC-AAI/AN_13687

23	Point No. B23 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.06"	73°52'45.95"	554.06	11.46 KM	4.51 KM	
24	Point No. B24 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.04"	73°52'47.70"	554.831	11.52 KM	4.45 KM	
25	Point No. B25 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.84"	73°52'48.67"	555.417	11.55 KM	4.42 KM	
26	Point No. B26 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.79"	73°52'50.41"	556.225	11.60 KM	4.37 KM	
27	Point No. B27 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.25"	73°52'50.41"	556.095	11.60 KM	4.37 KM	
28	Point No. B28 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.25"	73°52'48.66"	555.539	11.55 KM	4.42 KM	
29	Point No. B29 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.80"	73°52'47.70"	555.82	11.52 KM	4.45 KM	
30	Point No. B30 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.47"	73°52'47.71"	557.001	11.53 KM	4.45 KM	
31	Point No. B31 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'51.49"	73°52'45.91"	555.953	11.47 KM	4.50 KM	

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025

32	Point No. B32 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.79"	73°52'45.94"	555.375	11.47 KM	4.50 KM	
33	Point No. B33 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.18"	73°52'42.66"	555.759	11.37 KM	4.61 KM	
34	Point No. B34 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.53"	73°52'42.65"	554.554	11.37 KM	4.61 KM	
35	Point No. B35 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'47.52"	73°52'40.91"	553.897	11.31 KM	4.66 KM	
36	Point No. B36 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'49.19"	73°52'40.91"	554.81	11.32 KM	4.66 KM	
37	Point No. B37 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'52.03"	73°52'40.85"	556.239	11.32 KM	4.66 KM	
38	Point No. B38 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'52.03"	73°52'43.08"	556.548	11.39 KM	4.59 KM	
39	Point No. B39 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.86"	73°52'43.07"	557.114	11.39 KM	4.59 KM	

MONARCH/PMC-AAI/AN_13687

40	Point No. B40 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.87"	73°52'40.85"	556.587	11.33 KM	4.66 KM	
41	Point No. B41 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.48"	73°52'43.65"	557.728	11.41 KM	4.57 KM	
42	Point No. B42 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.48"	73°52'44.18"	557.467	11.42 KM	4.55 KM	
43	Point No. B43 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.19"	73°52'44.18"	557.293	11.42 KM	4.55 KM	
44	Point No. B44 :- Differential GPS Observation taken on Ground IN STATIC mode	18°33'53.19"	73°52'43.65"	557.382	11.41 KM	4.57 KM	

MONARCH/PMC-AAI/AN_13687

Date - 07/04/2025


Note:

- i. The Co-ordinates given in column (C) of above table are of Points shown by Applicant in his site. These Co-ordinates are based on observations of Differential GPS instrument in STATIC mode and they are in WGS84 Co- ordinates system.
- ii. The heights given in column (D) are based on the Height of Reference station which is connected to SOI GTS BM using DT levelling.
- iii. Monarch Surveyors & Engineering Consultants Pvt. Ltd. is not responsible for
- iv. the correctness of the Survey Nos. / Gut Nos./ Hissa Nos, address and ownership of property. Responsibility of correctness of said details lies with the
- v. Applicant. This certificate is being issued on Applicants request vide Letter
- vi. under reference in covering letter only to enable him to apply for the clearance from the concerned authorities. This certificate to be used only for the purpose
- vii. for which it is indented and not to be used for any other purpose. No request
- viii. for any change in the above certificate will be entertained after issuance. Accuracy of Co-ordinates is ± 1 m and Aerial distnace rounded off up to first
- ix. decimal of Km.
- x. The distance between point P4 and IAF compound wall of NDA is calculated based on satellite image available on Google Earth and it may vary by ± 20 m


For Monarch Surveyors & Engineering Consultants Ltd.

Director

Enclosure: Relevant topo sheet has been enclosed for reference purpose only and centre of the plot, as elaborated in Annexure 01, with various point numbers have been circled with round stamp, with center of the stamp being centre of the plot (for easy identification purpose only)




MONARCH/PMC-AAI/AN_13687



MONARCH/PMC-AAI/AN_13687

MONARCH/PMC MONARCH/PMC-AAI/AN_14694
SHOP ACT LICENSE No. 1831000311939271

Date - 13/01/2025



MONARCH/PMC-AAI/AN_13687

