

Operations

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Operations Binder	3
Operating Model	4
Shared Operating Standards	6
Department Standards Snapshot	8
Cross-Department Workflows	9
Operating Cadence and Escalation	11
Doyles Sheehan Operational Source Index	12

Operations Binder

Summary: Purpose A high-level operating view of how Receiving, Inventory, Fulfillment, Transportation, and Safety work as one system across Montana and Idaho.

Start Here

- Operating Model — what each department owns and how work moves
- Shared Operating Standards — standards that apply across departments
- Department Standards Snapshot — high-level department scorecard
- Cross-Department Workflows — end-to-end Mermaid workflows
- Operating Cadence and Escalation — daily, weekly, and monthly controls
- Doyles Sheehan Operational Source Index — active and historical source map

Department Binders

- Receiving
- Inventory
- Fulfillment
- Transportation
- Safety

Important: Document control This binder summarizes operational controls. Detailed approved policies, the Employee Handbook, the current Safety Manual, food-safety plans, and regulatory programs remain controlling when they are more specific.

Operating Model

Department Purpose and Control Point

Department	Primary purpose	Control point	Required handoff
Receiving	Accept, inspect, document, and put away inbound product	Product is accepted or refused correctly and entered accurately	Clean, documented inventory becomes available to Inventory and Fulfillment
Inventory	Maintain physical and system inventory truth	Locations, quantities, dates, adjustments, returns, and dispositions are controlled	Reliable inventory information and resolved exceptions support all other departments
Fulfillment	Convert customer orders into accurate, stable, documented loads	The correct product and quantity are picked, scanned, invoiced, and staged	Verified route freight is transferred to Transportation
Transportation	Deliver the verified load safely and document delivery completion	Vehicle, load, delivery, signature, discrepancy, and return records are complete	Delivery outcomes and exceptions return to the office, Inventory, and Fulfillment
Safety	Prevent harm and verify compliance across every operation	Hazards, training, incidents, and corrective actions are identified and closed	Safety requirements are embedded in every department's standard work

End-to-End Ownership

- Receiving owns normal inbound processing and dock acceptance. Inventory supports exceptions, audits, and product-integrity questions.
- Inventory owns inventory accuracy, count research, location control, adjustment controls, product integrity, returns, and damage disposition according to assigned roles.
- Fulfillment owns order execution from release through pick, scan, invoice, staging, and load preparation.
- Transportation owns the load after verified physical handoff and owns delivery documentation and field exceptions.
- Safety is shared by every employee; managers own implementation, training, follow-up, and accountability within their departments.

Operating Principle

Accuracy, food safety, employee safety, legal compliance, and customer protection take priority over speed. Employees are expected to stop and escalate when a control cannot be completed or verified.

Shared Operating Standards

These standards apply to every operational department.

People and Conduct

- Work with integrity, respect, urgency, attention to detail, clear communication, and follow-through.
- Treat coworkers and internal departments as customers of the process.
- Report concerns without retaliation and use the established management or HR escalation path.

Safety

- Stop work when a condition, vehicle, load, product, location, or piece of equipment is unsafe.
- Report injuries, incidents, near misses, hazards, and damaged equipment immediately.
- Only trained and authorized employees may operate powered equipment or perform controlled tasks.
- Use required PPE and keep aisles, exits, docks, work areas, and emergency equipment clear.

Process Control

- Follow the approved SOP and complete every required scan, count, inspection, signature, and system transaction.
- Do not guess, bypass a control, backdate a record, or use speed as a reason to skip verification.
- Isolate questionable product or work and escalate before it moves downstream.
- Use documented handoffs so the receiving department knows what was completed, what remains open, and who owns the exception.

Product and Inventory Integrity

- Protect traceability and rotation through correct scans, locations, dates, and FIFO/FEFO practices applicable to the product.
- Segregate damaged, returned, held, quarantined, or out-of-date product from saleable inventory.
- Inventory adjustments require documented research and the assigned approval.

Management Control

- Review standards with employees during onboarding and when procedures change.
- Investigate recurring or material failures for root cause and assign corrective action.
- Use documented, objective measures for performance and process improvement.

- Review this binder whenever operations, systems, laws, or approved policies change.

Department Standards Snapshot

Department	Non-negotiable controls	Existing documented target or timing	Detail
Receiving	Chock before trailer entry; inspect and document; temperature control; same-day OSD communication; scan check-in and put-away	TCS at or below 41°F; frozen at or below 0°F; receiving accuracy target currently documented at 98%	Receiving Standards
Inventory	Blind count; independent verification; research before adjustment; approval separation; date/location control; documented disposition	Count-to-adjustment resolution no later than two weeks; KPI targets still require final approval	Inventory Standards
Fulfillment	No scan = no pick; RF verification before shorts; stable totes; controlled-goods documentation; invoice only after completed upload	Order accuracy target currently documented at 99%; piece-pick tote limit 40 lb; tax-stamp coverage 66%	Fulfillment Standards
Transportation	Pre-use inspection; verified load handoff; delivery count/signature; delivery evidence; prompt exception reporting	Customer discrepancies reported within 24 hours in the archived MT/ID procedure; current KPI targets require approval	Transportation Standards
Safety	Immediate reporting; stop unsafe work; trained/authorized equipment use; PPE; investigation and corrective action	Training cadence and current scorecard targets require confirmation against current policy	Safety Standards

Warning: Target control A number is not treated as an approved target unless it already appears in a current binder source. Unapproved metrics are listed as “target pending” rather than guessed.

Cross-Department Workflows

Product-to-Customer Flow

Product-to-Customer Flow

Receiving: inspect and accept

Next: Put-away: scan and rotate

Put-away: scan and rotate

Next: Inventory: maintain truth

Inventory: maintain truth

Next: Fulfillment: pick and verify

Fulfillment: pick and verify

Next: Transportation: deliver and document

Transportation: deliver and document

Next: Delivery exception?

Delivery exception?

No: Close delivery; Yes: Document and route for resolution

Close delivery

Document and route for resolution

Next: Inventory: maintain truth

Exception Control

Exception Control

Employee identifies exception

Next: Stop affected work

Stop affected work

Next: Protect people and isolate product or load

Protect people and isolate product or load

Next: Document evidence and notify owner

Document evidence and notify owner

Next: Authorized decision made?

Authorized decision made?

No: Keep on hold or refuse per policy; Yes: Correct transaction or disposition

Keep on hold or refuse per policy

Correct transaction or disposition

Next: Verify closure and communicate handoff

Verify closure and communicate handoff

Safety Overlay

Safety Overlay

Identify hazard or incident

Next: Stop and secure

Stop and secure

Next: Report and obtain care or assistance

Report and obtain care or assistance

Next: Investigate cause

Investigate cause

Next: Assign corrective action

Assign corrective action

Next: Verify effectiveness and close

Verify effectiveness and close

Operating Cadence and Escalation

Daily

- Confirm staffing, volume, route or inbound priorities, safety concerns, and known exceptions.
- Review incomplete handoffs: unreceived product, not-put-away product, shorts, no-locations, held product, unclosed loads, returns, and incidents.
- Assign an owner and due time to material exceptions.

Weekly

- Review department scorecards and recurring exceptions.
- Review open cycle-count variances, deductions, damages, returns, customer discrepancies, and corrective actions.
- Confirm training or qualification gaps and upcoming compliance deadlines.
- Compare staffing and labor use with operational volume using the approved department method.

Monthly

- Review trends across both warehouses and identify location-specific variation.
- Complete a deeper inventory, labor, accuracy, safety, and customer-service review.
- Verify that SOP, form, system, and ownership changes are reflected in the binder.
- Select a limited number of corrective actions and verify completion.

Escalation Standard

1. Protect people, product, customers, and records.
2. Stop the affected process when a required control cannot be completed.
3. Notify the process owner or on-duty manager.
4. Record the exception, evidence, immediate containment, owner, and due time.
5. Escalate unresolved cross-department issues to the Director of Operations and Safety.
6. Close only after the correction and downstream communication are verified.

Doyles Sheehan Operational Source Index

This index separates active working material from archived references. An archived source can inform a rewrite, but it is not automatically current policy.

Active Binder Sources

Receiving

- Receiving & Put-Away Binder
- Doyles Sheehan Receiving Policies & Standards
- Standards
- Department Outline
- Frontline Document
- Receiving Flowchart

Fulfillment

- Policies
- Fulfillment Department Standards
- Frontline Document
- Fulfillment Flowcharts

Inventory

- Cycle Count Standards
- Cycle Counting Standard Operating Procedure
- Inventory Department Alignment (not supplied)
- JD Inventory Supervisor (not supplied)

Supporting Active Work

- Bonus Program (not supplied)
- Labor KPI Program (not supplied)
- Transportation Routing (not supplied)
- IFTA (not supplied)

Area Hubs

- Operations (not supplied)

- Receiving (not supplied)
- Inventory (not supplied)
- Fulfillment (not supplied)
- Transportation (not supplied)
- Safety (not supplied)
- Food Safety (not supplied)

Archived References Requiring Currency Review

- Doyles Sheehan Safety Policy Manual 2019 (not supplied) — historical safety source; review ownership, contacts, citations, and requirements before reissuing
- Driver Training Dashboard (not supplied) — high-level archived training hub
- Delivery Discrepancy Procedures MT (not supplied) — useful delivery-control source
- Delivery Discrepancy Procedures ID (not supplied) — incomplete contact fields; do not publish without correction
- IFTA Process Transportation (not supplied) — archived administrative process
- Cycle-Count SOP (not supplied) — compare with active inventory SOP before use
- Table Of Contents (not supplied) — legacy fulfillment manual index

Source-Control Rules

- Current approved policy outranks a binder summary.
- Active working notes must be approved before they are labeled policy.
- Archived imports are evidence and history, not automatic authority.
- Missing owners, thresholds, contacts, or targets remain visibly unapproved until confirmed.

Receiving

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Receiving Binder	3
Receiving Charter	4
Receiving Ownership and Handoffs	5
Receiving Standards Register	6
Receiving Workflow Maps	7
Receiving SOP, Forms, and Training Index	8
Receiving & Put-Away Binder	9
Mission, Vision, & Core Values	10
Universal Standards	11
Doyles Sheehan Receiving Policies & Standards	13
Standards	21
Department Outline	23
DOYLES SHEEHAN	25
Receiving SOPs	29
Receiving Forms and Templates	30
Training & Compliance	31
Acronyms & Glossary	34
Receiving Flowchart	37

Receiving Binder

Core Pages

- Receiving Charter
- Receiving Ownership and Handoffs
- Receiving Standards Register
- Receiving Workflow Maps
- Receiving SOP Forms and Training Index

Detailed Current Content

- Receiving & Put-Away Binder
- Doyles Sheehan Receiving Policies & Standards
- Standards
- Department Outline
- Frontline Document
- SOPs
- Forms & Templates
- Training & Compliance
- Appendix
- Receiving Flowchart

Shared Operations

- Operations Binder
- Shared Operating Standards

Receiving Charter

Purpose

Control inbound product from carrier arrival through final put-away so only accurate, documented, safe, and acceptable inventory enters the warehouse.

Scope

- Dock appointments and carrier check-in
- Trailer securement and unloading safety
- BOL, PO, quantity, UPC, condition, date, and special-order checks
- TCS and frozen temperature controls
- Overage, shortage, damage, and nonconformance documentation
- Acceptance, refusal, hold, and provisional-acceptance controls
- Scan check-in, staging, put-away, and rotation
- Communication with Purchasing, Inventory, AP, and Operations

Success

- Every receipt is safe, traceable, accurately entered, and physically placed.
- Questionable product is held or refused instead of becoming saleable inventory without authorization.
- Inventory and Fulfillment receive a clean, documented handoff.

Receiving Ownership and Handoffs

Role	Core ownership
Receiving team	Secure dock, verify documents and product, inspect, temperature-check, scan, stage, and report exceptions
Put-away team	Scan movement, verify destination, rotate stock, confirm placement, and report location or condition issues
Floor lead	Direct daily workload, coordinate dock and put-away flow, resolve immediate issues, and escalate exceptions
Receiving manager	Own normal receiving process, appointments, training, records, compliance, and Purchasing communication
Inventory	Audit, research, QC, location, date, and inventory exceptions; normal receiving remains with Receiving
Purchasing	Make authorized product-acceptance decisions for exceptions that require buyer direction

Current MT Working Ownership

- Receiving process: Nanette
- Inventory/QC support: Ian

The current Inventory planning record states that the main Receiving line and normal workflow should remain with Receiving, not be transferred to Inventory Control.

Handoffs

- Receiving → Inventory: accepted quantity, system receipt, put-away status, holds, damages, dates, UPC issues, and location exceptions.
- Receiving → Fulfillment: product is available only after the required receiving and put-away transactions are complete.
- Receiving → Purchasing/AP: OSD, condition, date, temperature, special-order, and document exceptions.
- Receiving → Safety: dock, trailer, equipment, spill, injury, or hazard concerns are reported immediately.

Receiving Standards Register

Standard	Control	Current documented measure
Trailer entry	Chock wheels and secure dock before entry	100%
TCS control	IR screen, probe when required, document deviation, and obtain authorized disposition	At or below 41°F for TCS
Frozen control	Verify and protect frozen condition	At or below 0°F
Receiving accuracy	Match PO, BOL, item, UPC, and quantity; document discrepancies	98% target in Standards
OSD communication	Note BOL, photograph evidence, record issue, and notify Purchasing	Same day
Special orders	Verify against documents and report to the correct facility distribution list	Every special order
Put-away	Scan staged product and destination; rotate and confirm system update	Every movement
Questionable product	Isolate, label, document, and hold or refuse pending authorized decision	No uncontrolled release

Acceptance Controls

- Only Purchasing may authorize acceptance of out-of-range TCS product under the current receiving policy.
- If Purchasing cannot be reached, refuse out-of-range TCS product.
- Provisional acceptance is limited to the documented criteria and does not remove the need for labeling, segregation, logging, and buyer follow-up.

Required Review

- Confirm whether the 98% receiving-accuracy target remains approved for both locations.
- Align the detailed flowchart's temperature decision labels with the current 41°F TCS threshold.
- Confirm current approval contacts before publishing names or phone trees.

Receiving Workflow Maps

Inbound Receipt

Inbound Receipt

Carrier check-in and documents

Next: Chock and secure dock

Chock and secure dock

Next: Unload and inspect

Unload and inspect

Next: Temperature or product exception?

Temperature or product exception?

No: Verify item and quantity; Yes: Stop, isolate, document, and contact owner

Verify item and quantity

Next: Scan receipt and stage

Stop, isolate, document, and contact owner

Next: Authorized disposition?

Authorized disposition?

Refuse: Document refusal and return; Accept or hold: Verify item and quantity

Document refusal and return

Scan receipt and stage

Next: Scan put-away and rotate

Scan put-away and rotate

Next: Confirm system and physical handoff

Confirm system and physical handoff

OSD Control

OSD Control

Identify overage shortage or damage

Next: Protect and separate affected product

Protect and separate affected product

Next: Photograph product and documents

Photograph product and documents

Next: Note BOL and receiving record

Note BOL and receiving record

Next: Notify Purchasing the same day

Notify Purchasing the same day

Next: Follow authorized hold accept adjust or refuse direction

Follow authorized hold accept adjust or refuse direction

Next: Verify system and physical disposition

Verify system and physical disposition

See Receiving Flowchart for the detailed task-level map.

Receiving SOP, Forms, and Training Index

Current Procedures

- Doyles Sheehan Receiving Policies & Standards
- Frontline Document
- Receiving Flowchart

Required Forms and Records

- BOL and receiving record
- Receiving and temperature logs
- Temperature Deviation Investigation Report
- Non-Conformance Report
- OSD evidence and communication record
- Provisional acceptance record
- Special-order documentation
- Put-away and scan records
- Training sign-offs

Training Controls

- Dock and chock safety
- Product and document inspection
- TCS/frozen screening and probe method
- Acceptance, refusal, hold, and escalation authority
- OSD and special-order communication
- RF receiving and put-away
- FIFO/FEFO and date-code handling
- Equipment qualification where assigned

Build Queue

- [] Replace placeholder pages SOPs and Forms & Templates with approved links.
- [] Add document owners, revision dates, and facility-specific exceptions.
- [] Confirm that every form used in MT and ID is represented.

Receiving & Put-Away Binder



RECEIVING



Warning: Missing source file Doyles_Sheehan_Receiving_Department_Manual.docx was referenced here but was not present in the supplied vault. Standards Universal Standards

Mission, Vision, & Core Values

Doyles Sheehan is committed to providing exceptional products and services that exceed customer expectations, while creating a safe, supportive, and professional workplace where employees can thrive.

Vision

To be the recognized leader in our industry by operating with integrity, efficiency, and excellence — fostering long-term partnerships with our customers, supporting our communities, and building a workplace culture where people are proud to contribute.

Core Values

At Doyles Sheehan we:

- Act with **integrity and honesty** in all dealings.
- Treat others with **respect and courtesy**, as we expect in return.
- Build relationships on **trust and confidence**.
- Stay **customer driven** in everything we do.
- Work as **team players internally** and compete intensely externally.
- Remain **focused while embracing change**.
- Commit to **speed, efficiency, and excellence**.
- Dedicate ourselves to **industry leadership**.
- Communicate **openly, informally, frequently, and with clarity**.
- Show **passion for our mission** and our values.

Core Culture

- **Urgency** – Act now. Don't wait.
- **Problem Solving** – Fix issues as they arise, ask for help when needed.
- **Attention to Detail** – The small things matter.
- **Follow-Through** – If you say it, do it.
- **Communication** – Keep others informed.
- **Customer Focus** – Remember: our customer is our employer.
- **Respect for Co-workers** – Treat colleagues with the same care as customers.
- **Fun** – Work should be enjoyable; bring energy and positivity to the job.

Universal Standards

These standards apply to **all employees** at Doyles Sheehan and form the foundation of every department binder. They are summarized here for daily reference, with links to the full policies in the Employee Handbook and Safety Manual.

1. Code of Conduct & Ethics

- Act with honesty, integrity, and professionalism at all times.
- Treat customers and coworkers with respect and courtesy.
- Follow through on commitments and communicate clearly.

□ *Reference: Employee Handbook, Section 1.7 Employee Conduct Guidelines*

2. Equal Employment & Non-Discrimination

- Doyles Sheehan is an Equal Opportunity Employer.
- Employment decisions are based on performance and merit, not protected characteristics.

□ *Reference: Employee Handbook, Section 1.2 Equal Employment / Non-Discrimination Policy*

3. Harassment & Retaliation

- Harassment of any kind (verbal, physical, visual, electronic) will not be tolerated.
- Retaliation against employees who report concerns is strictly prohibited.

□ *Reference: Employee Handbook, Section 1.3 Policy Against Harassment & Retaliation*

4. Workplace Violence & Threats

- Zero tolerance for violence, intimidation, or threats.
- Firearms and weapons are prohibited on company property or vehicles.

□ *Reference: Employee Handbook, Section 2.3 Workplace Threats & Violence*

5. Drug-Free Workplace

- Use, possession, or being under the influence of alcohol or controlled substances while on duty is prohibited.
- DOT and Non-DOT drivers are subject to pre-employment, random, and post-accident testing.

□ *Reference: Employee Handbook, Section 1.9 Drug-Free Workplace Policy*

- *Reference: Safety Manual, General Policy Review – Drug & Alcohol Testing*

6. Safety & PPE

- All employees must follow safe work practices and wear PPE appropriate to their task.
- Only trained and authorized staff may use forklifts, pallet jacks, or other powered equipment.
- *Reference: Safety Manual, General Safe Work Rules*
- *Reference: Safety Manual, Personal Protective Equipment*

7. Housekeeping & Cleanliness

- Keep aisles, docks, and work areas free of trash and obstructions.
- Cardboard must be broken down and placed in designated containers.
- Smoking and vaping are only allowed in designated outdoor areas.
- *Reference: Safety Manual, Housekeeping*

8. Emergency Procedures

- Know the location of exits, fire extinguishers, and first aid kits.
- Evacuation assembly areas:
 - Missoula → West side of building by Kestrel Way
 - Coeur d'Alene → IT building on the west side of the property
- Report all injuries immediately, no matter how minor.
- *Reference: Safety Manual, Emergency Action Plan*
- *Reference: Employee Handbook, Section 2.4 Emergency Evacuation Procedures & Section 2.5 Employee Injuries*

9. Attendance & Time Reporting

- Call your supervisor at least one hour before your shift if absent.
- Excessive tardiness or absences may lead to disciplinary action.
- All non-exempt employees must clock in/out accurately — no “buddy punching.”
- *Reference: Employee Handbook, Section 3.1 Attendance & Section 3.2 Time Reporting*

Doyles Sheehan Receiving Policies & Standards

1. Purpose

The purpose of this policy is to establish clear and standardized guidelines for the Receiving department at Doyles Sheehan. This policy is designed to ensure the accurate and efficient receipt of goods, maintain inventory integrity, and provide clarity to receiving managers and other departments. By addressing frequent discrepancies and reducing grey areas in uncommon circumstances, we aim to create a consistent and reliable receiving process.

This policy supports our broader commitment to customer satisfaction, industry leadership, operational excellence, and collaboration across all departments. By implementing these procedures, we seek to minimize errors, streamline operations, and enhance communication, ultimately contributing to our reputation as a leader in the industry.

2. Scope

This policy applies to all employees involved in the receiving process at Doyles Sheehan, including the receiving team, stocking team, receiving managers, inventory control team, and the director of operations. The purchasing department will also be involved, particularly in establishing guidelines for areas such as provisional acceptance.

This policy covers all activities related to the receipt of goods, specifically pre-packaged unexposed, temperature-controlled products. While Doyles Sheehan is exempt from FSMA regulations for handling raw materials and produce, we are committed to following FSMA guidelines for proper handling, storage, and traceability. This includes temperature monitoring and documentation for all temperature-controlled products, as well as adhering to standards for product inspection, proper hygiene, food handling and traceability, food training, and proper storage.

This policy is applicable to both of our warehouse locations, ensuring consistency and compliance across all facilities.

3. Definitions

- **Bill of Lading (BOL):** A legal document between a shipper and carrier detailing the type, quantity, and destination of the goods being shipped.
- **Receiving Log:** A documented record of all goods received, including date, time, quantity, condition, and any discrepancies.
- **Inspection:** The process of checking goods upon arrival to ensure they meet quality and quantity standards as outlined in the purchase order.
- **Inventory Management System (IMS):** The system used by [Your Company Name] to track inventory levels, orders, sales, and deliveries. This system is critical for ensuring inventory accuracy and traceability.

- **Provisional Acceptance:** The temporary acceptance of goods into inventory pending further investigation or resolution of discrepancies such as overages, shortages, or damages.
- **FSMA (Food Safety Modernization Act):** A U.S. law that aims to ensure the safety of the food supply by focusing on preventing contamination. While [Your Company Name] is exempt from handling raw materials and produce, we adhere to FSMA guidelines for the proper handling, storage, and traceability of temperature-controlled products.
- **Food Safety Plan:** A document created by the PCQI outlining Doyle's Sheehan's policies and procedures around FSMA. Also has applicable exemptions.
- **Non Conformance Report (NCR):** Includes details about the non-conformance, its root cause, and the corrective actions taken to address the issue.
- **Temperature Deviation Investigation Report:** This report should detail the investigation into the cause of the deviation, including any findings and reasons for acceptance of deviation.
- **Temperature-Controlled for Safety (TCS):** Products that require specific temperature conditions to ensure they remain safe for consumption, typically within the safe zone, which will be defined elsewhere in this document.
- **Temperature-Controlled for Quality (TCQ):** Products that require specific temperature conditions to maintain their quality, even if not directly related to food safety.
- **Subject to Count (STC):** Items that require a count verification upon receipt to ensure that the quantity matches the purchase order.
- **Overages, Shortages, and Damages (OSD):** Refers to discrepancies where the received quantity does not match the order quantity (overages or shortages), or where products are received in a damaged condition.
- **Pre-Packaged Unexposed Products:** Products that are sealed and not exposed to the environment, ensuring they remain uncontaminated during the receiving process.
- **Safe Zone:**
 - **Definition:** The temperature range in which temperature-controlled products, particularly food items, are safely stored to prevent the growth of harmful bacteria. For most perishable foods, the safe zone is typically at or below 40°F (4°C) for refrigerated items and at or below 0°F (-18°C) for frozen items.
 - **Application:** All Temperature-Controlled for Safety (TCS) products must be maintained within the safe zone during receiving, storage, and handling to ensure they remain safe for consumption.
- **Danger Zone:**
 - **Definition:** The temperature range between 41°F and 135°F (5°C and 57°C) where harmful bacteria can rapidly grow, leading to foodborne illnesses. Food products should not be stored or held within this temperature range for extended periods.
 - **Application:** TCS products must be kept out of the danger zone at all times. If any TCS product is found to be within this range during the receiving process, it must be flagged for immediate review and potentially rejected or disposed of according to company policy and FSMA guidelines.

4. Policy Statement

Doyles Sheehan is committed to maintaining the highest standards in our receiving operations to ensure the accuracy, efficiency, and safety of all goods received. This policy is designed to uphold our commitment to customer satisfaction, operational excellence, and industry leadership by establishing clear guidelines for the receiving process.

We prioritize the proper handling, storage, and documentation of temperature-controlled products in compliance with FSMA guidelines, ensuring that all products are received in a manner that maintains their safety and quality. Our receiving procedures are designed to minimize discrepancies, such as overages, shortages, and damages, and to provide clear direction for handling any issues that arise.

By adhering to these standards, we aim to maintain the integrity of our inventory, support the effectiveness of our operations, and contribute to the overall success and reputation of Doyles Sheehan

5.1 Pre-Receiving Preparation

Scheduling Deliveries:

- The receiving team is typically contacted by the carrier to inform them that a delivery is ready. Whenever possible, the team will schedule the delivery within designated receiving hours. However, there may be instances where scheduling is not feasible, and the carrier may arrive with the product without prior notice. In such cases, the receiving team will make every effort to accommodate the delivery.

Purchase Orders and Shipping Documents:

- All incoming shipments are associated with a Purchase Order (PO) in the Inventory Management System (IMS). Due to the variance in shipping schedules, the PO alone does not always provide precise insight into when or how the product might arrive.
- The receiving team will request shipping documents, such as the Bill of Lading (BOL), prior to the arrival of the shipment. While compliance with this request may vary among carriers and vendors, having these documents in advance helps ensure efficient processing upon arrival.

Carrier and Vendor Requirements:

- Carriers and vendors are required to make appointments during designated receiving hours to ensure smooth and efficient processing of deliveries.
- Carriers must unload their own trucks upon arrival. If they are unable or unwilling to do so, they should be prepared to incur unloading fees as stipulated in the vendor contract.
- Temperature records of the trip must be available for inspection upon request, particularly for temperature-controlled products, to ensure compliance with FSMA guidelines and maintain product safety and quality.

Special Orders:

- Special orders, which are made and delivered outside of regular schedules, require close coordination between the purchasing and receiving teams. To facilitate accurate and timely processing, it is important that the purchasing, or any, department provides the receiving team with updates and detailed information about special

orders as soon as they become available.

- When special items are placed for sales reps, purchasing will approve the item and send the Special Order form to doylesreceiving@doyleswholesale & -FOR ID , & Sheehanreceiving@sheehanmajestic This will inform receiving of what and where it is going.

Unscheduled Arrivals:

- In the event that a carrier arrives without a scheduled appointment, the receiving team will prioritize scheduled deliveries but will make every effort to accommodate the unscheduled delivery. Unscheduled arrivals may experience delays or incur additional fees as per company policy.

5.2 Receiving Goods

Arrival and Verification:

- When a delivery is scheduled, the receiving team ensures that a dock is ready for the truck upon arrival. Once the truck backs into the receiving dock, the team initiates the Chock Policy to secure the truck and prepare it for unloading.

Unloading and Initial Inspection:

- During the unloading process, the receiving team inspects all products for signs of damage, including any visible physical damage or packaging issues.
- Any and all discrepancies in Cigs or Tobacco need to have verification from managers.
- For TCS (Temperature-Controlled for Safety) products, the team also audits for any signs of bacteria growth or adulteration by checking for unusual smells and ensuring that the ambient temperature is appropriate.
- TCS products are initially temperature-checked using a NIST certified infrared (IR) thermometer. If the product temperature appears to be above 41°F, one item is damaged and probed directly with a calibrated thermometer to get an accurate internal temperature.
- **If the TCS product is within the safe temperature range:** The product is received and staged for Detailed Inspection.
- **If the TCS product is outside the safe temperature range:**
 - The receiving team must immediately store product in appropriate environment and communicate with the relative categories purchasing department. If they do not answer then communicate to Kyle K., and then Derek L.. If purchasing cannot be reached within 20 minutes, and the carrier is willing to wait, the product will be refused and documentation, including a picture of the temperature reading and an entry in the receiving log, will be created. The product will be sent back as the carrier will not wait, and the company cannot accept the product without purchasing's permission.
 - If the purchasing department authorizes acceptance, they will follow up with the vendor, and the receiving team will initiate a Temperature Deviation Inspection Report and a Non-Conformance Report (NCR). Both reports will be filed with the Food Safety Plan.

Handling Immediate Issues:

- **New Items Sent Without Prior Notice:**

- If new items are sent *without prior notice* and the receiving team cannot reach the purchasing category department, the assumption will be that the items are a miss-pick from the warehouse, and the receiving will follow our Provisional Acceptance protocols in 5.5.

Special Cases for Off-Hours Deliveries:

- Regular staff is not available during off-hours. If a delivery arrives during these times, the receiving team will generally be unavailable to accept it. However, if accommodations can be made, additional fees will be incurred due to the extra staffing required to handle the delivery.
- All off-hours deliveries must be communicated in advance, and any necessary arrangements must be coordinated with both the receiving and purchasing departments.

5.3 Detailed Inspection

Detailed Inspection:

- After the initial unloading and temperature checks, all products undergo a detailed inspection. This includes:
 - Verifying the quantity and condition of the goods.
 - Checking for any damages or defects that were not visible during the initial inspection.
 - For TCS products, confirming that all items remain within the safe temperature range.
- Any discrepancies found during this inspection are documented in IMS and the products are flagged for further review.

Handling Items Not Listed on the BOL:

- If items are received that are not listed on the Bill of Lading (BOL), the receiving team will attempt to contact the purchasing department for verification and further instructions.
- **If the purchasing department is unreachable:**
 - The receiving team may provisionally accept the items if:
 - The items appear to be part of a logical extension of the existing order (e.g., related products or commonly ordered items).
 - The product is in good condition and does not present any immediate concerns.
 - However, if there is significant doubt or the items do not seem to fit with the usual order, the receiving team should err on the side of caution and refuse the items, documenting the refusal in the receiving log.

5.4 Storage and Staging

Storage Requirements:

- **TCS (Temperature-Controlled for Safety) Products:** After passing the detailed inspection, TCS products are stored in clean, temperature-controlled environments that meet the specific needs of the products. All storage

and handling of TCS products are conducted according to the Food Safety Plan, ensuring that safety and quality standards are consistently maintained.

Staging for Further Processing or Shipping:

- Staging of products are handled as part of the Fulfillment team's processes and procedures. No specialized labeling is required beyond standard FIFO (First-In, First-Out) practices for dated products. Proper inventory control is maintained through the IMS.

Inventory Management:

- At check-in and during put-away, products are scanned to be both received and then scanned again into their appropriate location or overstock for fulfillment. This ensures that inventory records within the IMS are accurate and up to date.
- **Verification:** The receiving team verifies that the quantities and locations in the IMS match the actual products in storage or staging to maintain inventory accuracy.
- **Regular Audits:** Routine audits of stored and staged goods are conducted to ensure inventory accuracy and proper storage conditions.

5.5 Handling Discrepancies and Provisional Acceptance

Handling Discrepancies (OSDs and Date Issues):

- **Overages:** If the quantity of goods received exceeds the amount listed on the Purchase Order (PO) or Bill of Lading (BOL), the receiving team will:
 - Attempt to contact the purchasing department for instructions on whether to accept or return the excess items.
 - **If the purchasing department is unreachable:** The overage will be flagged, and the excess items will be held in a designated area until further instructions are received. Provisionally accepted overages will be clearly documented in the Inventory Management System (IMS), the receiving log, and an email to purchasing & payables with all the relevant information.
- **Shortages:** If the quantity of goods received is less than the amount listed on the PO or BOL, the receiving team will:
 - Document the shortage in the receiving log and IMS.
 - Notify the purchasing & payables department as soon as they are reachable to determine whether to adjust the order or follow up with the vendor.
- **Damages:** If any products are received in a damaged condition:
 - The damaged items will be documented with photos, a copy or picture of the BOL, and noted in the receiving log.
 - For questionable instances the receiving department will reach out to purchasing for guidance.
 - In general, if the item is in sellable condition and only the outer box is damaged receiving will accept the item.

- **Date Issues (Short-Dated or Expired Products):**

- Any products found to be at or below their minimum required dates will be flagged.
- The receiving team will attempt to contact the purchasing department to decide whether to accept or refuse these items.
- **If the purchasing department is unreachable:** Short-dated items may be provisionally accepted if they are within 10% of the acceptable date range, as previously defined by the purchasing department policies. Expired products should be refused. All actions must be documented, communicated to purchasing, and the items held separately until a final decision is made.

Provisional Acceptance:

- **Criteria for Provisional Acceptance:**

- Provisional acceptance will only be used when the purchasing department is unreachable and immediate decisions are needed to avoid delays.
- Brevity is critical because carriers typically wait only about 20 minutes or less before deciding to leave.
- The product must be in good condition, and any discrepancy (e.g., overage, shortage, damage, or date issue) should be minor and manageable.

- **Specific Thresholds:**

- Date issues: Items within 10% of the acceptable date range may be provisionally accepted.
 - For below minimum date items go into 1-2-1 in IMS, then Shift+F2. If we sell a lot of that product and have a minimum amount, that should be one of the factors.
- TCS (Temperature-Controlled for Safety) products must remain within the safe temperature range.

- **Documentation and Communication:**

- All provisionally accepted items will be documented in the receiving log and IMS, including the reason for provisional acceptance and the attempts made to contact the purchasing department.
- The receiving team will label and store provisionally accepted items in a designated area, separate from fully accepted inventory.
- The purchasing department must be informed as soon as possible, and they will provide final instructions on how to proceed.

6. Monitoring and Compliance

Monitoring Procedures:

- The effectiveness of the receiving policies and procedures will be monitored through regular audits and checks by the receiving managers and the inventory control team. These audits will include:
 - Reviewing documentation and logs to ensure that all steps in the receiving process are properly recorded.
 - Conducting random inspections of stored and staged products to verify that they meet the standards outlined in this policy.

- Regularly checking the Inventory Management System (IMS) to ensure that inventory records are accurate and up to date.

Compliance Accountability:

- Compliance with these policies is mandatory for all members of the receiving team. Failure to adhere to these procedures may result in disciplinary action, up to and including termination, depending on the severity of the violation.
- In cases of non-compliance, the responsible individual(s) will be required to undergo retraining to reinforce the importance of following these procedures and to prevent future occurrences.

Continuous Improvement:

- These procedures will be reviewed annually or whenever significant changes occur in operations, regulations, or best practices. The director of operations, in consultation with the receiving managers and the purchasing department, will be responsible for ensuring that this policy remains relevant and effective.
- Feedback from the receiving team and other stakeholders will be encouraged to identify areas for improvement and to make adjustments as needed.

Standards

Summary

This manual covers the key standards and procedures for receiving and put-away operations. The content is organized to ensure compliance with FSMA regulations, maintain receiving accuracy, establish clear communication protocols, manage special orders, and uphold safety standards.

Key Standards Overview

1. FSMA/Temperature Log Compliance (100%)

- All TCS (Time/Temperature Control for Safety) products must have temperature logs completed
- IR + probe method must be followed for all temperature checks
- Any temperature deviations require immediate documentation via Temp Deviation Report and NCR (Non-Conformance Report)
- Tracked through daily Receiving Log Audits and FSMA Binder Checks

2. Receiving Accuracy (98% Target)

- Quantities received must match purchase orders with 98% accuracy
- All discrepancies must be documented and communicated immediately upon discovery
- Damaged, shorted, or shattered items require photo documentation
- Tracked through Vendor Buy-Backs, purchasing reports, AP reports, and SharePoint List

3. Communication Protocols

100% adherence required for all product issues:

- **OSD (Overage/Shortage/Damage):** Same-day reporting to Purchasing with photos, BOL notes, issue description, vendor name, and PO number
- **Temperature Issues:** Immediate documentation and reporting; products held pending approval or refused if Purchasing unavailable
- **Quality Issues:** Document with photos and report before finalizing receipt for any abnormalities (spoilage, incorrect labeling, pests, etc.)

4. Special Orders

- Verify all special orders against vendor documents
- Communicate discrepancies immediately to designated distribution lists:
 - Doyle's: doylesspecialorders@doyleswholesale.com
 - Sheehan: sheehanspecialorders@sheehanmajestic.com

5. Safety Compliance

- Zero Lost Time incidents target
- 100% compliance with chock policy, safe unloading, temperature checks, product inspection, and FIFO rotation

Important Note

Receiving errors cannot be attributed to a person the majority of the time. Our focus is on system improvements and clear processes to prevent errors before they occur.

Non-Compliance Response

- Root Cause Review required within 48 hours of any standard not being met
- Retraining and corrective action assigned as needed
- Weekly follow-up conducted until metrics recover to target levels

Department Outline

Purpose & Scope

The Receiving & Put-Away Department manages the flow of all inbound product from carrier arrival to final warehouse storage. The team is responsible for ensuring accuracy, safety, and compliance in every step of the process.

Scope includes:

- All deliveries to company warehouses (scheduled and unscheduled)
- Inspection, documentation, and staging of inbound product
- Put-away of product into designated warehouse locations
- Communication with Purchasing, Inventory Control, and Operations

Roles & Responsibilities

Receiving Team Members

- Greet carriers and secure trucks/docks safely
- Verify shipments against purchase orders and bills of lading
- Inspect shipments for accuracy, quality, and damage
- Perform and record temperature checks on TCS products
- Stage product for detailed inspection and put-away
- Report UPC mismatches, not located, short dates, and damaged items
- Verify scan data post check-in

Put-Away Team Members

- Scan and move product from staging to designated warehouse locations
- Follow FIFO for dated products
- Maintain slotting accuracy and update inventory system during put-away
- Report discrepancies, damages, or unsafe conditions immediately

Receiving Manager

- **Treat employees as customers, with respect and integrity**
- Coordinate dock schedules and truck appointments
- Ensure compliance with FSMA, company policies, and safety standards
- Review and approve documentation (receiving logs, temperature reports, NCRs)
- Communicate OSD issues and provisional acceptance needs with Purchasing

- Provide training, coaching, and corrective action when needed

Floor Lead

- Supervises daily dock operations and team productivity
- Allocate resources based on inbound volume and staffing levels
- Maintain communication between Receiving and Put-Away teams
- Troubleshoot immediate operational issues and escalate when necessary

KPIs & Scorecard

The Receiving & Put-Away Department is measured against the following performance indicators:

- **Receiving Accuracy** – % of shipments processed without errors or discrepancies
 - Monitored on a monthly basis with warehouse managers referencing error reports and AP/Buyback report.
- **Put-Away Accuracy** – % of product stored in the correct location on first attempt.
 - Logged by employee on deduction spreadsheet
- **Compliance** – % of TCS temperature checks documented within guidelines
 - Logged on Receiving Logs Reviewed weekly
- **Safety** – Zero tolerance for preventable workplace injuries or unsafe practices

DOYLES SHEEHAN

Warning: Missing source file Doyles_Sheehan_Receiving_Manual.docx was referenced here but was not present in the supplied vault.

Inbound Receiving & Put-Away Operations Manual: Policies, Standards & SOPs

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 14, 2026

Applies To: All Receiving, Inbound Dock, Put-Away, and Quality Personnel

Scope: Montana & Idaho Inbound Logistics Facilities

1. FSMA Compliance & Temperature Control (TCS)

□ [POLICY] FSMA Food Safety & Cold Chain Integrity

Doyles Sheehan strictly enforces FSMA regulatory compliance across all Time/Temperature Control for Safety (TCS) products. Inbound products deviating from safe cold-chain standards present potential public health hazards and shall not enter active warehouse inventory without formal quality authorization.

□ [STANDARD] 100% Temperature Log Compliance & Dual-Check Method

100% of inbound TCS shipments must have verified temperature documentation completed immediately upon carrier docking. Temperature audits require the Infrared (IR) + Probe dual-method. Any temperature deviation requires immediate execution of a Temperature Deviation Report and Non-Conformance Report (NCR), audited daily via Receiving Logs and FSMA Compliance Binders.

□ [PROCEDURE / SOP] Inbound TCS Temperature Verification Workflow

1. **Carrier Docking & Staging:** Secure trailer with wheel chocks; inspect trailer reefer set-point display before opening doors.
2. **Dual Temperature Check:** Take infrared (IR) surface reading upon opening; perform internal probe temperature check on representative cases.
3. **Log Recording:** Record date, carrier, PO number, product description, and exact IR/probe temperatures on the physical Receiving Log.
4. **Deviation Quarantine:** If temperatures exceed approved thresholds, immediately quarantine the product, apply hold status, notify Purchasing, and complete a Temperature Deviation Report & NCR.
5. **Daily Audit Filing:** Place completed receiving temperature logs into the active FSMA Compliance Binder for management audit.

□ [MANDATORY STOP TRIGGERS] Cold Chain Escalation

Cease receiving and quarantine product immediately if: (1) temperature logs fail dual-check validation, (2) trailer reefer is inoperable or displaying error codes, or (3) product exhibits signs of thawing, crystallization, or temperature abuse.

2. Inbound Receiving Accuracy, Inspection & OSD Protocols

☐ [POLICY] Receiving Quality Assurance & Systemic Error Prevention

Inbound goods must be rigorously inspected against vendor Purchase Orders (PO) and Bills of Lading (BOL). Receiving discrepancies are addressed through root-cause analysis and continuous system improvement to prevent downstream picking and replenishment errors.

☐ [STANDARD] 98% Receiving Accuracy & Same-Day OSD Reporting

Receiving operations must maintain a minimum 98% PO-to-receipt match accuracy. 100% of Overage, Shortage, and Damage (OSD), UPC mismatches, or quality defects require same-day photographic documentation and notification to Purchasing via the SharePoint tracking list.

☐ [PROCEDURE / SOP] Inbound Unloading, PO Check-In & OSD Reporting

1. **Carrier Check-In:** Verify delivery appointment, obtain BOL, and ensure trailer wheels are chocked prior to entering.
2. **Unloading & Physical Inspection:** Unload product to receiving staging lanes; inspect cartons for crushed, torn, shattered, or short-dated inventory.
3. **PO Verification & Scan Data:** Count physical cases against PO lines; verify UPC barcodes match system master; confirm scan data post check-in.
4. **OSD Documentation:** For any overage, shortage, or damage: take clear digital photos, document discrepancies on the BOL, record vendor name and PO number, and submit same-day report to Purchasing via SharePoint List.
5. **Non-Compliance Review:** If accuracy falls below 98%, initiate a Root Cause Review within 48 hours and conduct weekly follow-ups until metrics recover.

3. Special Orders Handling & Communication

☐ [POLICY] Special Order Isolation & Dedicated Routing

Special orders represent dedicated customer commitments and must be handled with priority, physically isolated from general inventory, and verified with 100% accuracy against vendor documents.

☐ [STANDARD] Zero-Discrepancy Special Order Routing

Special orders must be verified against vendor paperwork immediately upon unloading. Any quantity or specification discrepancies must be escalated immediately to the dedicated division distribution lists.

☐ [PROCEDURE / SOP] Special Order Processing & Notification Workflow

1. **Special Order Identification:** Identify designated special order markings on BOL/packing lists upon carrier unloading.
2. **Document Verification:** Match item descriptions, pack sizes, and customer tags against vendor documentation.

3. **Staging & Isolation:** Move special order product to designated special order staging areas; apply clear physical labeling to prevent mixed put-away.
4. **Division Email Notification:** If any discrepancy or damage exists, immediately email the respective distribution list:
 - **Doyles:** doylesspecialorders@doyleswholesale.com
 - **Sheehan:** sheehanspecialorders@sheehanmajestic.com

4. Put-Away Operations & Slotting Accuracy

☐ [POLICY] First-Attempt Put-Away & FIFO Rotation

Inbound goods must transition from staging to designated warehouse slots rapidly and accurately. Strict First-In, First-Out (FIFO) rotation must be preserved to prevent aged or expired inventory.

☐ [STANDARD] 100% Put-Away Accuracy & Deduction Logging

Product must be scanned and placed into the correct primary/overstock slot on the first attempt. Put-away accuracy is tracked individually on deduction spreadsheets. Date-sensitive goods must be rotated behind existing stock.

☐ [PROCEDURE / SOP] RF Put-Away Workflow

1. **Scan Staged Inventory:** Scan pallet/case barcode in staging area using RF gun.
2. **Confirm Destination Slot:** System directs operator to designated primary or overstock slot; verify slot location tag upon arrival.
3. **FIFO Rotation Check:** Check existing inventory date codes in the slot; place newer stock behind older stock to enforce FIFO.
4. **Slot Scan Confirmation:** Scan location barcode tag to confirm product placement and update inventory balances in real time.
5. **Exception Reporting:** If slot is full, damaged, or product does not fit, flag slot in Velocity and report immediately to Floor Lead.

5. Warehouse Safety & Inbound Dock Protocols

☐ [POLICY] Zero-Harm Safety Commitment & Dock Security

The safety of employees, drivers, and equipment is non-negotiable. Safe dock management, equipment maintenance, and personal protective equipment (PPE) compliance are mandatory conditions of employment.

☐ [STANDARD] Zero Lost-Time Incidents & 100% Chock Policy

The facility maintains a target of Zero Lost Time incidents. 100% compliance with wheel chock placement, dock plate inspection, safe lifting, and equipment operation is required before any trailer is entered.

☐ [PROCEDURE / SOP] Dock Safety Inspection & Daily Operations

1. **Trailer Restraint & Chocking:** Confirm trailer is backed flush against dock bumper; place wheel chocks securely against tires (100% compliance).

2. **Dock Plate & Lighting:** Inspect dock leveler engagement; ensure overhead dock lighting illuminates entire trailer interior.
3. **Trailer Floor Inspection:** Inspect trailer floor for weak boards, holes, nails, or moisture before driving power equipment inside.
4. **Incident Reporting:** Report any unsafe dock conditions, near-misses, or equipment malfunctions immediately to the Receiving Manager.

6. Inbound Roles & Responsibilities Matrix

Role	Primary Policy, Standard & SOP Responsibilities
Receiving Team Members	Greet carriers; enforce 100% wheel chock policy; verify shipments against PO/BOL; perform IR + probe temperature checks on TCS goods; document same-day OSD in SharePoint; stage for put-away.
Put-Away Team Members	Scan and transfer staged inventory to warehouse slots; enforce FIFO stock rotation; maintain 100% slotting accuracy on first attempt; report damaged or full slots immediately.
Floor Leads	Supervise dock flow and put-away productivity; allocate labor across receiving/put-away; ensure smooth inter-departmental handoffs; resolve dock STOP triggers and escalate discrepancies.
Receiving Manager	Coordinate dock appointments; maintain culture of respect and support; audit FSMA temperature binders and receiving logs; review OSD/NCR reports with Purchasing; lead 48-hr Root Cause Reviews.

Receiving SOPs

Approved receiving procedures are indexed in Receiving SOP, Forms, and Training Index.

Receiving Forms and Templates

Approved forms and templates are indexed in Receiving SOP, Forms, and Training Index.

Training & Compliance

Receiving Team Members

Required Training	Compliance Focus
Dock Safety Procedures	Proper truck/dock securing protocols
Purchase Order Verification	Accuracy in shipment verification against POs and BOLs
Quality Inspection Standards	Product inspection guidelines for accuracy, quality, and damage
Temperature Monitoring for TCS Products	FSMA temperature compliance procedures and documentation
Discrepancy Reporting Process	Proper documentation of UPC mismatches, shorts, damages

Put-Away Team Members

Required Training	Compliance Focus
Inventory Management System	Accurate scanning and system updates
FIFO Methodology	Proper rotation of dated products
Slotting Procedures	Location accuracy and inventory integrity
Equipment Operation (Forklifts, Pallet Jacks)	Safety certification and operational compliance
Hazard Identification	Reporting procedures for discrepancies and unsafe conditions

Floor Lead

Required Training	Compliance Focus
Team Coordination	Resource allocation and productivity standards
Interdepartmental Communication	Information flow between Receiving and Put-Away
Problem-Solving Methodology	Operational issue identification and escalation protocols
Leadership Fundamentals	Team supervision and performance management
Daily Operations Oversight	Dock operations monitoring and compliance verification

Receiving Manager

Required Training	Compliance Focus
FSMA Regulatory Requirements	Ensuring department compliance with food safety standards
Documentation Review	Verification and approval of receiving logs and reports
Purchasing Integration	Communication protocols for OSD issues
Staff Development	Training implementation and corrective action procedures
Dock Scheduling Management	Coordination of appointments and resource planning

Compliance Verification Schedule

Requirement	Frequency	Responsible Party
TCS Temperature Documentation	Every shipment	Receiving Team Member
Receiving Accuracy Audit	Monthly	Warehouse Manager
Put-Away Location Verification	Daily	Put-Away Team Member
Safety Compliance Check	Weekly	Receiving Manager/Floor Lead
Training Certification Review	Quarterly	Receiving Manager

All team members must maintain current certifications in their respective areas. Training documentation should be filed with HR and updated according to renewal schedules. Non-compliance may result in reassignment until certification is obtained.

Acronyms & Glossary

The following is a comprehensive list of acronyms and terms used throughout this operations manual:

Acronyms

Acronym	Definition
AP	Accounts Payable
BOL	Bill of Lading
FIFO	First In, First Out
IMS	Inventory Management System
KPI	Key Performance Indicator
NCR	Non-Conformance Report
OSD	Overages, Shortages, and Damages
PO	Purchase Order
PPE	Personal Protective Equipment
RA	Return Authorization
RACI	Responsible, Accountable, Consulted, Informed
SOP	Standard Operating Procedure
TCS	Temperature Controlled Storage

Glossary of Terms

Term	Definition
A-class items	High-value or high-volume inventory items that require special handling or monitoring
Bin accuracy	The measure of how accurately physical inventory matches system records by storage location
Cold chain	The temperature-controlled supply chain for perishable goods
Dock schedule	Planned timeline for receiving deliveries at specific loading docks
Dummy slots	Temporary or incorrect inventory locations in the system
IR (Infrared)	Non-contact temperature measurement method used for initial screening
Mis-scan	Incorrect scanning of product barcodes resulting in inventory discrepancies
Overage Hold	Designated area for storing excess items received beyond what was ordered
Probe thermometer	A calibrated device used to measure internal product temperature
Provisional acceptance	Conditional receipt of goods pending further review or approval
Quarantine	Segregated storage area for items that require inspection or have compliance issues
Receiving Log	Documentation of all received shipments and their conditions
Rotation indicators	Labels or markings that help ensure proper stock rotation
Shelf life	The period during which a product remains suitable for use or consumption
Temperature Deviation	When product temperature falls outside of acceptable parameters

The following policies are referenced throughout this operations manual and should be consulted for additional information:

- **Vendor Management Policy** - Contains guidelines for vendor relations, including delivery requirements and non-compliance penalties
- **Quality Assurance Policy** - Outlines standards for product acceptance and rejection criteria
- **Food Safety Plan** - Details specific requirements for handling food products, including temperature control requirements
- **Inventory Control Policy** - Procedures for maintaining accurate inventory records and resolving discrepancies
- **Employee Training Policy** - Requirements for staff certification and continuing education
- **Disciplinary Action Policy** - Process for addressing non-compliance with company procedures
- **Controlled Substance Handling** - Special procedures for tobacco and other regulated products

Date	Version	Description of Changes	Approved By
09/09/2025	1.0	Initial documentation of receiving processes	Brenden Magill (not supplied)

Note: This is the first version of the consolidated operations manual. Future updates will be tracked here with appropriate version control.

Department/Role	Contact Method	When to Contact
Receiving Department	doylesreceiving@doyleswholesalesheeh anreceiving@sheehanmajestic	For all regular receiving operations
Purchasing Department	Extension 3412purchasing@company.com	For approvals on discrepancies, new items, or quality issues
Inventory Control	Extension 3450inventory@company.com	For bin location issues or inventory adjustments
Quality Assurance		For product quality concerns or safety issues
Accounts Payable		For invoice discrepancies or credit memo processing

Receiving Flowchart

Receiving Flowchart

Carrier Arrival at Dock

Next: Initiate 100% Chock Policy

Initiate 100% Chock Policy

Next: Trailer wheels chocked & dock leveler secure?

Trailer wheels chocked & dock leveler secure?

No: STOP — Do not enter trailer; Yes: Carrier Check-In: Obtain BOL & Trip Temp Data

STOP — Do not enter trailer

Carrier Check-In: Obtain BOL & Trip Temp Data

Next: Is product TCS (Temperature-Controlled)?

Is product TCS (Temperature-Controlled)?

Yes: TCS Temperature Check (IR Surface Reading); No: Unload dry goods to receiving staging lanes

TCS Temperature Check (IR Surface Reading)

Next: Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler) or $\leq 0^{\circ}\text{F}$ (Freezer)?

Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler) or $\leq 0^{\circ}\text{F}$ (Freezer)?

Yes: Log reading in Receiving Log → Move to Cold Staging; No: Core Probe Test on damaged sample

Log reading in Receiving Log → Move to Cold Staging

Next: Are there Special Orders on shipment?

Core Probe Test on damaged sample

Next: Core Temp within Safe Zone?

Core Temp within Safe Zone?

Yes: Log reading in Receiving Log → Move to Cold Staging; No: Temperature Abuse ($> 41^{\circ}\text{F}$)

Temperature Abuse ($> 41^{\circ}\text{F}$)

Next: Store in cold environment immediately

Store in cold environment immediately

Next: Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

Next: Purchasing reached within 20 minutes?

Purchasing reached within 20 minutes?

No: REFUSE SHIPMENT Photo temp, document in log, return with driver; Yes: Purchasing authorizes acceptance?

REFUSE SHIPMENT Photo temp, document in log, return with driver

Purchasing authorizes acceptance?

No: REFUSE SHIPMENT Photo temp, document in log, return with driver; Yes: Initiate Temp Deviation Report & NCR with Food Safety Plan

Initiate Temp Deviation Report & NCR with Food Safety Plan

Next: Log reading in Receiving Log → Move to Cold Staging

Unload dry goods to receiving staging lanes

Next: Are there Special Orders on shipment?

Are there Special Orders on shipment?

Yes: Verify items vs approved Special Order Form; No: Detailed Inspection

Verify items vs approved Special Order Form

Next: Special Order matches documentation?

Special Order matches documentation?

Yes: Stage in Special Order Area & apply high-vis labels; No: Document discrepancy on BOL

Stage in Special Order Area & apply high-vis labels

Next: Detailed Inspection

Document discrepancy on BOL

Next: Identify Facility

Identify Facility

Doyles / MT: Email: doylesspecialorders@doyleswholesale.com; Sheehan / ID: Email: sheehanspecialorders@sheehanmajestic.com

Email: doylesspecialorders@doyleswholesale.com

Next: Stage in Special Order Area & apply high-vis labels

Email: sheehanspecialorders@sheehanmajestic.com

Next: Stage in Special Order Area & apply high-vis labels

Detailed Inspection

Next: Verify physical piece count vs PO lines

Verify physical piece count vs PO lines

Next: Verify item description, flavor, size, and master UPC

Verify item description, flavor, size, and master UPC

Next: Inspect cartons for crushing, tears, leaks, and short dates

Inspect cartons for crushing, tears, leaks, and short dates

Next: Discrepancies found (OSD / Dates / Damage)?

Discrepancies found (OSD / Dates / Damage)?

No: Scan into IMS as Received; Yes: Discrepancy & OSD Protocol

Scan into IMS as Received

Next: Put-Away: Scan staged pallet barcode with RF Gun

Discrepancy & OSD Protocol

Next: Photograph damaged/shorted product and BOL

Photograph damaged/shorted product and BOL

Next: Submit same-day report to Purchasing via SharePoint List

Submit same-day report to Purchasing via SharePoint List

Next: Purchasing reachable?

Purchasing reachable?

Yes: Follow Purchasing instructions (Hold/Accept/Adjust); No: Meets Provisional Acceptance? ($\leq 10\%$ date threshold, minor OSD)

Follow Purchasing instructions (Hold/Accept/Adjust)

Next: Scan into IMS as Received

Meets Provisional Acceptance? ($\leq 10\%$ date threshold, minor OSD)

Yes: Label & isolate in Quarantine Holding Area; No / Expired: Refuse discrepant items and document in log

Label & isolate in Quarantine Holding Area

Next: Scan into IMS as Received

Refuse discrepant items and document in log

Next: Scan into IMS as Received

Put-Away: Scan staged pallet barcode with RF Gun

Next: IMS/Velocity assigns destination slot (Primary or Overstock)

IMS/Velocity assigns destination slot (Primary or Overstock)

Next: Transport pallet to assigned warehouse aisle/rack

Transport pallet to assigned warehouse aisle/rack

Next: Slot matches RF prompt & has space?

Slot matches RF prompt & has space?

No: Flag slot in Velocity & notify Floor Lead; Yes: FIFO Stock Rotation Check

Flag slot in Velocity & notify Floor Lead

FIFO Stock Rotation Check

Next: Inspect existing shelf stock date codes

Inspect existing shelf stock date codes

Next: Rotate: Place NEWER stock BEHIND older stock

Rotate: Place NEWER stock BEHIND older stock

Next: Scan location barcode tag to confirm placement

Scan location barcode tag to confirm placement

Next: Confirm real-time IMS inventory update

Confirm real-time IMS inventory update

Next: Put-Away Complete (100% First-Attempt Accuracy)

Put-Away Complete (100% First-Attempt Accuracy)

Inventory

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Inventory Binder	3
Inventory Charter	4
Inventory Ownership and Handoffs	5
Inventory Standards Register	7
Inventory Workflow Maps	9
Inventory SOP, Forms, and Training Index	10
Cycle Count Standards	11
Cycle Counting Standard Operating Procedure	13

Inventory Binder

Core Pages

- Inventory Charter
- Inventory Ownership and Handoffs
- Inventory Standards Register
- Inventory Workflow Maps
- Inventory SOP Forms and Training Index

Detailed Current Content

- Cycle Count Standards
- Cycle Counting Standard Operating Procedure
- Inventory Department Alignment (not supplied)
- JD Inventory Supervisor (not supplied)

Shared Operations

- Operations Binder
- Shared Operating Standards

Inventory Charter

Purpose

Maintain reliable physical and system inventory so Receiving, Fulfillment, Transportation, Purchasing, Accounting, and customers can act on accurate information.

Scope

- Cycle counts, recounts, variance research, and adjustment preparation
- Inventory adjustment approval and control separation
- Product dates, rotation, condition, holds, and QC
- Location, slotting, no-location, and UPC/item-data controls
- Lost sales, negatives, substitutions, activation/discontinuation, and deductions
- Returns, damages, closeouts, credits, and disposition
- Inventory-related reporting and cross-department escalation

Boundaries

- Receiving owns normal inbound processing; Inventory supports exceptions, audits, and coaching.
- Fulfillment owns normal picking; Inventory resolves stock, location, quantity, and product-integrity exceptions.
- Equipment certification and maintenance are not inventory processes merely because Inventory may track equipment records.

Inventory Ownership and Handoffs

Warning: Working ownership model This reflects the active August 25, 2026 alignment work. It should be approved before being issued as a final organization chart.

Standard role	Montana	Idaho	Primary control
Inventory Manager	Roudy	Jacque	Priorities, accountability, approvals, escalation, SOPs, and KPIs
Inventory Control & Quality Specialist	Ian	Terry	Daily control, dates, rotation, QC, locations, and receiving exceptions
Inventory Auditor	Mitch	Shelly	Counts, research, reports, adjustment preparation, and verification
Returns Specialist	Jim K currently	Braxton	Return intake, documentation, disposition, credits, and damages
Inventory Coordinator	Lee	Vacant/interim coverage	Customer and administrative coordination, special orders, equipment records, and tracking

Control Separation

1. IC/QC identifies physical condition or discrepancy.
2. Auditor counts, researches, and prepares the adjustment.
3. Inventory Manager reviews and approves the adjustment.
4. Returns handles physical disposition when returns or damages are involved.

Adjacent Processes

- MT Receiving remains with Nanette; Inventory supports exceptions.
- Cash & Carry remains with Jeff Real; Mitch and Leah are backups.
- Equipment certifications: Jeff owner, Brenden backup, Mitch second backup.
- Maintenance remains outside Inventory.

Handoffs

- Receiving → Inventory: receipt exceptions, holds, dates, conditions, quantities, and locations.
- Fulfillment → Inventory: shorts, no-picks, damages, mismatch, negative inventory, and no-location issues.
- Transportation → Inventory>Returns: delivery returns, damages, and documented discrepancies.
- Inventory → all departments: verified correction, system update, disposition, and closure communication.

Inventory Standards Register

Standard	Control	Current documented measure
Count objectivity	Blind initial count	Every scheduled count
Variance verification	Independent recount and research before adjustment	Every material discrepancy
Adjustment control	Document reason and separate preparation from approval	Every adjustment
Resolution timing	Count, research, approve, and complete correction	No later than two weeks from count
Count completion	Complete approved daily, weekly, monthly, and quarterly schedule	100% of approved schedule
Location accuracy	Correct no-location, mis-slot, and pick/overstock discrepancies	Target pending
Product integrity	Inspect dates, rotation, condition, holds, and quarantine	Target pending
Returns and damages	Document intake, research, adjustment, credit, and disposition	Target pending
Inventory accuracy	Use an approved calculation and system of record	Target pending; existing generic 98% should not be adopted without approval

Required Evidence

- Count date, time, counter, item, location, and physical quantity
- Recount and research notes
- Cause or best-supported cause category
- Adjustment value, reason code, preparer, approver, and completion date
- Corrective action for recurring or material errors

Known Cleanup

- The existing cycle-count SOP contains older names and spelling variations that conflict with the current alignment work.

- The generic ABC frequencies and tolerance percentages in Cycle Count Standards need operational approval before they are treated as current rules.

Inventory Workflow Maps

Cycle Count to Closure

Cycle Count to Closure

Schedule blind count

Next: Complete physical count

Complete physical count

Next: Variance found?

Variance found?

No: Document and close; Yes: Independent recount

Document and close

Independent recount

Next: Research movements locations and source process

Research movements locations and source process

Next: Prepare documented adjustment

Prepare documented adjustment

Next: Manager review and approval

Manager review and approval

Next: Process correction

Process correction

Next: Verify closure within two weeks

Verify closure within two weeks

Return or Damage

Return or Damage

Return or damage identified

Next: Segregate and document

Segregate and document

Next: IC or Returns verifies condition

IC or Returns verifies condition

Next: Auditor researches inventory impact

Auditor researches inventory impact

Next: Returns prepares credit or disposition

Returns prepares credit or disposition

Next: Adjustment approval required?

Adjustment approval required?

Yes: Manager approves; No: Process authorized disposition

Manager approves

Next: Process authorized disposition

Process authorized disposition

Next: Verify system physical and customer closure

Verify system physical and customer closure

Inventory SOP, Forms, and Training Index

Current Procedures and Working Sources

- Cycle Counting Standard Operating Procedure
- Cycle Count Standards
- Inventory Department Alignment (not supplied)
- JD Inventory Supervisor (not supplied)

Required Records

- Approved cycle-count calendar
- Blind count and recount records
- Variance research and adjustment approval
- Negative, lost-sales, no-location, and discontinued-item reports
- Date-code, QC, hold, and quarantine records
- Return, damage, credit, donation, and disposition records
- Activation/discontinuation, substitution, and deduction tracking
- Training and authorization records

Training Controls

- Blind counting and recount independence
- Transaction and movement research
- Adjustment roles and authorization
- Location, item, UPC, date, rotation, and QC controls
- Return/damage intake and disposition
- Root-cause analysis and corrective action
- Cross-department communication and closure

Build Queue

- [] Issue one approved cross-warehouse cycle-count SOP.
- [] Publish the approved count schedule by warehouse and category.
- [] Link the adjustment authority matrix and reason codes.
- [] Finalize the Returns Specialist transition and Idaho coordinator coverage.

Cycle Count Standards

Purpose

To establish standardized procedures for conducting cycle counts that ensure inventory accuracy, minimize discrepancies, and maintain operational efficiency within the department.

Frequency & Scheduling

- **High-value items (A items):** Count monthly or quarterly depending on turnover rate
- **Medium-value items (B items):** Count semi-annually
- **Low-value items (C items):** Count annually
- **Fast-moving items:** Prioritize for more frequent counts to catch discrepancies early
- **Schedule counts during off-peak hours** to minimize disruption to operations

Preparation Standards

- Ensure all pending transactions are completed and recorded before starting a count
- Verify that the area to be counted is organized and clearly labeled
- Assign trained personnel to conduct counts
- Provide counters with appropriate tools: scanners, count sheets, or mobile devices
- Review previous count results and discrepancies for items being counted

Counting Procedures

1. **Initial Count:** Conduct blind counts (without reference to system quantities) to ensure objectivity
2. **Verification:** Compare physical count to system records
3. **Recount:** If discrepancy exceeds tolerance threshold, perform a second independent count
4. **Documentation:** Record all counts, including date, counter name, location, item details, and quantities
5. **Investigation:** For significant variances, investigate root causes before adjusting inventory

Accuracy Tolerance Thresholds

- **High-value items:** $\pm 0.5\%$ variance
- **Medium-value items:** $\pm 1\%$ variance
- **Low-value items:** $\pm 2\%$ variance
- Any discrepancies exceeding these thresholds require supervisor approval before adjustment

Adjustment & Resolution

- All inventory adjustments must be documented with reason codes
- Obtain appropriate authorization based on variance value (supervisor for minor, manager for major)
- Update system records promptly after approval
- Implement corrective actions to prevent recurring discrepancies

Performance Metrics

- **Inventory accuracy rate:** Target 98% or higher
- **Cycle count completion rate:** 100% of scheduled counts completed on time
- **Average time per count:** Track to identify inefficiencies
- **Discrepancy rate:** Monitor trends and identify problem areas
- Review metrics monthly and report to management

Training Requirements

- All personnel conducting cycle counts must complete initial training on procedures and systems
- Annual refresher training required for all counters
- Document training completion and maintain records

Continuous Improvement

- Conduct quarterly reviews of cycle count procedures and accuracy trends
- Solicit feedback from counting personnel on process improvements
- Implement lessons learned from root cause investigations
- Update standards as needed based on operational changes or best practices

Responsibilities

- **Department Manager:** Overall accountability for cycle count program and accuracy targets
- **Inventory Supervisor:** Schedule counts, assign personnel, review results, and approve adjustments
- **Cycle Count Personnel:** Execute counts according to standards, document findings, and report discrepancies
- **Quality Control Team:** Audit cycle count processes and validate accuracy of procedures

Cycle Counting Standard Operating Procedure

1. Purpose

This SOP establishes guidelines for conducting cycle counts in Warehouse 1 (WH1) and Warehouse 2 (WH2) to ensure accurate inventory management and control.

2. Scope

This procedure applies to all inventory items across both warehouses, including cigarettes, stamps, rolled chew, Zyn products, and frozen goods.

3. Responsibilities

WH2

- Cycle Count Execution: Jessica
- Inventory Adjustments: Jackie
- Stamp Counting (WH2): Jeff
- Stamp Tracking: Mandy

WH1

- Cycle Count Execution: Mitch
- Inventory Adjustments: Mitch/Roudy
- Stamp Counting and Tracking: Roudy / Shelby / Mitch
 - Sheehan counts on Thursdays unless it's end of month. Then we adjust accordingly
 - NID counts cigs on Friday.

4. Schedule

Warehouse 1 (WH1)

Week 1:

- Monday-Wednesday: Quarterlies
- Thursday: Cigarettes
- Friday: B Section

Week 2:

- Monday-Wednesday: Quarterlies
- Thursday: Cigarettes
- Friday: BN Section

Warehouse 2 (WH2)

- Monday: Quarterlies
- Tuesday: Rolled Chew and Zyn Products
- Wednesday: Quarterlies
- Thursday: Quarterlies
- Friday: Cigarettes and Stamps

Cycle Count Review

- Warehouse Managers will briefly review Cycle counts on a weekly bases
- Operations Directory and warehouse managers will deeply review the reports at the beginning of every month.

5. Stamp Counting Frequency

- WH1: Weekly counts required
- WH2: Monthly counts required

6. Special Considerations

Freezer Area

Due to space constraints and crowded conditions, extra attention must be given when counting frozen inventory in WH2:

- Plan counts during low-traffic periods
- Ensure proper organization before counting
- Document any accessibility issues

7. Inventory Adjustment Protocol

- In high priority area's it's imperative to make adjustments as soon as we can to help reconcile inventory and find.
 - We have to adjust after that second week of discrepancies at the latest.
- All adjustments must be documented, approved, and discussed.
- Returns processing must be completed before cycle counting affected areas
 - How are we reconciling returns on trucks or processed returns?

8. Quality Control

QC activities should be conducted in the morning hours to ensure accuracy and minimal disruption to operations.

9. Documentation

All cycle counts must be documented with:

- Date and time of count
- Counter's name
- Area/items counted
- Discrepancies found
- Adjustments made

10. Training

All personnel involved in cycle counting must be trained on:

- Proper counting procedures
- Documentation requirements
- Adjustment protocols
- Area-specific considerations

The calendar must be maintained according to Doyle's Wholesale standards. At Sheehan Majestic, we prioritize regions for counting on a rotating basis to ensure complete coverage.

The returns process requires verification to confirm all products are properly stored after credit processing.

We also need to be counting the Cigs in the grey cabinets.

Fulfillment

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Fulfillment Binder	3
Fulfillment Charter	4
Fulfillment Ownership and Handoffs	5
Fulfillment Standards Register	6
Fulfillment Workflow Maps	7
Fulfillment SOP, Forms, and Training Index	8
Fulfillment Cover Page	9
Mission, Vision, & Core Values	10
Universal Standards	11
Doyles Sheehan	13
Key Standards	17
DOYLES SHEEHAN	19
Fulfillment Flowcharts	26

Fulfillment Binder

Core Pages

- Fulfillment Charter
- Fulfillment Ownership and Handoffs
- Fulfillment Standards Register
- Fulfillment Workflow Maps
- Fulfillment SOP Forms and Training Index

Detailed Current Content

- Fulfillment Cover Page
- Mission, Vision, & Core Values
- Universal Standards
- Policies
- Fulfillment Department Standards
- Frontline Document
- Fulfillment Flowcharts

Shared Operations

- Operations Binder
- Shared Operating Standards

Fulfillment Charter

Purpose

Convert customer orders into accurate, stable, documented route loads while protecting inventory integrity, controlled-product compliance, food safety, employee safety, and customer billing accuracy.

Scope

- Order release and route prioritization
- Case and piece picking across assigned zones
- Scan verification and short/backstock controls
- Tote construction and product handling
- Cigarette and tobacco stamping controls
- No-pick review, invoicing, staging, and load preparation
- Exception escalation to Inventory, management, or the office

Success

- The correct item and quantity reach the correct customer.
- Physical freight, system transactions, and invoices agree.
- Product is stable, visible, rotated, and undamaged.
- Exceptions are stopped, documented, and resolved before downstream transfer.

Fulfillment Ownership and Handoffs

Role	Core ownership
Pickers and sorters	Scan discipline, accurate quantity, stock checks, rotation, product handling, tote construction, and STOP triggers
Trainers and leads	Direct supervision, competency evaluation, sign-offs, and immediate response to escalations
Invoicing	No-pick audit, upload-status verification, accurate edits, invoice posting, and route documentation
Supervisors and managers	Work priorities, training approval, full-short approval, controlled-goods compliance, performance review, and unresolved exceptions

Department Handoffs

- Inventory → Fulfillment: accurate location, available quantity, item data, and resolved holds.
- Fulfillment → Inventory: shorts, mismatches, damaged or out-of-date product, no-location issues, and system anomalies.
- Fulfillment → Transportation: route freight is staged, documented, invoiced, and ready for physical load verification.
- Fulfillment → Safety: equipment, ergonomic, housekeeping, or incident concerns are reported immediately.

Named assignments remain on current schedules and people records; this page defines process ownership by role so it stays usable when staffing changes.

Fulfillment Standards Register

Standard	Control	Current documented measure
Order accuracy	Track mis-picks, shorts, and overages; escalate discrepancies	99% target in Fulfillment Department Standards
Scan discipline	Successful barcode scan before product enters a tote or lane	100%; no scan = no pick
Short control	Check QOH and RF backstock; manager confirmation for a full short	Every short
Piece-pick tote weight	Stable, organized layers; do not mix non-food chemicals with edible product	40 lb maximum
Product rotation	Use active open cases first and follow documented pick direction	Every pick
Invoice control	Print only when route upload is completed and green in Velocity	Every route
Tax stamps	Maintain jurisdiction log and required stamp coverage	66% minimum coverage for hand-stamped packs
Labor	Compare labor with approved site-specific volume standard	Current binder notes within 5%; validate methodology before scorecard use
Safety	PPE, trained equipment use, safe lifting, clear aisles and staging	100% compliance expectation

Required Review

- Confirm whether the 99% accuracy target remains the approved target at both sites.
- Confirm the approved labor normalization method and overtime target before using either for accountability.
- Review detailed controls in Policies and frontline steps in Frontline Document.

Fulfillment Workflow Maps

Order-to-Load

Order-to-Load

Confirm assignment and route priority

Next: Pick and scan item

Pick and scan item

Next: Item and quantity verified?

Item and quantity verified?

No: Stop and escalate; Yes: Build stable tote or case lane

Stop and escalate

Next: Resolve stock, location, or system issue

Build stable tote or case lane

Next: Complete route and no-pick review

Resolve stock, location, or system issue

Next: Pick and scan item

Complete route and no-pick review

Next: Verify green upload and invoice

Verify green upload and invoice

Next: Stage and hand off for loading

Stage and hand off for loading

Short Decision

Short Decision

Product not in pick slot

Next: Check system QOH

Check system QOH

Next: Check RF backstock or transfer

Check RF backstock or transfer

Next: Any stock located?

Any stock located?

Yes: Pick available quantity; No: Notify lead or manager

Pick available quantity

Next: Order fully filled?

Notify lead or manager

Next: Approve and document full short

Approve and document full short

Order fully filled?

No: Document partial short; Yes: Continue picking

Document partial short

Continue picking

See Fulfillment Flowcharts for detailed task-level maps.

Fulfillment SOP, Forms, and Training Index

Current Procedures

- Policies
- Frontline Document
- Fulfillment Flowcharts

Training Controls

- Competency sign-off before independent work
- STOP triggers and escalation
- Scan discipline
- RF stock check and shorting
- Tote construction and product handling
- Equipment qualification where assigned
- Controlled-goods training where assigned
- Cold-chain training where assigned

Required Records

- Training and competency sign-offs
- Rehire verification, when used
- Picking and accuracy reports
- Short and no-pick review records
- Jurisdiction and stamp count records
- Route upload, invoice, and loader documentation
- Safety or corrective-action records

Build Queue

- [] Link the approved training checklists for MT and ID.
- [] Link the current scorecard and productivity report.
- [] Add controlled document owners and review dates.

Fulfillment Cover Page



FULFILLMENT



Warning: Missing source file Doyles_Sheehan_Fulfillment_Department_Manual.docx was referenced here but was not present in the supplied vault.

Mission, Vision, & Core Values

Doyles Sheehan is committed to providing exceptional products and services that exceed customer expectations, while creating a safe, supportive, and professional workplace where employees can thrive.

Vision

To be the recognized leader in our industry by operating with integrity, efficiency, and excellence — fostering long-term partnerships with our customers, supporting our communities, and building a workplace culture where people are proud to contribute.

Core Values

At Doyles Sheehan we:

- Act with **integrity and honesty** in all dealings.
- Treat others with **respect and courtesy**, as we expect in return.
- Build relationships on **trust and confidence**.
- Stay **customer driven** in everything we do.
- Work as **team players internally** and compete intensely externally.
- Remain **focused while embracing change**.
- Commit to **speed, efficiency, and excellence**.
- Dedicate ourselves to **industry leadership**.
- Communicate **openly, informally, frequently, and with clarity**.
- Show **passion for our mission** and our values.

Core Culture

- **Urgency** – Act now. Don't wait.
- **Problem Solving** – Fix issues as they arise, ask for help when needed.
- **Attention to Detail** – The small things matter.
- **Follow-Through** – If you say it, do it.
- **Communication** – Keep others informed.
- **Customer Focus** – Remember: our customer is our employer.
- **Respect for Co-workers** – Treat colleagues with the same care as customers.
- **Fun** – Work should be enjoyable; bring energy and positivity to the job.

Universal Standards

These standards apply to **all employees** at Doyles Sheehan and form the foundation of every department binder. They are summarized here for daily reference, with links to the full policies in the Employee Handbook and Safety Manual.

1. Code of Conduct & Ethics

- Act with honesty, integrity, and professionalism at all times.
- Treat customers and coworkers with respect and courtesy.
- Follow through on commitments and communicate clearly.

□ *Reference: Employee Handbook, Section 1.7 Employee Conduct Guidelines*

2. Equal Employment & Non-Discrimination

- Doyles Sheehan is an Equal Opportunity Employer.
- Employment decisions are based on performance and merit, not protected characteristics.

□ *Reference: Employee Handbook, Section 1.2 Equal Employment / Non-Discrimination Policy*

3. Harassment & Retaliation

- Harassment of any kind (verbal, physical, visual, electronic) will not be tolerated.
- Retaliation against employees who report concerns is strictly prohibited.

□ *Reference: Employee Handbook, Section 1.3 Policy Against Harassment & Retaliation*

4. Workplace Violence & Threats

- Zero tolerance for violence, intimidation, or threats.
- Firearms and weapons are prohibited on company property or vehicles.

□ *Reference: Employee Handbook, Section 2.3 Workplace Threats & Violence*

5. Drug-Free Workplace

- Use, possession, or being under the influence of alcohol or controlled substances while on duty is prohibited.
- DOT and Non-DOT drivers are subject to pre-employment, random, and post-accident testing.

□ *Reference: Employee Handbook, Section 1.9 Drug-Free Workplace Policy*

- *Reference: Safety Manual, General Policy Review – Drug & Alcohol Testing*

6. Safety & PPE

- All employees must follow safe work practices and wear PPE appropriate to their task.
- Only trained and authorized staff may use forklifts, pallet jacks, or other powered equipment.
- *Reference: Safety Manual, General Safe Work Rules*
- *Reference: Safety Manual, Personal Protective Equipment*

7. Housekeeping & Cleanliness

- Keep aisles, docks, and work areas free of trash and obstructions.
- Cardboard must be broken down and placed in designated containers.
- Smoking and vaping are only allowed in designated outdoor areas.
- *Reference: Safety Manual, Housekeeping*

8. Emergency Procedures

- Know the location of exits, fire extinguishers, and first aid kits.
- Evacuation assembly areas:
 - Missoula → West side of building by Kestrel Way
 - Coeur d'Alene → IT building on the west side of the property
- Report all injuries immediately, no matter how minor.
- *Reference: Safety Manual, Emergency Action Plan*
- *Reference: Employee Handbook, Section 2.4 Emergency Evacuation Procedures & Section 2.5 Employee Injuries*

9. Attendance & Time Reporting

- Call your supervisor at least one hour before your shift if absent.
- Excessive tardiness or absences may lead to disciplinary action.
- All non-exempt employees must clock in/out accurately — no “buddy punching.”
- *Reference: Employee Handbook, Section 3.1 Attendance & Section 3.2 Time Reporting*

Doyles Sheehan

Warning: Missing source file Doyles_Sheehan_Fulfillment_Policies_and_Standards.docx was referenced here but was not present in the supplied vault.

Fulfillment Operational Policies & Performance Standards

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 12, 2026

Applies To: All Operations, Warehouse, Fulfillment, and Invoicing Personnel

Scope: Montana & Idaho Distribution Facilities

1. Onboarding, Competency-Based Training & Bonus Eligibility

□ [POLICY] Competency Over Tenure

All fulfillment personnel—including new hires and rehires—must complete a structured, competency-verified training path before working independently or becoming eligible for performance bonuses. Qualification for independent work and incentive compensation is strictly governed by verified skill acquisition and operational accuracy, not tenure or time served.

□ [STANDARD] Training Sign-Off Requirements

Trainees shall work under direct supervision of a designated Trainer or Lead and may not perform unassisted tasks until formally evaluated and signed off on four critical control points:

- Mandatory STOP triggers and escalation rules.
- Absolute scan discipline (“No scan = no pick”).
- Shorting and backstock verification protocols (RF gun stock checks).
- Proper tote building and product stabilization.

□ [STANDARD] Rehire Fast-Track Metrics & 2-Week Verification

Former fulfillment team members may be fast-tracked provided their break in service is **less than two (2) years**. Rehires must complete Day 1 refresher sign-offs (STOP triggers, scan discipline, RF checks) and complete a mandatory **two-week zero-miss-pick verification period**. Any miss-pick generated during this period resets or voids fast-track status. Any employee separated for more than two years must complete the full new-hire training path without exception.

□ [STANDARD] Bonus Eligibility Gate

An employee becomes bonus eligible only after formal training sign-off is completed by the Lead/Trainer and confirmed by the Supervisor (or upon successful completion of the rehire 2-week zero-error audit window). Bonus tracking commences on the official supervisor-approved date following sign-off.

2. Inventory Integrity & Scan Discipline

☐ [POLICY] Strict Scan Compliance

Accurate inventory counts and customer shipments are maintained through strict adherence to physical and digital scanning rules. Bypassing validation steps, guessing locations/products, or placing unconfirmed items into customer totes compromises supply chain integrity and is strictly prohibited.

☐ [STANDARD] No Scan = No Pick

100% of items picked or sorted must undergo a successful digital barcode scan prior to physical placement into a tote or customer lane. Manual overrides or verbal assumptions are forbidden. If a scan fails or device errors occur, picking must cease immediately and be escalated to a lead/manager. Unscanned items must never move downstream.

☐ [POLICY] Shorting & Backstock Protocol

A short is an official inventory decision, not a guess. No picker or sorter may record a full or partial short without conducting a mandatory RF-gun stock check. Shorting an item to save time is a direct policy violation.

☐ [STANDARD] Zero-QOH Validation & Partial Short Execution

To process a **Full Short**, the picker must: (1) verify zero Quantity On Hand (QOH) via system lookup, (2) execute an RF gun stock check (Stock Putaway / Transfer Out) to confirm no unassigned backstock exists, and (3) obtain manager/supervisor confirmation. If partial stock exists, the picker must pick the physical items present and enter the exact count to generate a **Partial Short**.

3. Product Quality, Handling & Tote Construction

☐ [POLICY] Product Handling & FIFO Compliance

All products leaving fulfillment must be handled, arranged, and secured to ensure zero damage, full downstream visibility, and strict compliance with First-In, First-Out (FIFO) stock rotation rules.

☐ [STANDARD] Tote Loading Architecture

Totes must be packed in a single stable layer with 100% of product descriptions visible without stacking height exceeding the tote rim. Heavy items must be placed at the bottom. Double-faced locations and grey shelving must be picked from right to left, building in balanced layers rather than unstable vertical columns.

☐ [STANDARD] Rotation & Picking Order

Pickers must select product from left to right and completely empty open inner cases before opening new master cases. Selecting items from multiple opened cases simultaneously breaks rotation traceability and is strictly prohibited.

4. Controlled Goods & Tax Compliance (Cigarettes)

☐ [POLICY] Jurisdiction & Audit Control

Cigarettes and tobacco products are state-regulated and tax-controlled inventory. Operations involving these products require absolute compliance with jurisdiction boundaries, audit tracking, and physical tax stamping standards.

□ [STANDARD] Jurisdiction Release Logging

Batches must be explicitly verified by Jurisdiction and Route prior to system release. Immediately upon releasing a cigarette batch, the releaser must record the Date, Route, Jurisdiction, and their initials on the Jurisdiction Check-Off Sheet.

□ [STANDARD] Tax Stamp Coverage & Hand-Stamp Isolation

Every hand-stamped pack must achieve a **minimum of 66% tax stamp coverage** across every pack in the carton. Specific regulated brands (Camel Wides, Dunhill, Capri, Eve, Virginia Slims, More, Export 'A') must be hand-stamped at the end of each batch, maintained in exact pick/stamp order, and placed into a separate box positioned at the end of the batch.

5. Invoicing Integrity & Order Finalization

□ [POLICY] Billing Accuracy & System Controls

Invoicing finalizes legal ownership and financial obligations. Invoices must accurately reflect physical shipments, and printing/posting must follow strict procedural controls to prevent customer overcharges, billing discrepancies, or system locks.

□ [STANDARD] Pre-Upload Printing Ban

Invoices must **never** be printed prior to the route showing a completed, uploaded GREEN status in Velocity. Printing invoices prematurely prevents edits from holding, leads to customer overcharges for unsent goods, and constitutes a serious operational infraction.

□ [STANDARD] No-Pick Audits & Session Closure

Any item appearing on the "Not Picked" report with an on-hand inventory > 0 must be physically audited in the pick slot and overstock prior to invoicing. If unlocatable, items must be formally routed to WH Days & Inventory Auditor. When editing orders in AS400 (Screen 3-1), operators must use proper exit commands (F3 / F7). Using "L" to unlock an order requires supervisor pre-approval.

6. Escalation & "STOP Trigger" Culture

□ [POLICY] Non-Punitive Escalation Guarantee

Doyles Sheehan maintains a strict **non-punitive escalation culture**. Accuracy always takes precedence over speed. Management guarantees that no employee will be penalized, reprimanded, or pressured for pausing work to verify accuracy via a STOP trigger.

□ [MANDATORY STOP TRIGGERS]

Employees must immediately cease picking/sorting and notify a lead/supervisor if they encounter:

1. **Location Mismatch:** Shelf tag does not match prompt or is missing.
2. **Product Mismatch:** Physical product, flavor, count, or size does not match description.
3. **Quantity Ambiguity:** Quantity is unclear or order displays double lines.
4. **System Anomaly:** Lane lights or tablet quantities fail to illuminate/respond after scanning.
5. **Backstock Uncertainty:** Unsure whether inventory exists or whether to issue full vs. partial short.

6. **Ticket/Jurisdiction Mismatch:** Cigarette tickets fail to print or show mismatched jurisdictions.

7. Piece Picking & Each-Item Handling

□ [POLICY] Package-Level Verification & Chemical Safety

Pickers must scan the specific physical package unit being picked (case barcode for full cases, individual UPC for eaches). To prevent cross-contamination, non-food chemicals or toxic items must never be placed into a tote containing edible consumer products.

□ [STANDARD] Single-Scan Protocol & Tote Weight Limits

A single scan validates SKU identity for the prompt line; pickers must then manually count requested physical quantities. Shipping totes containing piece-picked items must not exceed **40 lbs total weight** and must be built in organized, stable layers.

□ [STANDARD] Master Case Rotation & Split-Tote Procedure

Pickers must pick out of the primary active master case until completely empty before opening a new case to preserve FIFO. If a picked quantity exceeds remaining tote capacity:

- **Items Remaining on Order:** Record exact count placed in tote on packing slip, send tote forward, and continue picking remaining items into a fresh tote.
- **Last Item / End of Route:** Initiate a formal "**Split Tote**" procedure to document physical product location for downstream packing and driver accuracy.

8. Roles & Policy Responsibilities Matrix

Role	Primary Policy & Performance Responsibilities
Pickers & Sorters	Enforce scan discipline ("no scan = no pick"); maintain single-layer tote structure; adhere to 40 lb weight limits; execute RF checks before shorting; strictly adhere to STOP triggers.
Trainers & Leads	Conduct competency evaluations and training sign-offs; oversee rehire 2-week monitoring; immediately respond to and resolve employee STOP trigger escalations.
Invoicing Clerks	Enforce the pre-upload printing ban; conduct physical no-pick audits; execute proper AS400 session exits (F3/F7); complete loader guides and recap sheets. Post the invoices
Supervisors & Managers	Formally sign off on training and rehire bonus eligibility; approve full shorts; enforce tobacco tax jurisdiction compliance; oversee EOD posting in AS400 (Screen 3-6).

Key Standards

1. Order Accuracy (99%)

- Quantities picked vs. order must be 99% accurate.
- Mis-picks, shorts, overages tracked daily.
- Discrepancies documented and communicated immediately.

Tracking Method:

Monthly accuracy percentage reported

2. Picking Efficiency

- Site-specific standards in department binders
- Adjusted for layout and storage constraints.
- Performance tracked per picker and reviewed weekly.

Tracking Method:

Daily productivity reports + weekly performance reviews

3. Stamp Documentation & Compliance

- All stamp orders must include proper documentation per.
- Stamp inventory reconciled once per shift with minimal discrepancies.
- Any stamp shortages or overages reported immediately to management.

Tracking Method:

Stamp Count Sheet

Monthly Count Sheet in CDA

4. Safety Compliance

- Zero lost-time incidents.
- 100% compliance with:
 - PPE requirements
 - Equipment operation standards
 - Safe lifting procedures

- Aisle and staging area safety protocols

5. Labor

- Labor hours tracked against order volume daily
- Target: Maintain labor efficiency within 5% of site-specific standards
- Overtime minimized to <10% of total hours

If Standards Are Not Met

- Root Cause Review within **48 hours**
- Retraining + corrective action assigned
- Weekly follow-up until metrics recover

DOYLES SHEEHAN

Warning: Missing source file Doyles_Sheehan_Fulfillment_Manual.docx was referenced here but was not present in the supplied vault.

Fulfillment Operations Manual: Policies, Standards & SOPs

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 14, 2026

Applies To: All Fulfillment, Picking, Sorting, and Invoicing Personnel

Scope: Montana & Idaho Fulfillment Operations

1. Onboarding, Competency-Based Training & Bonus Eligibility

□ [POLICY] Competency Over Tenure

All fulfillment personnel—including new hires and rehires—must complete a structured, competency-verified training path before working independently or becoming eligible for performance bonuses. Qualification for independent work and incentive compensation is strictly governed by verified skill acquisition and operational accuracy, not tenure or time served.

□ [STANDARD] Training Sign-Off Requirements

Trainees shall work under direct supervision of a designated Trainer or Lead and may not perform unassisted tasks until formally evaluated and signed off on four critical control points:

- Mandatory STOP triggers and escalation rules.
- Absolute scan discipline (“No scan = no pick”).
- Shorting and backstock verification protocols (RF gun stock checks).
- Proper tote building and product stabilization.

□ [STANDARD] Rehire Fast-Track Metrics & 2-Week Verification

Former fulfillment team members may be fast-tracked provided their break in service is **less than two (2) years**. Rehires must complete Day 1 refresher sign-offs (STOP triggers, scan discipline, RF checks) and complete a mandatory **two-week zero-miss-pick verification period**. Any miss-pick generated during this period resets or voids fast-track status. Any employee separated for more than two years must complete the full new-hire training path without exception.

□ [STANDARD] Bonus Eligibility Gate

An employee becomes bonus eligible only after formal training sign-off is completed by the Lead/Trainer and confirmed by the Supervisor (or upon successful completion of the rehire 2-week zero-error audit window). Bonus tracking commences on the official supervisor-approved date following sign-off.

□ [PROCEDURE / SOP] New Hire & Rehire Onboarding Workflow

1. **Interview:** Validate physical requirements, shift availability, and schedule; confirm core expectations (Safety First, Accuracy before Speed).

2. **Job Offer & Acceptance:** Confirm rate, shift, start date, and Day 1 reporting location.
3. **New Hire Orientation:** Complete HR orientation, facility basics (timeclock, breaks, housekeeping, emergency exits), and safety overview (PPE, "Stop and Ask" culture).
4. **Gear Assignment & System Access:** Issue and record RF gun, picking device, batteries, and Pro-Glove (Batch/Sort). Verify logins for CloudPick, Velocity, and station tablets.
5. **Competency Training:** Progress trainee under a Lead/Trainer based on competency mastery rather than elapsed time.
6. **Training Sign-Off:** Formally document competency completion once picker demonstrates consistent scan discipline, stable tote builds, and strict adherence to STOP triggers.
7. **Supervisor Confirmation:** Supervisor activates bonus eligibility start date in the tracking system.

2. Mezzanine Batch Picking & Pick-Slot Verification

☐ [POLICY] Strict Scan Compliance & Visual Verification

Accurate picking requires absolute adherence to digital barcode scanning and physical verification. Bypassing validation steps, guessing locations, or picking based on product packaging alone is strictly prohibited.

☐ [STANDARD] Pick-Slot & Scanning Standards

Pickers must match location numbers exactly starting from the bottom shelf, moving right-to-left. 100% of picks require a successful digital barcode scan (No Scan = No Pick). Double-faced locations on grey shelving must be picked right-to-left and roller locations balanced evenly in layers.

☐ [PROCEDURE / SOP] Batch Pick - Mezz Operational Execution

1. **Shift Start & Setup:** Clock in, inspect assignment board for department/route priority, gather scanner, picking device, and battery; log into CloudPick.
2. **Department Setup:** Stage 3–4 empty totes at the beginning of the mezzanine rollers; clear old packlists, zip ties, and debris.
3. **Login & Batch Selection:** In CloudPick, select Batch Pick → Select region printer → Select Route → Select "No" to split batch prompt.
4. **Read Pick Prompt:** Stop and read shelf location, item description, and packaging unit (CS vs. EA) before moving.
5. **Locate Pick Slot:** Move to bottom shelf, scan right to left, and match location tag exactly.
6. **Verify Product & Scan:** Confirm item description, flavor, size, and pack count; scan the item barcode; confirm successful scan confirmation before placement.
7. **Tote Placement:** Place heavy items on bottom, orient items upright, and construct a stable single layer with all labels visible.
8. **Double-Faced Handling:** Pick right-to-left on grey shelving. On roller shelves, balance inventory between left and right lanes.

9. **Conveyor Release:** Once tote is built in a stable single layer with items fully visible, release tote onto conveyor line.

□ **[MANDATORY STOP TRIGGERS] Batch Picking Escalation**

Pickers must STOP immediately, cease picking, and notify a Lead/Supervisor if:

- Shelf location tag does not match prompt or is missing.
- Item description, flavor, size, or count does not match the physical product.
- Barcode fails to scan (No Scan = No Pick).
- Quantity requested is ambiguous or order displays double lines.
- Double-faced inventory cannot be balanced or backstock status is uncertain.
- Uncertainty of any kind exists — guessing is strictly prohibited.

3. Mezzanine Batch Sortation (Put-to-Light)

□ **[POLICY] Sortation Discipline & Traceability**

Batch sortation governs multi-customer order distribution. Sorters must maintain absolute scan-to-light discipline. One sorting error corrupts downstream customer packing, delivery routing, and billing.

□ **[STANDARD] Put-to-Light Performance Standards**

Sorters must verify item descriptions upon barcode scan, confirm all illuminated lane quantities before placing product, and complete one customer lane at a time. Zero unassigned product may remain after a sort is completed.

□ **[PROCEDURE / SOP] Batch Station Sortation Execution**

1. **Station Setup:** Inspect assignment board, retrieve station-assigned Pro-Glove, pair Pro-Glove with batch station tablet, ensure all sort lanes are clear, and stage an empty tote in each active lane.
2. **Receive Item:** Receive item from conveyor; assess tote capacity before scanning large items to ensure adequate space.
3. **Critical Scan:** Scan item barcode; confirm lane lights illuminate and quantities display per customer lane; verify tablet item description.
4. **Read Lane Quantities:** Identify all illuminated lanes and confirm total pieces match the item in hand before distributing.
5. **Lane Distribution:** Place exact displayed quantity into the lit lane's tote; press the lane batch light to confirm placement; complete one lane at a time.
6. **Distribution Verification:** Confirm no unassigned product remains in hand and no items were placed in unlit lanes; use "Review Sorts" function on tablet if discrepancies occur.
7. **Tote Release:** Push completed/full totes forward to staging; keep incomplete totes in their active lane; maintain a clean, unobstructed conveyor area.

□ **[MANDATORY STOP TRIGGERS] Batch Sortation Escalation**

Sorters must STOP immediately and notify a Lead/Supervisor if:

- Lane lights or tablet quantities do not display after scanning.
- Total lane quantities do not match the physical count in hand.
- The sorter loses track of which lanes were filled during a cycle.
- Product remains unassigned after all illuminated lane lights are extinguished.
- A lane tote receives product without an active illuminated light.

4. Shorting & Inventory Discrepancy Verification

☐ [POLICY] Mandatory Short Verification

A short is an official inventory decision, not a shortcut. Pickers and sorters are strictly prohibited from shorting items to save time. Every short requires systematic electronic verification.

☐ [STANDARD] RF-Gun Verification Standards

Zero shorts are permitted without verifying Quantity On Hand (QOH) via the blue button and performing a mandatory RF-gun stock check (Velocity: Stock Putaway → Transfer Out). Full shorts require supervisor confirmation. Partial shorts must reflect exact physical counts.

☐ [PROCEDURE / SOP] Short Processing Workflow

1. **Pause Picking:** Do not skip ahead or advance screen; keep the affected item prompt active.
2. **Blue Button QOH Check:** Verify QOH via the blue button lookup.
3. **RF Gun Backstock Check:** Open Velocity on RF gun (Login: First & Last Initials / Password: Initials + Last 2 digits of Employee Number) → Navigate to Stock Putaway → Transfer Out → Scan item UPC or shelf location tag.
4. **Backstock Evaluation:** If no yellow "#5" pop-up appears, no backstock is available in the warehouse.
5. **Processing Full Shorts:** If shelf is empty and RF check confirms zero backstock, obtain supervisor confirmation, select "Short Item" (top right icon), and confirm "Yes".
6. **Processing Partial Shorts:** If partial stock is present, pick available quantity, tap quantity field on picking device, and enter the exact count physically picked.

☐ [MANDATORY STOP TRIGGERS] Shorting Escalation

Pickers must STOP and escalate if RF gun responses are ambiguous, backstock locations cannot be accessed, or system discrepancies exist between QOH and shelf reality.

5. Piece Picking & Each-Item Handling

☐ [POLICY] Package-Level Verification & Consumable Safety

Pickers must scan the specific package unit being picked (master case barcode for CS, individual barcode for EA). Non-food chemicals and toxic items must never be placed into totes containing edible consumables.

☐ [STANDARD] Tote Limits & Master Case Rotation

Shipping totes containing piece-picked items must not exceed **40 lbs total weight**. Pickers must pick from the

primary active master case until completely empty before opening a new box to enforce FIFO rotation.

□ **[PROCEDURE / SOP] Piece Picking & Split-Tote Workflow**

1. **Item Identification & Scan:** Scan the individual each barcode (EA) on the product unit; verify description and count.
2. **Master Case Integrity:** Pick out of the currently opened master case until empty; only open the next master case once previous case is fully depleted.
3. **Tote Loading & Packing:** Place items in organized layers (heavy on bottom, fragile on top); ensure tote weight remains at or under 40 lbs.
4. **Capacity Overflow (Mid-Route):** If picked quantity exceeds tote space and additional items remain on the route, record exact quantity placed in the current tote on the pack slip, release tote, and continue picking remaining items into a new tote.
5. **Split Tote Execution (End-of-Route):** If picked quantity exceeds tote space on the final item of a route, initiate a formal "Split Tote" procedure to document product physical location for packers and drivers.

6. Controlled Goods & Tax Compliance (Cigarettes)

□ **[POLICY] State Tax Compliance & Jurisdiction Chain of Custody**

Cigarettes are highly regulated tax-controlled inventory. Operations require absolute compliance with jurisdiction boundaries, audit logs, FIFO date rotation, and physical stamping standards.

□ **[STANDARD] Tax Stamping & Batch Documentation Standards**

Batches must be verified by jurisdiction/route prior to release. Every hand-stamped pack must achieve a **minimum of 66% tax stamp coverage**. Mandatory brands must be hand-stamped in exact sequence and isolated in dedicated cartons.

□ **[PROCEDURE / SOP] Cigarette Batch Release, Picking & Stamping Workflow**

1. **Batch Release (Computer #1 Upstairs):** Open Batch Manager → Get New Orders → Select batch by priority, jurisdiction, and route → Hold SHIFT and highlight full route → Drag route to Stamping Station 1 → Select "Release Batch" → Confirm "YES" that tickets printed.
2. **Jurisdiction Check-Off Log:** Immediately record Date, Route, Jurisdiction, and releaser initials on the Jurisdiction Sheet above the stamper table.
3. **Picking Execution:** Log into CloudPick → Select Picking → Choose A–B → Pick cartons left-to-right (top flaps oriented up and to the left) → Empty one case completely before opening the next (no picking across multiple cases). On double-faced slots, pick right-to-left.
4. **Hand-Stamping Execution:** For regulated brands (Camel Wides, Dunhills, Capris, Eves, Virginia Slims, Mores, Export 'A'), hand-stamp every pack at ≥ 66% coverage at the end of the batch.
5. **Hand-Stamped Isolation:** Place stamped cartons into a separate box in exact pick order at the end of the batch; hand off to batcher.
6. **Stamper Verification:** Stamper initials completion, tallies and fixes stamps, and submits completed checklist to management.

□ **[MANDATORY STOP TRIGGERS] Cigarette Operations Escalation**

Cease operations and notify a supervisor immediately if:

- Jurisdiction is unclear or mismatched.
- Batch tickets fail to print correctly.
- Pickup (P/UP) orders appear in batch creation.
- Date rotation cannot be maintained.
- Stamp coverage is \$< 66%\$.

7. Invoicing Integrity & Order Finalization

□ **[POLICY] Billing Accuracy & AS400 System Integrity**

Invoices finalize commercial transactions and legal custody. Invoices must accurately reflect physical shipments, and printing/posting must follow strict procedural controls to prevent billing errors and system locks.

□ **[STANDARD] Pre-Upload Ban & Audit Standards**

Invoices must **never** be printed before route upload yields a GREEN status in Velocity. All no-pick items with on-hand stock \$> 0\$ must be physically audited. Order edit sessions in AS400 (3-1) must be exited properly using F3 / F7.

□ **[PROCEDURE / SOP] Invoicing & End-of-Day Posting Workflow**

1. **Pre-Invoicing Verification:** Confirm all route areas are picked and uploaded; verify route displays GREEN status in Velocity; ensure Area A is clear (except P/UP or UPS); verify Daily Task Manager is active.
2. **Load Guide Review (Velocity):** Open Velocity Reports → Select Date & Route → Refresh → Add specials/stops → Save load guide to Dropbox → Delete Freezer/Cooler/Ice Cream/Totals columns → Print for floor count (Lexmark Foreman) → Restore deleted columns and resave.
3. **No-Pick Audit:** In Velocity "Not Picked" tab, audit items with 1+ in On-Hand column → Validate via AS400 (1-5-3) (WH1=Montana; if Available > 0, locate product and add to tote; if Available < 0, item is oversold). Unlocatable stock must be sent to WH Days & Inventory Auditor.
4. **Finalize Route:** Add floor guide edits to Velocity load guide → Enter required details → Finalize route → Confirm email confirmation.
5. **AS400 Order Edits (Screen 3-1):** Access 3-1 → Type customer name → Option 2 (Edit) → Page down to item → Option 2 (Edit item) → Change shipped quantity → F3 (Return) → F7 (Re-price and exit). Verify edit held. (Use "L" command to unlock orders only with supervisor pre-approval).
6. **Print Invoices (Screen 3-5):** Never print before route upload is complete. Go to 3-5 → Enter route → Match with cover sheets → Mark invoices (S or F5) → F10 to print. If an invoice is edited post-print, reprint in 3-1 placing "i" next to invoice and discard old copy.
7. **Coloring & Assembly:** Staple original and copy separately. Highlight original only: Yellow (Stop & Route), Orange (Special/Delivery messages), Green (COD/Cash/Pay with Driver). Discard separate tote manifests.

8. **End of Day Posting (Screen 3-6):** Supervisor verifies 3-5 → Go to 3-6 → Enter 6 and 9s in Routes From → F5 (Select all) → F10 → F6 → Enter "Y" twice to execute automatic posting. (Contact Angie Coates at 406-830-5144 if posting fails).
9. **Loader's Guide Completion:** Record printed time (military), stops, route recap case/tote count, pieces, pallets, invoiced time → Print final copy → Scan/email to Darrin & WH Sups → Deliver physical copy to Fulfillment Manager's desk.

8. Roles & Policy Responsibilities Matrix

Role	Primary Policy, Standard & SOP Responsibilities
Pickers & Sorters	Maintain scan discipline ("No Scan = No Pick"); adhere to single-layer tote architecture; respect 40 lb weight limits; execute mandatory RF checks before shorting; strictly adhere to STOP triggers.
Trainers & Leads	Conduct competency-based onboarding sign-offs; oversee rehire 2-week monitoring; pair Pro-Gloves and oversee batch stations; immediately respond to and resolve STOP trigger escalations.
Invoicing Clerks	Enforce pre-upload printing ban; conduct physical no-pick inventory audits; execute proper AS400 session exits (F3/F7); complete color-coding and final loader guides.
Supervisors & Managers	Formally approve training and rehire bonus eligibility; authorize full shorts; audit tobacco tax jurisdiction compliance; oversee EOD posting in AS400 (Screen 3-6).

Fulfillment Flowcharts

Fulfillment Flowcharts

Start of Shift

Next: Clock in & check assignment

Clock in & check assignment

Next: Confirm department & route priority

Confirm department & route priority

Next: Gather equipment Scanner, device, battery

Gather equipment Scanner, device, battery

Next: Log into picking app

Log into picking app

Next: Department Setup

Department Setup

Next: Stage empty totes (3–4 per roller)

Stage empty totes (3–4 per roller)

Next: Remove old packlists, zip ties, debris

Remove old packlists, zip ties, debris

Next: Read Pick Prompt SLOW DOWN

Read Pick Prompt SLOW DOWN

Next: Read location

Read location

Next: Read item description

Read item description

Next: Read quantity (CS vs EA)

Read quantity (CS vs EA)

Next: Locate Pick Slot Most Common Error Area

Locate Pick Slot Most Common Error Area

Next: Start at bottom shelf

Start at bottom shelf

Next: Move right → left

Move right → left

Next: Location matches screen?

Location matches screen?

No: STOP & ask lead; Yes: Verify Item Accuracy Lives Here

STOP & ask lead

Next: Lead resolves discrepancy

Verify Item Accuracy Lives Here

Next: Item matches? Description + flavor/size/count

Item matches? Description + flavor/size/count

No: STOP — do not pick; Yes: Pick Quantity

STOP — do not pick

Next: Lead resolves discrepancy

Pick Quantity

Next: Confirm CS vs EA

Confirm CS vs EA

Next: Count carefully

Count carefully

Next: Scan UPC

Scan UPC

Next: Scan successful?

Scan successful?

No: STOP — no scan, no pick; Yes: Place Item in Tote

STOP — no scan, no pick

Next: Lead resolves discrepancy

Place Item in Tote

Next: Upright placement

Upright placement

Next: Heavy items on bottom

Heavy items on bottom

Next: Build stable layers

Build stable layers

Next: Double-faced location?

Double-faced location?

Yes: Double-Faced Locations; No: Continue

Double-Faced Locations

Next: Pick right → left on grey shelving

Pick right → left on grey shelving

Next: In rollers: balance left vs right

In rollers: balance left vs right

Next: Build in layers, not columns

Build in layers, not columns

Next: Continue

Continue

Next: Shelf short or empty?

Shelf short or empty?

Yes: Short/Backstock Decision; No: Return to pick flow

Short/Backstock Decision

Next: Pause picking (keep item on screen)

Pause picking (keep item on screen)

Next: Check QOH via Blue Button

Check QOH via Blue Button

Next: RF Gun: Stock Putaway → Transfer Out

RF Gun: Stock Putaway → Transfer Out

Next: Yellow #5 pop-up appears?

Yellow #5 pop-up appears?

Yes: Retrieve from backstock; No: Confirm with manager → Short item

Retrieve from backstock

Next: Return to pick flow

Confirm with manager → Short item

Next: Return to pick flow

Return to pick flow

Next: Tote Handling

Tote Handling

Next: Tote single layer and product 100% visible?

Tote single layer and product 100% visible?

Yes: Send tote to conveyor; No: Rebuild to stable single layer

Send tote to conveyor

Next: Pick Complete

Rebuild to stable single layer

Next: Tote Handling

Lead resolves discrepancy

Next: Read Pick Prompt SLOW DOWN

Pick Complete

Transportation

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Transportation Binder	3
Transportation Charter	4
Transportation Ownership and Handoffs	5
Transportation Standards Register	6
Transportation Workflow Maps	7
Transportation SOP, Forms, and Training Index	8

Transportation Binder

Core Pages

- Transportation Charter
- Transportation Ownership and Handoffs
- Transportation Standards Register
- Transportation Workflow Maps
- Transportation SOP Forms and Training Index

Supporting Current Work

- Transportation Routing (not supplied)
- IFTA (not supplied)

Shared Operations

- Operations Binder
- Shared Operating Standards
- Safety Binder

Transportation Charter

Purpose

Deliver customer orders safely, legally, accurately, and on schedule while protecting employees, the public, vehicles, freight, customer commitments, and company records.

Scope

- Route planning and service-day review
- Driver assignment, qualification, and dispatch
- Pre-use vehicle inspection and malfunction reporting
- Physical load verification and securement
- Safe driving and regulatory compliance
- Delivery counts, signatures, photos, and customer communication
- Delivery discrepancy, damage, refusal, return, tote, and crate documentation
- Route closeout, vehicle condition, fuel/tax records, and exception follow-up

Success

- A qualified driver operates a safe vehicle on an approved route.
- The verified load reaches the intended customer and delivery evidence is complete.
- Exceptions are documented promptly and routed to the correct internal owner.

Transportation Ownership and Handoffs

Role	Core ownership
Driver	Inspection, safe operation, load/delivery verification, signatures, photos, discrepancy records, returns, and immediate incident reporting
Dispatcher or route planner	Route feasibility, customer/service constraints, assignment, changes, and communication
Transportation manager	Driver readiness, route execution, hours and compliance review, vehicle escalation, coaching, and unresolved delivery issues
Fulfillment/loading	Accurate staged freight, route documents, physical load, and handoff verification
Inventory/Returns	Research and disposition for returns, damage, overage, shortage, and product exceptions
Safety	Qualification, coaching, incident investigation, corrective action, and regulatory program support

Handoff Control

- Fulfillment retains control until the route freight and documents are staged and physically handed off.
- Transportation controls the freight after verified loading and owns the delivery record.
- Delivery discrepancies must return through the documented office process so they can be logged, researched, and closed.
- New accounts and material routing changes should be reviewed before customer commitments are finalized.

Named managers and location-specific backups should be maintained on the current contact and responsibility roster rather than embedded in every SOP.

Transportation Standards Register

Standard	Control	Current documented measure
Driver qualification	Required license, training, record review, and assigned-vehicle qualification	Before independent operation
Vehicle condition	Complete pre-use inspection and report malfunctions promptly	Every vehicle use
Safe driving	Seat belt, lawful operation, defensive driving, no handheld distraction	Every trip
Load handoff	Verify route freight and documents before departure	Every route
Delivery verification	Count bundles; count cigarette cartons and tobacco totes; obtain required signature	Every delivery where applicable
Delivery evidence	Capture delivery details and photos; track totes and crates	Every applicable stop
Customer discrepancy	Route through the approved office reporting process	Within 24 hours in the archived MT/ID procedure; confirm current policy
Route completion	Close actual departure, arrival, delivery, return, and exception records	Every route
Safety event	Stop, secure, notify, and document	Immediately

Target Gaps

- Approve a transportation scorecard for delivery accuracy, route completion, safety, compliance, and labor/hours.
- Confirm the active hours-of-service and internal workload limits in the controlling policy.
- Confirm current discrepancy contacts for both warehouses; the archived ID procedure has blank fields.

Transportation Workflow Maps

Route Execution

Route Execution

Confirm driver vehicle and route

Next: Complete pre-use inspection

Complete pre-use inspection

Next: Vehicle safe and compliant?

Vehicle safe and compliant?

No: Stop and report malfunction; Yes: Verify and secure load

Stop and report malfunction

Verify and secure load

Next: Depart and execute route

Depart and execute route

Next: Count deliver obtain signature and photos

Count deliver obtain signature and photos

Next: Exception?

Exception?

Yes: Document and notify owner; No: Continue route

Document and notify owner

Next: Continue route

Continue route

Next: Return close route and report vehicle condition

Return close route and report vehicle condition

Delivery Discrepancy

Delivery Discrepancy

Discrepancy identified

Next: Record item quantity and issue

Record item quantity and issue

Next: Capture required evidence

Capture required evidence

Next: Protect product and customer records

Protect product and customer records

Next: Report through approved office channel

Report through approved office channel

Next: Inventory or Fulfillment researches

Inventory or Fulfillment researches

Next: Correct credit redelivery or disposition

Correct credit redelivery or disposition

Next: Communicate and close

Communicate and close

Transportation SOP, Forms, and Training Index

Active Supporting Work

- Transportation Routing (not supplied)
- IFTA (not supplied)

Archived Sources to Review Before Reissue

- Driver Training Dashboard (not supplied)
- Delivery Discrepancy Procedures MT (not supplied)
- Delivery Discrepancy Procedures ID (not supplied)
- IFTA Process Transportation (not supplied)

Required Forms and Records

- Driver qualification and training file
- Vehicle inspection and malfunction report
- Route/load verification record
- Delivery signature, count, photo, tote, and crate record
- Delivery discrepancy record
- Incident and accident record
- Hours, fuel, mileage, IFTA/IRP, and route closeout records as applicable
- Coaching and corrective-action records

Build Queue

- [] Publish current pre-trip/post-trip and defect escalation SOPs.
- [] Publish load verification and securement SOPs.
- [] Replace the archived discrepancy procedures with one approved MT/ID standard and current contacts.
- [] Link current driver qualification, incident, and compliance forms.
- [] Approve the transportation KPI scorecard.

Safety

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Safety Binder	3
Safety Charter	4
Safety Ownership and Handoffs	5
Safety Standards Register	6
Safety Workflow Maps	7
Safety SOP, Forms, and Training Index	9

Safety Binder

Core Pages

- Safety Charter
- Safety Ownership and Handoffs
- Safety Standards Register
- Safety Workflow Maps
- Safety SOP Forms and Training Index

Historical Foundation

- Doyles Sheehan Safety Policy Manual 2019 (not supplied)

Warning: Currency The 2019 manual is a historical source. Confirm current owners, contacts, regulatory citations, medical response, testing, training, and emergency information before issuing it as active policy.

Shared Operations

- Operations Binder
- Shared Operating Standards

Safety Charter

Purpose

Prevent injury, illness, property loss, vehicle incidents, food-safety harm, and regulatory failure by embedding hazard control, training, reporting, investigation, and corrective action into everyday operations.

Scope

- Safety orientation and recurring training
- Hazard identification, JHSA/JHA, and corrective action
- PPE, housekeeping, ergonomics, material handling, and powered equipment
- Vehicle and driver safety support
- Injury, incident, near-miss, and accident response
- Investigation, root-cause analysis, and effectiveness review
- Emergency action, first aid/medical escalation, fire prevention, and HazCom
- Safety committee, statistics, coaching, and regulatory program support

Principle

Safety is everyone's responsibility. Managers and supervisors are responsible for implementing controls and holding their teams accountable; employees are responsible for following rules, stopping unsafe work, and reporting conditions immediately.

Safety Ownership and Handoffs

Role	Core ownership
Every employee	Follow controls, use PPE, stop unsafe work, report hazards/incidents, and protect others
Managers and supervisors	Implement training and controls, respond to reports, investigate, assign corrective action, and verify completion
Safety function	Maintain programs, advise operations, review trends, coordinate training, support investigations, and verify compliance
Safety committee	Surface risks, review trends and controls, and provide employee/management participation
HR/leadership	Support medical, employment, insurance, testing, and high-severity escalation according to current policy

Handoffs

- Employee → supervisor/Safety: immediate hazard, injury, incident, near miss, damaged equipment, or unsafe condition.
- Supervisor → medical/emergency response: care is based on severity and the current response protocol.
- Operations → Safety: investigation facts, equipment/vehicle status, training records, and corrective-action ownership.
- Safety → Operations: required containment, coaching, retraining, process change, and closure verification.

Named contacts belong in a controlled current contact roster so outdated manuals do not direct employees to the wrong person.

Safety Standards Register

Standard	Control	Measure
Immediate reporting	Report injuries, incidents, near misses, hazards, and damaged equipment	Immediately
Stop-work	Stop and secure unsafe work, vehicle, equipment, load, or product	Every unsafe condition
Equipment authorization	Train and authorize before operation	Before independent use
PPE	Use PPE identified for the task and hazard	100% compliance expectation
Housekeeping	Keep aisles, exits, emergency equipment, docks, and work areas clear	Every shift
Vehicle condition	Inspect before use and address defects promptly	Every vehicle use
Investigation	Preserve facts, identify cause, assign action, and verify effectiveness	Every qualifying event
Training	Orientation plus task- and hazard-specific training	Before exposure/independent work and as required thereafter
Documentation	Retain training, inspection, incident, investigation, and corrective-action evidence	Every applicable control

Items Requiring Current-Policy Confirmation

- Current training and safety-committee cadence
- Medical escalation and designated provider process
- Post-accident and reasonable-suspicion testing rules
- Current emergency contacts and assembly areas
- Forklift retraining, suspension, and recertification thresholds
- Current safety scorecard and telematics coaching thresholds

The archived 2019 manual describes monthly training and quarterly committee meetings, but those cadences should be confirmed before being labeled current.

Safety Workflow Maps

Injury or Incident

Injury or Incident

Injury or incident occurs

Next: Stop work and secure scene

Stop work and secure scene

Next: Provide emergency or medical response

Provide emergency or medical response

Next: Notify supervisor and Safety

Notify supervisor and Safety

Next: Preserve evidence and complete initial report

Preserve evidence and complete initial report

Next: Investigate causes and required testing

Investigate causes and required testing

Next: Assign corrective action and retraining

Assign corrective action and retraining

Next: Verify effectiveness and close

Verify effectiveness and close

Hazard or Near Miss

Hazard or Near Miss

Hazard or near miss identified

Next: Stop or contain exposure

Stop or contain exposure

Next: Notify responsible supervisor

Notify responsible supervisor

Next: Document condition and immediate action

Document condition and immediate action

Next: Assess risk and root cause

Assess risk and root cause

Next: Correct equipment process or training

Correct equipment process or training

Next: Verify correction and communicate learning

Verify correction and communicate learning

Equipment Defect

Equipment Defect

Defect or unsafe condition found

Next: Stop equipment

Stop equipment

Next: Prevent use and notify supervisor

Prevent use and notify supervisor

Next: Inspect through authorized process

Inspect through authorized process

Next: Safe and released?

Safe and released?

No: Repair or remove from service; Yes: Document release and return to work

Repair or remove from service

Next: Inspect through authorized process

Document release and return to work

Safety SOP, Forms, and Training Index

Historical Source

- Doyles Sheehan Safety Policy Manual 2019 (not supplied)

Required Controlled Programs

- Injury and incident response
- Near-miss and hazard reporting
- Accident and root-cause investigation
- Emergency Action Plan
- PPE and hazard assessment
- Hazard Communication and SDS access
- Powered industrial truck training and authorization
- Lockout/tagout
- Vehicle and driver safety
- Drug and alcohol testing where applicable
- Fire prevention, first aid, and medical response

Required Forms and Records

- Initial injury/incident report
- Supervisor investigation and root-cause record
- Near-miss or hazard report
- Corrective-action log
- Training attendance and competency records
- Equipment authorization and inspection records
- Vehicle inspection and accident records
- Emergency drill and committee records

Build Queue

- [] Replace the 2019 manual with a reviewed, current controlled manual.
- [] Publish the current medical-response and post-incident testing decision guides.
- [] Link approved incident, near-miss, forklift, and vehicle forms.

- [] Publish the current annual training matrix and committee calendar.
- [] Maintain a current contact and escalation roster outside the policy text.