

Fulfillment

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Fulfillment Binder	3
Fulfillment Charter	4
Fulfillment Ownership and Handoffs	5
Fulfillment Standards Register	6
Fulfillment Workflow Maps	7
Fulfillment SOP, Forms, and Training Index	8
Fulfillment Cover Page	9
Mission, Vision, & Core Values	10
Universal Standards	11
Doyles Sheehan	13
Key Standards	17
DOYLES SHEEHAN	19
Fulfillment Flowcharts	26

Fulfillment Binder

Core Pages

- Fulfillment Charter
- Fulfillment Ownership and Handoffs
- Fulfillment Standards Register
- Fulfillment Workflow Maps
- Fulfillment SOP Forms and Training Index

Detailed Current Content

- Fulfillment Cover Page
- Mission, Vision, & Core Values
- Universal Standards
- Policies
- Fulfillment Department Standards
- Frontline Document
- Fulfillment Flowcharts

Shared Operations

- Operations Binder
- Shared Operating Standards

Fulfillment Charter

Purpose

Convert customer orders into accurate, stable, documented route loads while protecting inventory integrity, controlled-product compliance, food safety, employee safety, and customer billing accuracy.

Scope

- Order release and route prioritization
- Case and piece picking across assigned zones
- Scan verification and short/backstock controls
- Tote construction and product handling
- Cigarette and tobacco stamping controls
- No-pick review, invoicing, staging, and load preparation
- Exception escalation to Inventory, management, or the office

Success

- The correct item and quantity reach the correct customer.
- Physical freight, system transactions, and invoices agree.
- Product is stable, visible, rotated, and undamaged.
- Exceptions are stopped, documented, and resolved before downstream transfer.

Fulfillment Ownership and Handoffs

Role	Core ownership
Pickers and sorters	Scan discipline, accurate quantity, stock checks, rotation, product handling, tote construction, and STOP triggers
Trainers and leads	Direct supervision, competency evaluation, sign-offs, and immediate response to escalations
Invoicing	No-pick audit, upload-status verification, accurate edits, invoice posting, and route documentation
Supervisors and managers	Work priorities, training approval, full-short approval, controlled-goods compliance, performance review, and unresolved exceptions

Department Handoffs

- Inventory → Fulfillment: accurate location, available quantity, item data, and resolved holds.
- Fulfillment → Inventory: shorts, mismatches, damaged or out-of-date product, no-location issues, and system anomalies.
- Fulfillment → Transportation: route freight is staged, documented, invoiced, and ready for physical load verification.
- Fulfillment → Safety: equipment, ergonomic, housekeeping, or incident concerns are reported immediately.

Named assignments remain on current schedules and people records; this page defines process ownership by role so it stays usable when staffing changes.

Fulfillment Standards Register

Standard	Control	Current documented measure
Order accuracy	Track mis-picks, shorts, and overages; escalate discrepancies	99% target in Fulfillment Department Standards
Scan discipline	Successful barcode scan before product enters a tote or lane	100%; no scan = no pick
Short control	Check QOH and RF backstock; manager confirmation for a full short	Every short
Piece-pick tote weight	Stable, organized layers; do not mix non-food chemicals with edible product	40 lb maximum
Product rotation	Use active open cases first and follow documented pick direction	Every pick
Invoice control	Print only when route upload is completed and green in Velocity	Every route
Tax stamps	Maintain jurisdiction log and required stamp coverage	66% minimum coverage for hand-stamped packs
Labor	Compare labor with approved site-specific volume standard	Current binder notes within 5%; validate methodology before scorecard use
Safety	PPE, trained equipment use, safe lifting, clear aisles and staging	100% compliance expectation

Required Review

- Confirm whether the 99% accuracy target remains the approved target at both sites.
- Confirm the approved labor normalization method and overtime target before using either for accountability.
- Review detailed controls in Policies and frontline steps in Frontline Document.

Fulfillment Workflow Maps

Order-to-Load

Order-to-Load

Confirm assignment and route priority

Next: Pick and scan item

Pick and scan item

Next: Item and quantity verified?

Item and quantity verified?

No: Stop and escalate; Yes: Build stable tote or case lane

Stop and escalate

Next: Resolve stock, location, or system issue

Build stable tote or case lane

Next: Complete route and no-pick review

Resolve stock, location, or system issue

Next: Pick and scan item

Complete route and no-pick review

Next: Verify green upload and invoice

Verify green upload and invoice

Next: Stage and hand off for loading

Stage and hand off for loading

Short Decision

Short Decision

Product not in pick slot

Next: Check system QOH

Check system QOH

Next: Check RF backstock or transfer

Check RF backstock or transfer

Next: Any stock located?

Any stock located?

Yes: Pick available quantity; No: Notify lead or manager

Pick available quantity

Next: Order fully filled?

Notify lead or manager

Next: Approve and document full short

Approve and document full short

Order fully filled?

No: Document partial short; Yes: Continue picking

Document partial short

Continue picking

See Fulfillment Flowcharts for detailed task-level maps.

Fulfillment SOP, Forms, and Training Index

Current Procedures

- Policies
- Frontline Document
- Fulfillment Flowcharts

Training Controls

- Competency sign-off before independent work
- STOP triggers and escalation
- Scan discipline
- RF stock check and shorting
- Tote construction and product handling
- Equipment qualification where assigned
- Controlled-goods training where assigned
- Cold-chain training where assigned

Required Records

- Training and competency sign-offs
- Rehire verification, when used
- Picking and accuracy reports
- Short and no-pick review records
- Jurisdiction and stamp count records
- Route upload, invoice, and loader documentation
- Safety or corrective-action records

Build Queue

- [] Link the approved training checklists for MT and ID.
- [] Link the current scorecard and productivity report.
- [] Add controlled document owners and review dates.

Fulfillment Cover Page



FULFILLMENT



Warning: Missing source file Doyles_Sheehan_Fulfillment_Department_Manual.docx was referenced here but was not present in the supplied vault.

Mission, Vision, & Core Values

Doyles Sheehan is committed to providing exceptional products and services that exceed customer expectations, while creating a safe, supportive, and professional workplace where employees can thrive.

Vision

To be the recognized leader in our industry by operating with integrity, efficiency, and excellence — fostering long-term partnerships with our customers, supporting our communities, and building a workplace culture where people are proud to contribute.

Core Values

At Doyles Sheehan we:

- Act with **integrity and honesty** in all dealings.
- Treat others with **respect and courtesy**, as we expect in return.
- Build relationships on **trust and confidence**.
- Stay **customer driven** in everything we do.
- Work as **team players internally** and compete intensely externally.
- Remain **focused while embracing change**.
- Commit to **speed, efficiency, and excellence**.
- Dedicate ourselves to **industry leadership**.
- Communicate **openly, informally, frequently, and with clarity**.
- Show **passion for our mission** and our values.

Core Culture

- **Urgency** – Act now. Don't wait.
- **Problem Solving** – Fix issues as they arise, ask for help when needed.
- **Attention to Detail** – The small things matter.
- **Follow-Through** – If you say it, do it.
- **Communication** – Keep others informed.
- **Customer Focus** – Remember: our customer is our employer.
- **Respect for Co-workers** – Treat colleagues with the same care as customers.
- **Fun** – Work should be enjoyable; bring energy and positivity to the job.

Universal Standards

These standards apply to **all employees** at Doyles Sheehan and form the foundation of every department binder. They are summarized here for daily reference, with links to the full policies in the Employee Handbook and Safety Manual.

1. Code of Conduct & Ethics

- Act with honesty, integrity, and professionalism at all times.
- Treat customers and coworkers with respect and courtesy.
- Follow through on commitments and communicate clearly.

□ *Reference: Employee Handbook, Section 1.7 Employee Conduct Guidelines*

2. Equal Employment & Non-Discrimination

- Doyles Sheehan is an Equal Opportunity Employer.
- Employment decisions are based on performance and merit, not protected characteristics.

□ *Reference: Employee Handbook, Section 1.2 Equal Employment / Non-Discrimination Policy*

3. Harassment & Retaliation

- Harassment of any kind (verbal, physical, visual, electronic) will not be tolerated.
- Retaliation against employees who report concerns is strictly prohibited.

□ *Reference: Employee Handbook, Section 1.3 Policy Against Harassment & Retaliation*

4. Workplace Violence & Threats

- Zero tolerance for violence, intimidation, or threats.
- Firearms and weapons are prohibited on company property or vehicles.

□ *Reference: Employee Handbook, Section 2.3 Workplace Threats & Violence*

5. Drug-Free Workplace

- Use, possession, or being under the influence of alcohol or controlled substances while on duty is prohibited.
- DOT and Non-DOT drivers are subject to pre-employment, random, and post-accident testing.

□ *Reference: Employee Handbook, Section 1.9 Drug-Free Workplace Policy*

- *Reference: Safety Manual, General Policy Review – Drug & Alcohol Testing*

6. Safety & PPE

- All employees must follow safe work practices and wear PPE appropriate to their task.
- Only trained and authorized staff may use forklifts, pallet jacks, or other powered equipment.
- *Reference: Safety Manual, General Safe Work Rules*
- *Reference: Safety Manual, Personal Protective Equipment*

7. Housekeeping & Cleanliness

- Keep aisles, docks, and work areas free of trash and obstructions.
- Cardboard must be broken down and placed in designated containers.
- Smoking and vaping are only allowed in designated outdoor areas.
- *Reference: Safety Manual, Housekeeping*

8. Emergency Procedures

- Know the location of exits, fire extinguishers, and first aid kits.
- Evacuation assembly areas:
 - Missoula → West side of building by Kestrel Way
 - Coeur d'Alene → IT building on the west side of the property
- Report all injuries immediately, no matter how minor.
- *Reference: Safety Manual, Emergency Action Plan*
- *Reference: Employee Handbook, Section 2.4 Emergency Evacuation Procedures & Section 2.5 Employee Injuries*

9. Attendance & Time Reporting

- Call your supervisor at least one hour before your shift if absent.
- Excessive tardiness or absences may lead to disciplinary action.
- All non-exempt employees must clock in/out accurately — no “buddy punching.”
- *Reference: Employee Handbook, Section 3.1 Attendance & Section 3.2 Time Reporting*

Doyles Sheehan

Warning: Missing source file Doyles_Sheehan_Fulfillment_Policies_and_Standards.docx was referenced here but was not present in the supplied vault.

Fulfillment Operational Policies & Performance Standards

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 12, 2026

Applies To: All Operations, Warehouse, Fulfillment, and Invoicing Personnel

Scope: Montana & Idaho Distribution Facilities

1. Onboarding, Competency-Based Training & Bonus Eligibility

□ [POLICY] Competency Over Tenure

All fulfillment personnel—including new hires and rehires—must complete a structured, competency-verified training path before working independently or becoming eligible for performance bonuses. Qualification for independent work and incentive compensation is strictly governed by verified skill acquisition and operational accuracy, not tenure or time served.

□ [STANDARD] Training Sign-Off Requirements

Trainees shall work under direct supervision of a designated Trainer or Lead and may not perform unassisted tasks until formally evaluated and signed off on four critical control points:

- Mandatory STOP triggers and escalation rules.
- Absolute scan discipline (“No scan = no pick”).
- Shorting and backstock verification protocols (RF gun stock checks).
- Proper tote building and product stabilization.

□ [STANDARD] Rehire Fast-Track Metrics & 2-Week Verification

Former fulfillment team members may be fast-tracked provided their break in service is **less than two (2) years**. Rehires must complete Day 1 refresher sign-offs (STOP triggers, scan discipline, RF checks) and complete a mandatory **two-week zero-miss-pick verification period**. Any miss-pick generated during this period resets or voids fast-track status. Any employee separated for more than two years must complete the full new-hire training path without exception.

□ [STANDARD] Bonus Eligibility Gate

An employee becomes bonus eligible only after formal training sign-off is completed by the Lead/Trainer and confirmed by the Supervisor (or upon successful completion of the rehire 2-week zero-error audit window). Bonus tracking commences on the official supervisor-approved date following sign-off.

2. Inventory Integrity & Scan Discipline

□ [POLICY] Strict Scan Compliance

Accurate inventory counts and customer shipments are maintained through strict adherence to physical and digital scanning rules. Bypassing validation steps, guessing locations/products, or placing unconfirmed items into customer totes compromises supply chain integrity and is strictly prohibited.

□ [STANDARD] No Scan = No Pick

100% of items picked or sorted must undergo a successful digital barcode scan prior to physical placement into a tote or customer lane. Manual overrides or verbal assumptions are forbidden. If a scan fails or device errors occur, picking must cease immediately and be escalated to a lead/manager. Unscanned items must never move downstream.

□ [POLICY] Shorting & Backstock Protocol

A short is an official inventory decision, not a guess. No picker or sorter may record a full or partial short without conducting a mandatory RF-gun stock check. Shorting an item to save time is a direct policy violation.

□ [STANDARD] Zero-QOH Validation & Partial Short Execution

To process a **Full Short**, the picker must: (1) verify zero Quantity On Hand (QOH) via system lookup, (2) execute an RF gun stock check (Stock Putaway / Transfer Out) to confirm no unassigned backstock exists, and (3) obtain manager/supervisor confirmation. If partial stock exists, the picker must pick the physical items present and enter the exact count to generate a **Partial Short**.

3. Product Quality, Handling & Tote Construction

□ [POLICY] Product Handling & FIFO Compliance

All products leaving fulfillment must be handled, arranged, and secured to ensure zero damage, full downstream visibility, and strict compliance with First-In, First-Out (FIFO) stock rotation rules.

□ [STANDARD] Tote Loading Architecture

Totes must be packed in a single stable layer with 100% of product descriptions visible without stacking height exceeding the tote rim. Heavy items must be placed at the bottom. Double-faced locations and grey shelving must be picked from right to left, building in balanced layers rather than unstable vertical columns.

□ [STANDARD] Rotation & Picking Order

Pickers must select product from left to right and completely empty open inner cases before opening new master cases. Selecting items from multiple opened cases simultaneously breaks rotation traceability and is strictly prohibited.

4. Controlled Goods & Tax Compliance (Cigarettes)

□ [POLICY] Jurisdiction & Audit Control

Cigarettes and tobacco products are state-regulated and tax-controlled inventory. Operations involving these products require absolute compliance with jurisdiction boundaries, audit tracking, and physical tax stamping standards.

□ [STANDARD] Jurisdiction Release Logging

Batches must be explicitly verified by Jurisdiction and Route prior to system release. Immediately upon releasing a cigarette batch, the releaser must record the Date, Route, Jurisdiction, and their initials on the Jurisdiction Check-Off Sheet.

□ [STANDARD] Tax Stamp Coverage & Hand-Stamp Isolation

Every hand-stamped pack must achieve a **minimum of 66% tax stamp coverage** across every pack in the carton. Specific regulated brands (Camel Wides, Dunhill, Capri, Eve, Virginia Slims, More, Export 'A') must be hand-stamped at the end of each batch, maintained in exact pick/stamp order, and placed into a separate box positioned at the end of the batch.

5. Invoicing Integrity & Order Finalization

□ [POLICY] Billing Accuracy & System Controls

Invoicing finalizes legal ownership and financial obligations. Invoices must accurately reflect physical shipments, and printing/posting must follow strict procedural controls to prevent customer overcharges, billing discrepancies, or system locks.

□ [STANDARD] Pre-Upload Printing Ban

Invoices must **never** be printed prior to the route showing a completed, uploaded GREEN status in Velocity. Printing invoices prematurely prevents edits from holding, leads to customer overcharges for unsent goods, and constitutes a serious operational infraction.

□ [STANDARD] No-Pick Audits & Session Closure

Any item appearing on the "Not Picked" report with an on-hand inventory > 0 must be physically audited in the pick slot and overstock prior to invoicing. If unlocatable, items must be formally routed to WH Days & Inventory Auditor. When editing orders in AS400 (Screen 3-1), operators must use proper exit commands (F3 / F7). Using "L" to unlock an order requires supervisor pre-approval.

6. Escalation & "STOP Trigger" Culture

□ [POLICY] Non-Punitive Escalation Guarantee

Doyles Sheehan maintains a strict **non-punitive escalation culture**. Accuracy always takes precedence over speed. Management guarantees that no employee will be penalized, reprimanded, or pressured for pausing work to verify accuracy via a STOP trigger.

□ [MANDATORY STOP TRIGGERS]

Employees must immediately cease picking/sorting and notify a lead/supervisor if they encounter:

1. **Location Mismatch:** Shelf tag does not match prompt or is missing.
2. **Product Mismatch:** Physical product, flavor, count, or size does not match description.
3. **Quantity Ambiguity:** Quantity is unclear or order displays double lines.
4. **System Anomaly:** Lane lights or tablet quantities fail to illuminate/respond after scanning.
5. **Backstock Uncertainty:** Unsure whether inventory exists or whether to issue full vs. partial short.

6. **Ticket/Jurisdiction Mismatch:** Cigarette tickets fail to print or show mismatched jurisdictions.

7. Piece Picking & Each-Item Handling

□ [POLICY] Package-Level Verification & Chemical Safety

Pickers must scan the specific physical package unit being picked (case barcode for full cases, individual UPC for eaches). To prevent cross-contamination, non-food chemicals or toxic items must never be placed into a tote containing edible consumer products.

□ [STANDARD] Single-Scan Protocol & Tote Weight Limits

A single scan validates SKU identity for the prompt line; pickers must then manually count requested physical quantities. Shipping totes containing piece-picked items must not exceed **40 lbs total weight** and must be built in organized, stable layers.

□ [STANDARD] Master Case Rotation & Split-Tote Procedure

Pickers must pick out of the primary active master case until completely empty before opening a new case to preserve FIFO. If a picked quantity exceeds remaining tote capacity:

- **Items Remaining on Order:** Record exact count placed in tote on packing slip, send tote forward, and continue picking remaining items into a fresh tote.
- **Last Item / End of Route:** Initiate a formal "**Split Tote**" procedure to document physical product location for downstream packing and driver accuracy.

8. Roles & Policy Responsibilities Matrix

Role	Primary Policy & Performance Responsibilities
Pickers & Sorters	Enforce scan discipline ("no scan = no pick"); maintain single-layer tote structure; adhere to 40 lb weight limits; execute RF checks before shorting; strictly adhere to STOP triggers.
Trainers & Leads	Conduct competency evaluations and training sign-offs; oversee rehire 2-week monitoring; immediately respond to and resolve employee STOP trigger escalations.
Invoicing Clerks	Enforce the pre-upload printing ban; conduct physical no-pick audits; execute proper AS400 session exits (F3/F7); complete loader guides and recap sheets. Post the invoices
Supervisors & Managers	Formally sign off on training and rehire bonus eligibility; approve full shorts; enforce tobacco tax jurisdiction compliance; oversee EOD posting in AS400 (Screen 3-6).

Key Standards

1. Order Accuracy (99%)

- Quantities picked vs. order must be 99% accurate.
- Mis-picks, shorts, overages tracked daily.
- Discrepancies documented and communicated immediately.

Tracking Method:

Monthly accuracy percentage reported

2. Picking Efficiency

- Site-specific standards in department binders
- Adjusted for layout and storage constraints.
- Performance tracked per picker and reviewed weekly.

Tracking Method:

Daily productivity reports + weekly performance reviews

3. Stamp Documentation & Compliance

- All stamp orders must include proper documentation per.
- Stamp inventory reconciled once per shift with minimal discrepancies.
- Any stamp shortages or overages reported immediately to management.

Tracking Method:

Stamp Count Sheet

Monthly Count Sheet in CDA

4. Safety Compliance

- Zero lost-time incidents.
- 100% compliance with:
 - PPE requirements
 - Equipment operation standards
 - Safe lifting procedures

- Aisle and staging area safety protocols

5. Labor

- Labor hours tracked against order volume daily
- Target: Maintain labor efficiency within 5% of site-specific standards
- Overtime minimized to <10% of total hours

If Standards Are Not Met

- Root Cause Review within **48 hours**
- Retraining + corrective action assigned
- Weekly follow-up until metrics recover

DOYLES SHEEHAN

Warning: Missing source file Doyles_Sheehan_Fulfillment_Manual.docx was referenced here but was not present in the supplied vault.

Fulfillment Operations Manual: Policies, Standards & SOPs

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 14, 2026

Applies To: All Fulfillment, Picking, Sorting, and Invoicing Personnel

Scope: Montana & Idaho Fulfillment Operations

1. Onboarding, Competency-Based Training & Bonus Eligibility

□ [POLICY] Competency Over Tenure

All fulfillment personnel—including new hires and rehires—must complete a structured, competency-verified training path before working independently or becoming eligible for performance bonuses. Qualification for independent work and incentive compensation is strictly governed by verified skill acquisition and operational accuracy, not tenure or time served.

□ [STANDARD] Training Sign-Off Requirements

Trainees shall work under direct supervision of a designated Trainer or Lead and may not perform unassisted tasks until formally evaluated and signed off on four critical control points:

- Mandatory STOP triggers and escalation rules.
- Absolute scan discipline (“No scan = no pick”).
- Shorting and backstock verification protocols (RF gun stock checks).
- Proper tote building and product stabilization.

□ [STANDARD] Rehire Fast-Track Metrics & 2-Week Verification

Former fulfillment team members may be fast-tracked provided their break in service is **less than two (2) years**. Rehires must complete Day 1 refresher sign-offs (STOP triggers, scan discipline, RF checks) and complete a mandatory **two-week zero-miss-pick verification period**. Any miss-pick generated during this period resets or voids fast-track status. Any employee separated for more than two years must complete the full new-hire training path without exception.

□ [STANDARD] Bonus Eligibility Gate

An employee becomes bonus eligible only after formal training sign-off is completed by the Lead/Trainer and confirmed by the Supervisor (or upon successful completion of the rehire 2-week zero-error audit window). Bonus tracking commences on the official supervisor-approved date following sign-off.

□ [PROCEDURE / SOP] New Hire & Rehire Onboarding Workflow

1. **Interview:** Validate physical requirements, shift availability, and schedule; confirm core expectations (Safety First, Accuracy before Speed).

2. **Job Offer & Acceptance:** Confirm rate, shift, start date, and Day 1 reporting location.
3. **New Hire Orientation:** Complete HR orientation, facility basics (timeclock, breaks, housekeeping, emergency exits), and safety overview (PPE, "Stop and Ask" culture).
4. **Gear Assignment & System Access:** Issue and record RF gun, picking device, batteries, and Pro-Glove (Batch/Sort). Verify logins for CloudPick, Velocity, and station tablets.
5. **Competency Training:** Progress trainee under a Lead/Trainer based on competency mastery rather than elapsed time.
6. **Training Sign-Off:** Formally document competency completion once picker demonstrates consistent scan discipline, stable tote builds, and strict adherence to STOP triggers.
7. **Supervisor Confirmation:** Supervisor activates bonus eligibility start date in the tracking system.

2. Mezzanine Batch Picking & Pick-Slot Verification

☐ [POLICY] Strict Scan Compliance & Visual Verification

Accurate picking requires absolute adherence to digital barcode scanning and physical verification. Bypassing validation steps, guessing locations, or picking based on product packaging alone is strictly prohibited.

☐ [STANDARD] Pick-Slot & Scanning Standards

Pickers must match location numbers exactly starting from the bottom shelf, moving right-to-left. 100% of picks require a successful digital barcode scan (No Scan = No Pick). Double-faced locations on grey shelving must be picked right-to-left and roller locations balanced evenly in layers.

☐ [PROCEDURE / SOP] Batch Pick - Mezz Operational Execution

1. **Shift Start & Setup:** Clock in, inspect assignment board for department/route priority, gather scanner, picking device, and battery; log into CloudPick.
2. **Department Setup:** Stage 3–4 empty totes at the beginning of the mezzanine rollers; clear old packlists, zip ties, and debris.
3. **Login & Batch Selection:** In CloudPick, select Batch Pick → Select region printer → Select Route → Select "No" to split batch prompt.
4. **Read Pick Prompt:** Stop and read shelf location, item description, and packaging unit (CS vs. EA) before moving.
5. **Locate Pick Slot:** Move to bottom shelf, scan right to left, and match location tag exactly.
6. **Verify Product & Scan:** Confirm item description, flavor, size, and pack count; scan the item barcode; confirm successful scan confirmation before placement.
7. **Tote Placement:** Place heavy items on bottom, orient items upright, and construct a stable single layer with all labels visible.
8. **Double-Faced Handling:** Pick right-to-left on grey shelving. On roller shelves, balance inventory between left and right lanes.

9. **Conveyor Release:** Once tote is built in a stable single layer with items fully visible, release tote onto conveyor line.

□ **[MANDATORY STOP TRIGGERS] Batch Picking Escalation**

Pickers must STOP immediately, cease picking, and notify a Lead/Supervisor if:

- Shelf location tag does not match prompt or is missing.
- Item description, flavor, size, or count does not match the physical product.
- Barcode fails to scan (No Scan = No Pick).
- Quantity requested is ambiguous or order displays double lines.
- Double-faced inventory cannot be balanced or backstock status is uncertain.
- Uncertainty of any kind exists — guessing is strictly prohibited.

3. Mezzanine Batch Sortation (Put-to-Light)

□ **[POLICY] Sortation Discipline & Traceability**

Batch sortation governs multi-customer order distribution. Sorters must maintain absolute scan-to-light discipline. One sorting error corrupts downstream customer packing, delivery routing, and billing.

□ **[STANDARD] Put-to-Light Performance Standards**

Sorters must verify item descriptions upon barcode scan, confirm all illuminated lane quantities before placing product, and complete one customer lane at a time. Zero unassigned product may remain after a sort is completed.

□ **[PROCEDURE / SOP] Batch Station Sortation Execution**

1. **Station Setup:** Inspect assignment board, retrieve station-assigned Pro-Glove, pair Pro-Glove with batch station tablet, ensure all sort lanes are clear, and stage an empty tote in each active lane.
2. **Receive Item:** Receive item from conveyor; assess tote capacity before scanning large items to ensure adequate space.
3. **Critical Scan:** Scan item barcode; confirm lane lights illuminate and quantities display per customer lane; verify tablet item description.
4. **Read Lane Quantities:** Identify all illuminated lanes and confirm total pieces match the item in hand before distributing.
5. **Lane Distribution:** Place exact displayed quantity into the lit lane's tote; press the lane batch light to confirm placement; complete one lane at a time.
6. **Distribution Verification:** Confirm no unassigned product remains in hand and no items were placed in unlit lanes; use "Review Sorts" function on tablet if discrepancies occur.
7. **Tote Release:** Push completed/full totes forward to staging; keep incomplete totes in their active lane; maintain a clean, unobstructed conveyor area.

□ **[MANDATORY STOP TRIGGERS] Batch Sortation Escalation**

Sorters must STOP immediately and notify a Lead/Supervisor if:

- Lane lights or tablet quantities do not display after scanning.
- Total lane quantities do not match the physical count in hand.
- The sorter loses track of which lanes were filled during a cycle.
- Product remains unassigned after all illuminated lane lights are extinguished.
- A lane tote receives product without an active illuminated light.

4. Shorting & Inventory Discrepancy Verification

☐ [POLICY] Mandatory Short Verification

A short is an official inventory decision, not a shortcut. Pickers and sorters are strictly prohibited from shorting items to save time. Every short requires systematic electronic verification.

☐ [STANDARD] RF-Gun Verification Standards

Zero shorts are permitted without verifying Quantity On Hand (QOH) via the blue button and performing a mandatory RF-gun stock check (Velocity: Stock Putaway → Transfer Out). Full shorts require supervisor confirmation. Partial shorts must reflect exact physical counts.

☐ [PROCEDURE / SOP] Short Processing Workflow

1. **Pause Picking:** Do not skip ahead or advance screen; keep the affected item prompt active.
2. **Blue Button QOH Check:** Verify QOH via the blue button lookup.
3. **RF Gun Backstock Check:** Open Velocity on RF gun (Login: First & Last Initials / Password: Initials + Last 2 digits of Employee Number) → Navigate to Stock Putaway → Transfer Out → Scan item UPC or shelf location tag.
4. **Backstock Evaluation:** If no yellow "#5" pop-up appears, no backstock is available in the warehouse.
5. **Processing Full Shorts:** If shelf is empty and RF check confirms zero backstock, obtain supervisor confirmation, select "Short Item" (top right icon), and confirm "Yes".
6. **Processing Partial Shorts:** If partial stock is present, pick available quantity, tap quantity field on picking device, and enter the exact count physically picked.

☐ [MANDATORY STOP TRIGGERS] Shorting Escalation

Pickers must STOP and escalate if RF gun responses are ambiguous, backstock locations cannot be accessed, or system discrepancies exist between QOH and shelf reality.

5. Piece Picking & Each-Item Handling

☐ [POLICY] Package-Level Verification & Consumable Safety

Pickers must scan the specific package unit being picked (master case barcode for CS, individual barcode for EA). Non-food chemicals and toxic items must never be placed into totes containing edible consumables.

☐ [STANDARD] Tote Limits & Master Case Rotation

Shipping totes containing piece-picked items must not exceed **40 lbs total weight**. Pickers must pick from the

primary active master case until completely empty before opening a new box to enforce FIFO rotation.

□ [PROCEDURE / SOP] Piece Picking & Split-Tote Workflow

1. **Item Identification & Scan:** Scan the individual each barcode (EA) on the product unit; verify description and count.
2. **Master Case Integrity:** Pick out of the currently opened master case until empty; only open the next master case once previous case is fully depleted.
3. **Tote Loading & Packing:** Place items in organized layers (heavy on bottom, fragile on top); ensure tote weight remains at or under 40 lbs.
4. **Capacity Overflow (Mid-Route):** If picked quantity exceeds tote space and additional items remain on the route, record exact quantity placed in the current tote on the pack slip, release tote, and continue picking remaining items into a new tote.
5. **Split Tote Execution (End-of-Route):** If picked quantity exceeds tote space on the final item of a route, initiate a formal "Split Tote" procedure to document product physical location for packers and drivers.

6. Controlled Goods & Tax Compliance (Cigarettes)

□ [POLICY] State Tax Compliance & Jurisdiction Chain of Custody

Cigarettes are highly regulated tax-controlled inventory. Operations require absolute compliance with jurisdiction boundaries, audit logs, FIFO date rotation, and physical stamping standards.

□ [STANDARD] Tax Stamping & Batch Documentation Standards

Batches must be verified by jurisdiction/route prior to release. Every hand-stamped pack must achieve a **minimum of 66% tax stamp coverage**. Mandatory brands must be hand-stamped in exact sequence and isolated in dedicated cartons.

□ [PROCEDURE / SOP] Cigarette Batch Release, Picking & Stamping Workflow

1. **Batch Release (Computer #1 Upstairs):** Open Batch Manager → Get New Orders → Select batch by priority, jurisdiction, and route → Hold SHIFT and highlight full route → Drag route to Stamping Station 1 → Select "Release Batch" → Confirm "YES" that tickets printed.
2. **Jurisdiction Check-Off Log:** Immediately record Date, Route, Jurisdiction, and releaser initials on the Jurisdiction Sheet above the stamper table.
3. **Picking Execution:** Log into CloudPick → Select Picking → Choose A–B → Pick cartons left-to-right (top flaps oriented up and to the left) → Empty one case completely before opening the next (no picking across multiple cases). On double-faced slots, pick right-to-left.
4. **Hand-Stamping Execution:** For regulated brands (Camel Wides, Dunhills, Capris, Eves, Virginia Slims, Mores, Export 'A'), hand-stamp every pack at ≥ 66% coverage at the end of the batch.
5. **Hand-Stamped Isolation:** Place stamped cartons into a separate box in exact pick order at the end of the batch; hand off to batcher.
6. **Stamper Verification:** Stamper initials completion, tallies and fixes stamps, and submits completed checklist to management.

□ [MANDATORY STOP TRIGGERS] Cigarette Operations Escalation

Cease operations and notify a supervisor immediately if:

- Jurisdiction is unclear or mismatched.
- Batch tickets fail to print correctly.
- Pickup (P/UP) orders appear in batch creation.
- Date rotation cannot be maintained.
- Stamp coverage is \$ < 66%\$.

7. Invoicing Integrity & Order Finalization

□ [POLICY] Billing Accuracy & AS400 System Integrity

Invoices finalize commercial transactions and legal custody. Invoices must accurately reflect physical shipments, and printing/posting must follow strict procedural controls to prevent billing errors and system locks.

□ [STANDARD] Pre-Upload Ban & Audit Standards

Invoices must **never** be printed before route upload yields a GREEN status in Velocity. All no-pick items with on-hand stock \$ > 0\$ must be physically audited. Order edit sessions in AS400 (3-1) must be exited properly using F3 / F7.

□ [PROCEDURE / SOP] Invoicing & End-of-Day Posting Workflow

1. **Pre-Invoicing Verification:** Confirm all route areas are picked and uploaded; verify route displays GREEN status in Velocity; ensure Area A is clear (except P/UP or UPS); verify Daily Task Manager is active.
2. **Load Guide Review (Velocity):** Open Velocity Reports → Select Date & Route → Refresh → Add specials/stops → Save load guide to Dropbox → Delete Freezer/Cooler/Ice Cream/Totals columns → Print for floor count (Lexmark Foreman) → Restore deleted columns and resave.
3. **No-Pick Audit:** In Velocity "Not Picked" tab, audit items with 1+ in On-Hand column → Validate via AS400 (1-5-3) (WH1=Montana; if Available > 0, locate product and add to tote; if Available < 0, item is oversold). Unlocatable stock must be sent to WH Days & Inventory Auditor.
4. **Finalize Route:** Add floor guide edits to Velocity load guide → Enter required details → Finalize route → Confirm email confirmation.
5. **AS400 Order Edits (Screen 3-1):** Access 3-1 → Type customer name → Option 2 (Edit) → Page down to item → Option 2 (Edit item) → Change shipped quantity → F3 (Return) → F7 (Re-price and exit). Verify edit held. (Use "L" command to unlock orders only with supervisor pre-approval).
6. **Print Invoices (Screen 3-5):** Never print before route upload is complete. Go to 3-5 → Enter route → Match with cover sheets → Mark invoices (S or F5) → F10 to print. If an invoice is edited post-print, reprint in 3-1 placing "i" next to invoice and discard old copy.
7. **Coloring & Assembly:** Staple original and copy separately. Highlight original only: Yellow (Stop & Route), Orange (Special/Delivery messages), Green (COD/Cash/Pay with Driver). Discard separate tote manifests.

8. **End of Day Posting (Screen 3-6):** Supervisor verifies 3-5 → Go to 3-6 → Enter 6 and 9s in Routes From → F5 (Select all) → F10 → F6 → Enter "Y" twice to execute automatic posting. (Contact Angie Coates at 406-830-5144 if posting fails).
9. **Loader's Guide Completion:** Record printed time (military), stops, route recap case/tote count, pieces, pallets, invoiced time → Print final copy → Scan/email to Darrin & WH Sups → Deliver physical copy to Fulfillment Manager's desk.

8. Roles & Policy Responsibilities Matrix

Role	Primary Policy, Standard & SOP Responsibilities
Pickers & Sorters	Maintain scan discipline ("No Scan = No Pick"); adhere to single-layer tote architecture; respect 40 lb weight limits; execute mandatory RF checks before shorting; strictly adhere to STOP triggers.
Trainers & Leads	Conduct competency-based onboarding sign-offs; oversee rehire 2-week monitoring; pair Pro-Gloves and oversee batch stations; immediately respond to and resolve STOP trigger escalations.
Invoicing Clerks	Enforce pre-upload printing ban; conduct physical no-pick inventory audits; execute proper AS400 session exits (F3/F7); complete color-coding and final loader guides.
Supervisors & Managers	Formally approve training and rehire bonus eligibility; authorize full shorts; audit tobacco tax jurisdiction compliance; oversee EOD posting in AS400 (Screen 3-6).

Fulfillment Flowcharts

Fulfillment Flowcharts

Start of Shift

Next: Clock in & check assignment

Clock in & check assignment

Next: Confirm department & route priority

Confirm department & route priority

Next: Gather equipment Scanner, device, battery

Gather equipment Scanner, device, battery

Next: Log into picking app

Log into picking app

Next: Department Setup

Department Setup

Next: Stage empty totes (3–4 per roller)

Stage empty totes (3–4 per roller)

Next: Remove old packlists, zip ties, debris

Remove old packlists, zip ties, debris

Next: Read Pick Prompt SLOW DOWN

Read Pick Prompt SLOW DOWN

Next: Read location

Read location

Next: Read item description

Read item description

Next: Read quantity (CS vs EA)

Read quantity (CS vs EA)

Next: Locate Pick Slot Most Common Error Area

Locate Pick Slot Most Common Error Area

Next: Start at bottom shelf

Start at bottom shelf

Next: Move right → left

Move right → left

Next: Location matches screen?

Location matches screen?

No: STOP & ask lead; Yes: Verify Item Accuracy Lives Here

STOP & ask lead

Next: Lead resolves discrepancy

Verify Item Accuracy Lives Here

Next: Item matches? Description + flavor/size/count

Item matches? Description + flavor/size/count

No: STOP — do not pick; Yes: Pick Quantity

STOP — do not pick

Next: Lead resolves discrepancy

Pick Quantity

Next: Confirm CS vs EA

Confirm CS vs EA

Next: Count carefully

Count carefully

Next: Scan UPC

Scan UPC

Next: Scan successful?

Scan successful?

No: STOP — no scan, no pick; Yes: Place Item in Tote

STOP — no scan, no pick

Next: Lead resolves discrepancy

Place Item in Tote

Next: Upright placement

Upright placement

Next: Heavy items on bottom

Heavy items on bottom

Next: Build stable layers

Build stable layers

Next: Double-faced location?

Double-faced location?

Yes: Double-Faced Locations; No: Continue

Double-Faced Locations

Next: Pick right → left on grey shelving

Pick right → left on grey shelving

Next: In rollers: balance left vs right

In rollers: balance left vs right

Next: Build in layers, not columns

Build in layers, not columns

Next: Continue

Continue

Next: Shelf short or empty?

Shelf short or empty?

Yes: Short/Backstock Decision; No: Return to pick flow

Short/Backstock Decision

Next: Pause picking (keep item on screen)

Pause picking (keep item on screen)

Next: Check QOH via Blue Button

Check QOH via Blue Button

Next: RF Gun: Stock Putaway → Transfer Out

RF Gun: Stock Putaway → Transfer Out

Next: Yellow #5 pop-up appears?

Yellow #5 pop-up appears?

Yes: Retrieve from backstock; No: Confirm with manager → Short item

Retrieve from backstock

Next: Return to pick flow

Confirm with manager → Short item

Next: Return to pick flow

Return to pick flow

Next: Tote Handling

Tote Handling

Next: Tote single layer and product 100% visible?

Tote single layer and product 100% visible?

Yes: Send tote to conveyor; No: Rebuild to stable single layer

Send tote to conveyor

Next: Pick Complete

Rebuild to stable single layer

Next: Tote Handling

Lead resolves discrepancy

Next: Read Pick Prompt SLOW DOWN

Pick Complete