

Receiving

Department Binder

OPERATIONS / KNOWLEDGE & TRAINING

Purpose-built reference for department responsibilities, procedures, standards and training.

This edition preserves the supplied operating content. Historical material, pending approvals and missing documents remain identified where present. Formatting is not policy approval.

US Letter • Binder margin • Searchable text • Linked contents

Contents

Receiving Binder	3
Receiving Charter	4
Receiving Ownership and Handoffs	5
Receiving Standards Register	6
Receiving Workflow Maps	7
Receiving SOP, Forms, and Training Index	8
Receiving & Put-Away Binder	9
Mission, Vision, & Core Values	10
Universal Standards	11
Doyles Sheehan Receiving Policies & Standards	13
Standards	21
Department Outline	23
DOYLES SHEEHAN	25
Receiving SOPs	29
Receiving Forms and Templates	30
Training & Compliance	31
Acronyms & Glossary	34
Receiving Flowchart	37

Receiving Binder

Core Pages

- Receiving Charter
- Receiving Ownership and Handoffs
- Receiving Standards Register
- Receiving Workflow Maps
- Receiving SOP Forms and Training Index

Detailed Current Content

- Receiving & Put-Away Binder
- Doyles Sheehan Receiving Policies & Standards
- Standards
- Department Outline
- Frontline Document
- SOPs
- Forms & Templates
- Training & Compliance
- Appendix
- Receiving Flowchart

Shared Operations

- Operations Binder
- Shared Operating Standards

Receiving Charter

Purpose

Control inbound product from carrier arrival through final put-away so only accurate, documented, safe, and acceptable inventory enters the warehouse.

Scope

- Dock appointments and carrier check-in
- Trailer securement and unloading safety
- BOL, PO, quantity, UPC, condition, date, and special-order checks
- TCS and frozen temperature controls
- Overage, shortage, damage, and nonconformance documentation
- Acceptance, refusal, hold, and provisional-acceptance controls
- Scan check-in, staging, put-away, and rotation
- Communication with Purchasing, Inventory, AP, and Operations

Success

- Every receipt is safe, traceable, accurately entered, and physically placed.
- Questionable product is held or refused instead of becoming saleable inventory without authorization.
- Inventory and Fulfillment receive a clean, documented handoff.

Receiving Ownership and Handoffs

Role	Core ownership
Receiving team	Secure dock, verify documents and product, inspect, temperature-check, scan, stage, and report exceptions
Put-away team	Scan movement, verify destination, rotate stock, confirm placement, and report location or condition issues
Floor lead	Direct daily workload, coordinate dock and put-away flow, resolve immediate issues, and escalate exceptions
Receiving manager	Own normal receiving process, appointments, training, records, compliance, and Purchasing communication
Inventory	Audit, research, QC, location, date, and inventory exceptions; normal receiving remains with Receiving
Purchasing	Make authorized product-acceptance decisions for exceptions that require buyer direction

Current MT Working Ownership

- Receiving process: Nanette
- Inventory/QC support: Ian

The current Inventory planning record states that the main Receiving line and normal workflow should remain with Receiving, not be transferred to Inventory Control.

Handoffs

- Receiving → Inventory: accepted quantity, system receipt, put-away status, holds, damages, dates, UPC issues, and location exceptions.
- Receiving → Fulfillment: product is available only after the required receiving and put-away transactions are complete.
- Receiving → Purchasing/AP: OSD, condition, date, temperature, special-order, and document exceptions.
- Receiving → Safety: dock, trailer, equipment, spill, injury, or hazard concerns are reported immediately.

Receiving Standards Register

Standard	Control	Current documented measure
Trailer entry	Chock wheels and secure dock before entry	100%
TCS control	IR screen, probe when required, document deviation, and obtain authorized disposition	At or below 41°F for TCS
Frozen control	Verify and protect frozen condition	At or below 0°F
Receiving accuracy	Match PO, BOL, item, UPC, and quantity; document discrepancies	98% target in Standards
OSD communication	Note BOL, photograph evidence, record issue, and notify Purchasing	Same day
Special orders	Verify against documents and report to the correct facility distribution list	Every special order
Put-away	Scan staged product and destination; rotate and confirm system update	Every movement
Questionable product	Isolate, label, document, and hold or refuse pending authorized decision	No uncontrolled release

Acceptance Controls

- Only Purchasing may authorize acceptance of out-of-range TCS product under the current receiving policy.
- If Purchasing cannot be reached, refuse out-of-range TCS product.
- Provisional acceptance is limited to the documented criteria and does not remove the need for labeling, segregation, logging, and buyer follow-up.

Required Review

- Confirm whether the 98% receiving-accuracy target remains approved for both locations.
- Align the detailed flowchart's temperature decision labels with the current 41°F TCS threshold.
- Confirm current approval contacts before publishing names or phone trees.

Receiving Workflow Maps

Inbound Receipt

Inbound Receipt

Carrier check-in and documents

Next: Chock and secure dock

Chock and secure dock

Next: Unload and inspect

Unload and inspect

Next: Temperature or product exception?

Temperature or product exception?

No: Verify item and quantity; Yes: Stop, isolate, document, and contact owner

Verify item and quantity

Next: Scan receipt and stage

Stop, isolate, document, and contact owner

Next: Authorized disposition?

Authorized disposition?

Refuse: Document refusal and return; Accept or hold: Verify item and quantity

Document refusal and return

Scan receipt and stage

Next: Scan put-away and rotate

Scan put-away and rotate

Next: Confirm system and physical handoff

Confirm system and physical handoff

OSD Control

OSD Control

Identify overage shortage or damage

Next: Protect and separate affected product

Protect and separate affected product

Next: Photograph product and documents

Photograph product and documents

Next: Note BOL and receiving record

Note BOL and receiving record

Next: Notify Purchasing the same day

Notify Purchasing the same day

Next: Follow authorized hold accept adjust or refuse direction

Follow authorized hold accept adjust or refuse direction

Next: Verify system and physical disposition

Verify system and physical disposition

See Receiving Flowchart for the detailed task-level map.

Receiving SOP, Forms, and Training Index

Current Procedures

- Doyles Sheehan Receiving Policies & Standards
- Frontline Document
- Receiving Flowchart

Required Forms and Records

- BOL and receiving record
- Receiving and temperature logs
- Temperature Deviation Investigation Report
- Non-Conformance Report
- OSD evidence and communication record
- Provisional acceptance record
- Special-order documentation
- Put-away and scan records
- Training sign-offs

Training Controls

- Dock and chock safety
- Product and document inspection
- TCS/frozen screening and probe method
- Acceptance, refusal, hold, and escalation authority
- OSD and special-order communication
- RF receiving and put-away
- FIFO/FEFO and date-code handling
- Equipment qualification where assigned

Build Queue

- [] Replace placeholder pages SOPs and Forms & Templates with approved links.
- [] Add document owners, revision dates, and facility-specific exceptions.
- [] Confirm that every form used in MT and ID is represented.

Receiving & Put-Away Binder



RECEIVING



Warning: Missing source file Doyles_Sheehan_Receiving_Department_Manual.docx was referenced here but was not present in the supplied vault. Standards Universal Standards

Mission, Vision, & Core Values

Doyles Sheehan is committed to providing exceptional products and services that exceed customer expectations, while creating a safe, supportive, and professional workplace where employees can thrive.

Vision

To be the recognized leader in our industry by operating with integrity, efficiency, and excellence — fostering long-term partnerships with our customers, supporting our communities, and building a workplace culture where people are proud to contribute.

Core Values

At Doyles Sheehan we:

- Act with **integrity and honesty** in all dealings.
- Treat others with **respect and courtesy**, as we expect in return.
- Build relationships on **trust and confidence**.
- Stay **customer driven** in everything we do.
- Work as **team players internally** and compete intensely externally.
- Remain **focused while embracing change**.
- Commit to **speed, efficiency, and excellence**.
- Dedicate ourselves to **industry leadership**.
- Communicate **openly, informally, frequently, and with clarity**.
- Show **passion for our mission** and our values.

Core Culture

- **Urgency** – Act now. Don't wait.
- **Problem Solving** – Fix issues as they arise, ask for help when needed.
- **Attention to Detail** – The small things matter.
- **Follow-Through** – If you say it, do it.
- **Communication** – Keep others informed.
- **Customer Focus** – Remember: our customer is our employer.
- **Respect for Co-workers** – Treat colleagues with the same care as customers.
- **Fun** – Work should be enjoyable; bring energy and positivity to the job.

Universal Standards

These standards apply to **all employees** at Doyles Sheehan and form the foundation of every department binder. They are summarized here for daily reference, with links to the full policies in the Employee Handbook and Safety Manual.

1. Code of Conduct & Ethics

- Act with honesty, integrity, and professionalism at all times.
- Treat customers and coworkers with respect and courtesy.
- Follow through on commitments and communicate clearly.

□ *Reference: Employee Handbook, Section 1.7 Employee Conduct Guidelines*

2. Equal Employment & Non-Discrimination

- Doyles Sheehan is an Equal Opportunity Employer.
- Employment decisions are based on performance and merit, not protected characteristics.

□ *Reference: Employee Handbook, Section 1.2 Equal Employment / Non-Discrimination Policy*

3. Harassment & Retaliation

- Harassment of any kind (verbal, physical, visual, electronic) will not be tolerated.
- Retaliation against employees who report concerns is strictly prohibited.

□ *Reference: Employee Handbook, Section 1.3 Policy Against Harassment & Retaliation*

4. Workplace Violence & Threats

- Zero tolerance for violence, intimidation, or threats.
- Firearms and weapons are prohibited on company property or vehicles.

□ *Reference: Employee Handbook, Section 2.3 Workplace Threats & Violence*

5. Drug-Free Workplace

- Use, possession, or being under the influence of alcohol or controlled substances while on duty is prohibited.
- DOT and Non-DOT drivers are subject to pre-employment, random, and post-accident testing.

□ *Reference: Employee Handbook, Section 1.9 Drug-Free Workplace Policy*

- *Reference: Safety Manual, General Policy Review – Drug & Alcohol Testing*

6. Safety & PPE

- All employees must follow safe work practices and wear PPE appropriate to their task.
- Only trained and authorized staff may use forklifts, pallet jacks, or other powered equipment.
- *Reference: Safety Manual, General Safe Work Rules*
- *Reference: Safety Manual, Personal Protective Equipment*

7. Housekeeping & Cleanliness

- Keep aisles, docks, and work areas free of trash and obstructions.
- Cardboard must be broken down and placed in designated containers.
- Smoking and vaping are only allowed in designated outdoor areas.
- *Reference: Safety Manual, Housekeeping*

8. Emergency Procedures

- Know the location of exits, fire extinguishers, and first aid kits.
- Evacuation assembly areas:
 - Missoula → West side of building by Kestrel Way
 - Coeur d'Alene → IT building on the west side of the property
- Report all injuries immediately, no matter how minor.
- *Reference: Safety Manual, Emergency Action Plan*
- *Reference: Employee Handbook, Section 2.4 Emergency Evacuation Procedures & Section 2.5 Employee Injuries*

9. Attendance & Time Reporting

- Call your supervisor at least one hour before your shift if absent.
- Excessive tardiness or absences may lead to disciplinary action.
- All non-exempt employees must clock in/out accurately — no “buddy punching.”
- *Reference: Employee Handbook, Section 3.1 Attendance & Section 3.2 Time Reporting*

Doyles Sheehan Receiving Policies & Standards

1. Purpose

The purpose of this policy is to establish clear and standardized guidelines for the Receiving department at Doyles Sheehan. This policy is designed to ensure the accurate and efficient receipt of goods, maintain inventory integrity, and provide clarity to receiving managers and other departments. By addressing frequent discrepancies and reducing grey areas in uncommon circumstances, we aim to create a consistent and reliable receiving process.

This policy supports our broader commitment to customer satisfaction, industry leadership, operational excellence, and collaboration across all departments. By implementing these procedures, we seek to minimize errors, streamline operations, and enhance communication, ultimately contributing to our reputation as a leader in the industry.

2. Scope

This policy applies to all employees involved in the receiving process at Doyles Sheehan, including the receiving team, stocking team, receiving managers, inventory control team, and the director of operations. The purchasing department will also be involved, particularly in establishing guidelines for areas such as provisional acceptance.

This policy covers all activities related to the receipt of goods, specifically pre-packaged unexposed, temperature-controlled products. While Doyles Sheehan is exempt from FSMA regulations for handling raw materials and produce, we are committed to following FSMA guidelines for proper handling, storage, and traceability. This includes temperature monitoring and documentation for all temperature-controlled products, as well as adhering to standards for product inspection, proper hygiene, food handling and traceability, food training, and proper storage.

This policy is applicable to both of our warehouse locations, ensuring consistency and compliance across all facilities.

3. Definitions

- **Bill of Lading (BOL):** A legal document between a shipper and carrier detailing the type, quantity, and destination of the goods being shipped.
- **Receiving Log:** A documented record of all goods received, including date, time, quantity, condition, and any discrepancies.
- **Inspection:** The process of checking goods upon arrival to ensure they meet quality and quantity standards as outlined in the purchase order.
- **Inventory Management System (IMS):** The system used by [Your Company Name] to track inventory levels, orders, sales, and deliveries. This system is critical for ensuring inventory accuracy and traceability.

- **Provisional Acceptance:** The temporary acceptance of goods into inventory pending further investigation or resolution of discrepancies such as overages, shortages, or damages.
- **FSMA (Food Safety Modernization Act):** A U.S. law that aims to ensure the safety of the food supply by focusing on preventing contamination. While [Your Company Name] is exempt from handling raw materials and produce, we adhere to FSMA guidelines for the proper handling, storage, and traceability of temperature-controlled products.
- **Food Safety Plan:** A document created by the PCQI outlining Doyle's Sheehan's policies and procedures around FSMA. Also has applicable exemptions.
- **Non Conformance Report (NCR):** Includes details about the non-conformance, its root cause, and the corrective actions taken to address the issue.
- **Temperature Deviation Investigation Report:** This report should detail the investigation into the cause of the deviation, including any findings and reasons for acceptance of deviation.
- **Temperature-Controlled for Safety (TCS):** Products that require specific temperature conditions to ensure they remain safe for consumption, typically within the safe zone, which will be defined elsewhere in this document.
- **Temperature-Controlled for Quality (TCQ):** Products that require specific temperature conditions to maintain their quality, even if not directly related to food safety.
- **Subject to Count (STC):** Items that require a count verification upon receipt to ensure that the quantity matches the purchase order.
- **Overages, Shortages, and Damages (OSD):** Refers to discrepancies where the received quantity does not match the order quantity (overages or shortages), or where products are received in a damaged condition.
- **Pre-Packaged Unexposed Products:** Products that are sealed and not exposed to the environment, ensuring they remain uncontaminated during the receiving process.
- **Safe Zone:**
 - **Definition:** The temperature range in which temperature-controlled products, particularly food items, are safely stored to prevent the growth of harmful bacteria. For most perishable foods, the safe zone is typically at or below 40°F (4°C) for refrigerated items and at or below 0°F (-18°C) for frozen items.
 - **Application:** All Temperature-Controlled for Safety (TCS) products must be maintained within the safe zone during receiving, storage, and handling to ensure they remain safe for consumption.
- **Danger Zone:**
 - **Definition:** The temperature range between 41°F and 135°F (5°C and 57°C) where harmful bacteria can rapidly grow, leading to foodborne illnesses. Food products should not be stored or held within this temperature range for extended periods.
 - **Application:** TCS products must be kept out of the danger zone at all times. If any TCS product is found to be within this range during the receiving process, it must be flagged for immediate review and potentially rejected or disposed of according to company policy and FSMA guidelines.

4. Policy Statement

Doyles Sheehan is committed to maintaining the highest standards in our receiving operations to ensure the accuracy, efficiency, and safety of all goods received. This policy is designed to uphold our commitment to customer satisfaction, operational excellence, and industry leadership by establishing clear guidelines for the receiving process.

We prioritize the proper handling, storage, and documentation of temperature-controlled products in compliance with FSMA guidelines, ensuring that all products are received in a manner that maintains their safety and quality. Our receiving procedures are designed to minimize discrepancies, such as overages, shortages, and damages, and to provide clear direction for handling any issues that arise.

By adhering to these standards, we aim to maintain the integrity of our inventory, support the effectiveness of our operations, and contribute to the overall success and reputation of Doyles Sheehan

5.1 Pre-Receiving Preparation

Scheduling Deliveries:

- The receiving team is typically contacted by the carrier to inform them that a delivery is ready. Whenever possible, the team will schedule the delivery within designated receiving hours. However, there may be instances where scheduling is not feasible, and the carrier may arrive with the product without prior notice. In such cases, the receiving team will make every effort to accommodate the delivery.

Purchase Orders and Shipping Documents:

- All incoming shipments are associated with a Purchase Order (PO) in the Inventory Management System (IMS). Due to the variance in shipping schedules, the PO alone does not always provide precise insight into when or how the product might arrive.
- The receiving team will request shipping documents, such as the Bill of Lading (BOL), prior to the arrival of the shipment. While compliance with this request may vary among carriers and vendors, having these documents in advance helps ensure efficient processing upon arrival.

Carrier and Vendor Requirements:

- Carriers and vendors are required to make appointments during designated receiving hours to ensure smooth and efficient processing of deliveries.
- Carriers must unload their own trucks upon arrival. If they are unable or unwilling to do so, they should be prepared to incur unloading fees as stipulated in the vendor contract.
- Temperature records of the trip must be available for inspection upon request, particularly for temperature-controlled products, to ensure compliance with FSMA guidelines and maintain product safety and quality.

Special Orders:

- Special orders, which are made and delivered outside of regular schedules, require close coordination between the purchasing and receiving teams. To facilitate accurate and timely processing, it is important that the purchasing, or any, department provides the receiving team with updates and detailed information about special

orders as soon as they become available.

- When special items are placed for sales reps, purchasing will approve the item and send the Special Order form to doylesreceiving@doyleswholesale & -FOR ID , & Sheehanreceiving@sheehanmajestic This will inform receiving of what and where it is going.

Unscheduled Arrivals:

- In the event that a carrier arrives without a scheduled appointment, the receiving team will prioritize scheduled deliveries but will make every effort to accommodate the unscheduled delivery. Unscheduled arrivals may experience delays or incur additional fees as per company policy.

5.2 Receiving Goods

Arrival and Verification:

- When a delivery is scheduled, the receiving team ensures that a dock is ready for the truck upon arrival. Once the truck backs into the receiving dock, the team initiates the Chock Policy to secure the truck and prepare it for unloading.

Unloading and Initial Inspection:

- During the unloading process, the receiving team inspects all products for signs of damage, including any visible physical damage or packaging issues.
- Any and all discrepancies in Cigs or Tobacco need to have verification from managers.
- For TCS (Temperature-Controlled for Safety) products, the team also audits for any signs of bacteria growth or adulteration by checking for unusual smells and ensuring that the ambient temperature is appropriate.
- TCS products are initially temperature-checked using a NIST certified infrared (IR) thermometer. If the product temperature appears to be above 41°F, one item is damaged and probed directly with a calibrated thermometer to get an accurate internal temperature.
- **If the TCS product is within the safe temperature range:** The product is received and staged for Detailed Inspection.
- **If the TCS product is outside the safe temperature range:**
 - The receiving team must immediately store product in appropriate environment and communicate with the relative categories purchasing department. If they do not answer then communicate to Kyle K., and then Derek L.. If purchasing cannot be reached within 20 minutes, and the carrier is willing to wait, the product will be refused and documentation, including a picture of the temperature reading and an entry in the receiving log, will be created. The product will be sent back as the carrier will not wait, and the company cannot accept the product without purchasing's permission.
 - If the purchasing department authorizes acceptance, they will follow up with the vendor, and the receiving team will initiate a Temperature Deviation Inspection Report and a Non-Conformance Report (NCR). Both reports will be filed with the Food Safety Plan.

Handling Immediate Issues:

- **New Items Sent Without Prior Notice:**

- If new items are sent *without prior notice* and the receiving team cannot reach the purchasing category department, the assumption will be that the items are a miss-pick from the warehouse, and the receiving will follow our Provisional Acceptance protocols in 5.5.

Special Cases for Off-Hours Deliveries:

- Regular staff is not available during off-hours. If a delivery arrives during these times, the receiving team will generally be unavailable to accept it. However, if accommodations can be made, additional fees will be incurred due to the extra staffing required to handle the delivery.
- All off-hours deliveries must be communicated in advance, and any necessary arrangements must be coordinated with both the receiving and purchasing departments.

5.3 Detailed Inspection

Detailed Inspection:

- After the initial unloading and temperature checks, all products undergo a detailed inspection. This includes:
 - Verifying the quantity and condition of the goods.
 - Checking for any damages or defects that were not visible during the initial inspection.
 - For TCS products, confirming that all items remain within the safe temperature range.
- Any discrepancies found during this inspection are documented in IMS and the products are flagged for further review.

Handling Items Not Listed on the BOL:

- If items are received that are not listed on the Bill of Lading (BOL), the receiving team will attempt to contact the purchasing department for verification and further instructions.
- **If the purchasing department is unreachable:**
 - The receiving team may provisionally accept the items if:
 - The items appear to be part of a logical extension of the existing order (e.g., related products or commonly ordered items).
 - The product is in good condition and does not present any immediate concerns.
 - However, if there is significant doubt or the items do not seem to fit with the usual order, the receiving team should err on the side of caution and refuse the items, documenting the refusal in the receiving log.

5.4 Storage and Staging

Storage Requirements:

- **TCS (Temperature-Controlled for Safety) Products:** After passing the detailed inspection, TCS products are stored in clean, temperature-controlled environments that meet the specific needs of the products. All storage

and handling of TCS products are conducted according to the Food Safety Plan, ensuring that safety and quality standards are consistently maintained.

Staging for Further Processing or Shipping:

- Staging of products are handled as part of the Fulfillment team's processes and procedures. No specialized labeling is required beyond standard FIFO (First-In, First-Out) practices for dated products. Proper inventory control is maintained through the IMS.

Inventory Management:

- At check-in and during put-away, products are scanned to be both received and then scanned again into their appropriate location or overstock for fulfillment. This ensures that inventory records within the IMS are accurate and up to date.
- **Verification:** The receiving team verifies that the quantities and locations in the IMS match the actual products in storage or staging to maintain inventory accuracy.
- **Regular Audits:** Routine audits of stored and staged goods are conducted to ensure inventory accuracy and proper storage conditions.

5.5 Handling Discrepancies and Provisional Acceptance

Handling Discrepancies (OSDs and Date Issues):

- **Overages:** If the quantity of goods received exceeds the amount listed on the Purchase Order (PO) or Bill of Lading (BOL), the receiving team will:
 - Attempt to contact the purchasing department for instructions on whether to accept or return the excess items.
 - **If the purchasing department is unreachable:** The overage will be flagged, and the excess items will be held in a designated area until further instructions are received. Provisionally accepted overages will be clearly documented in the Inventory Management System (IMS), the receiving log, and an email to purchasing & payables with all the relevant information.
- **Shortages:** If the quantity of goods received is less than the amount listed on the PO or BOL, the receiving team will:
 - Document the shortage in the receiving log and IMS.
 - Notify the purchasing & payables department as soon as they are reachable to determine whether to adjust the order or follow up with the vendor.
- **Damages:** If any products are received in a damaged condition:
 - The damaged items will be documented with photos, a copy or picture of the BOL, and noted in the receiving log.
 - For questionable instances the receiving department will reach out to purchasing for guidance.
 - In general, if the item is in sellable condition and only the outer box is damaged receiving will accept the item.

- **Date Issues (Short-Dated or Expired Products):**

- Any products found to be at or below their minimum required dates will be flagged.
- The receiving team will attempt to contact the purchasing department to decide whether to accept or refuse these items.
- **If the purchasing department is unreachable:** Short-dated items may be provisionally accepted if they are within 10% of the acceptable date range, as previously defined by the purchasing department policies. Expired products should be refused. All actions must be documented, communicated to purchasing, and the items held separately until a final decision is made.

Provisional Acceptance:

- **Criteria for Provisional Acceptance:**

- Provisional acceptance will only be used when the purchasing department is unreachable and immediate decisions are needed to avoid delays.
- Brevity is critical because carriers typically wait only about 20 minutes or less before deciding to leave.
- The product must be in good condition, and any discrepancy (e.g., overage, shortage, damage, or date issue) should be minor and manageable.

- **Specific Thresholds:**

- Date issues: Items within 10% of the acceptable date range may be provisionally accepted.
 - For below minimum date items go into 1-2-1 in IMS, then Shift+F2. If we sell a lot of that product and have a minimum amount, that should be one of the factors.
- TCS (Temperature-Controlled for Safety) products must remain within the safe temperature range.

- **Documentation and Communication:**

- All provisionally accepted items will be documented in the receiving log and IMS, including the reason for provisional acceptance and the attempts made to contact the purchasing department.
- The receiving team will label and store provisionally accepted items in a designated area, separate from fully accepted inventory.
- The purchasing department must be informed as soon as possible, and they will provide final instructions on how to proceed.

6. Monitoring and Compliance

Monitoring Procedures:

- The effectiveness of the receiving policies and procedures will be monitored through regular audits and checks by the receiving managers and the inventory control team. These audits will include:
 - Reviewing documentation and logs to ensure that all steps in the receiving process are properly recorded.
 - Conducting random inspections of stored and staged products to verify that they meet the standards outlined in this policy.

- Regularly checking the Inventory Management System (IMS) to ensure that inventory records are accurate and up to date.

Compliance Accountability:

- Compliance with these policies is mandatory for all members of the receiving team. Failure to adhere to these procedures may result in disciplinary action, up to and including termination, depending on the severity of the violation.
- In cases of non-compliance, the responsible individual(s) will be required to undergo retraining to reinforce the importance of following these procedures and to prevent future occurrences.

Continuous Improvement:

- These procedures will be reviewed annually or whenever significant changes occur in operations, regulations, or best practices. The director of operations, in consultation with the receiving managers and the purchasing department, will be responsible for ensuring that this policy remains relevant and effective.
- Feedback from the receiving team and other stakeholders will be encouraged to identify areas for improvement and to make adjustments as needed.

Standards

Summary

This manual covers the key standards and procedures for receiving and put-away operations. The content is organized to ensure compliance with FSMA regulations, maintain receiving accuracy, establish clear communication protocols, manage special orders, and uphold safety standards.

Key Standards Overview

1. FSMA/Temperature Log Compliance (100%)

- All TCS (Time/Temperature Control for Safety) products must have temperature logs completed
- IR + probe method must be followed for all temperature checks
- Any temperature deviations require immediate documentation via Temp Deviation Report and NCR (Non-Conformance Report)
- Tracked through daily Receiving Log Audits and FSMA Binder Checks

2. Receiving Accuracy (98% Target)

- Quantities received must match purchase orders with 98% accuracy
- All discrepancies must be documented and communicated immediately upon discovery
- Damaged, shorted, or shattered items require photo documentation
- Tracked through Vendor Buy-Backs, purchasing reports, AP reports, and SharePoint List

3. Communication Protocols

100% adherence required for all product issues:

- **OSD (Overage/Shortage/Damage):** Same-day reporting to Purchasing with photos, BOL notes, issue description, vendor name, and PO number
- **Temperature Issues:** Immediate documentation and reporting; products held pending approval or refused if Purchasing unavailable
- **Quality Issues:** Document with photos and report before finalizing receipt for any abnormalities (spoilage, incorrect labeling, pests, etc.)

4. Special Orders

- Verify all special orders against vendor documents
- Communicate discrepancies immediately to designated distribution lists:
 - Doyle's: doylesspecialorders@doyleswholesale.com
 - Sheehan: sheehanspecialorders@sheehanmajestic.com

5. Safety Compliance

- Zero Lost Time incidents target
- 100% compliance with chock policy, safe unloading, temperature checks, product inspection, and FIFO rotation

Important Note

Receiving errors cannot be attributed to a person the majority of the time. Our focus is on system improvements and clear processes to prevent errors before they occur.

Non-Compliance Response

- Root Cause Review required within 48 hours of any standard not being met
- Retraining and corrective action assigned as needed
- Weekly follow-up conducted until metrics recover to target levels

Department Outline

Purpose & Scope

The Receiving & Put-Away Department manages the flow of all inbound product from carrier arrival to final warehouse storage. The team is responsible for ensuring accuracy, safety, and compliance in every step of the process.

Scope includes:

- All deliveries to company warehouses (scheduled and unscheduled)
- Inspection, documentation, and staging of inbound product
- Put-away of product into designated warehouse locations
- Communication with Purchasing, Inventory Control, and Operations

Roles & Responsibilities

Receiving Team Members

- Greet carriers and secure trucks/docks safely
- Verify shipments against purchase orders and bills of lading
- Inspect shipments for accuracy, quality, and damage
- Perform and record temperature checks on TCS products
- Stage product for detailed inspection and put-away
- Report UPC mismatches, not located, short dates, and damaged items
- Verify scan data post check-in

Put-Away Team Members

- Scan and move product from staging to designated warehouse locations
- Follow FIFO for dated products
- Maintain slotting accuracy and update inventory system during put-away
- Report discrepancies, damages, or unsafe conditions immediately

Receiving Manager

- **Treat employees as customers, with respect and integrity**
- Coordinate dock schedules and truck appointments
- Ensure compliance with FSMA, company policies, and safety standards
- Review and approve documentation (receiving logs, temperature reports, NCRs)
- Communicate OSD issues and provisional acceptance needs with Purchasing

- Provide training, coaching, and corrective action when needed

Floor Lead

- Supervises daily dock operations and team productivity
- Allocate resources based on inbound volume and staffing levels
- Maintain communication between Receiving and Put-Away teams
- Troubleshoot immediate operational issues and escalate when necessary

KPIs & Scorecard

The Receiving & Put-Away Department is measured against the following performance indicators:

- **Receiving Accuracy** – % of shipments processed without errors or discrepancies
 - Monitored on a monthly basis with warehouse managers referencing error reports and AP/Buyback report.
- **Put-Away Accuracy** – % of product stored in the correct location on first attempt.
 - Logged by employee on deduction spreadsheet
- **Compliance** – % of TCS temperature checks documented within guidelines
 - Logged on Receiving Logs Reviewed weekly
- **Safety** – Zero tolerance for preventable workplace injuries or unsafe practices

DOYLES SHEEHAN

Warning: Missing source file Doyles_Sheehan_Receiving_Manual.docx was referenced here but was not present in the supplied vault.

Inbound Receiving & Put-Away Operations Manual: Policies, Standards & SOPs

Document Owner: Brenden Magill (not supplied), Director of Operations and Safety

Effective Date: August 14, 2026

Applies To: All Receiving, Inbound Dock, Put-Away, and Quality Personnel

Scope: Montana & Idaho Inbound Logistics Facilities

1. FSMA Compliance & Temperature Control (TCS)

□ [POLICY] FSMA Food Safety & Cold Chain Integrity

Doyles Sheehan strictly enforces FSMA regulatory compliance across all Time/Temperature Control for Safety (TCS) products. Inbound products deviating from safe cold-chain standards present potential public health hazards and shall not enter active warehouse inventory without formal quality authorization.

□ [STANDARD] 100% Temperature Log Compliance & Dual-Check Method

100% of inbound TCS shipments must have verified temperature documentation completed immediately upon carrier docking. Temperature audits require the Infrared (IR) + Probe dual-method. Any temperature deviation requires immediate execution of a Temperature Deviation Report and Non-Conformance Report (NCR), audited daily via Receiving Logs and FSMA Compliance Binders.

□ [PROCEDURE / SOP] Inbound TCS Temperature Verification Workflow

1. **Carrier Docking & Staging:** Secure trailer with wheel chocks; inspect trailer reefer set-point display before opening doors.
2. **Dual Temperature Check:** Take infrared (IR) surface reading upon opening; perform internal probe temperature check on representative cases.
3. **Log Recording:** Record date, carrier, PO number, product description, and exact IR/probe temperatures on the physical Receiving Log.
4. **Deviation Quarantine:** If temperatures exceed approved thresholds, immediately quarantine the product, apply hold status, notify Purchasing, and complete a Temperature Deviation Report & NCR.
5. **Daily Audit Filing:** Place completed receiving temperature logs into the active FSMA Compliance Binder for management audit.

□ [MANDATORY STOP TRIGGERS] Cold Chain Escalation

Cease receiving and quarantine product immediately if: (1) temperature logs fail dual-check validation, (2) trailer reefer is inoperable or displaying error codes, or (3) product exhibits signs of thawing, crystallization, or temperature abuse.

2. Inbound Receiving Accuracy, Inspection & OSD Protocols

□ [POLICY] Receiving Quality Assurance & Systemic Error Prevention

Inbound goods must be rigorously inspected against vendor Purchase Orders (PO) and Bills of Lading (BOL). Receiving discrepancies are addressed through root-cause analysis and continuous system improvement to prevent downstream picking and replenishment errors.

□ [STANDARD] 98% Receiving Accuracy & Same-Day OSD Reporting

Receiving operations must maintain a minimum 98% PO-to-receipt match accuracy. 100% of Overage, Shortage, and Damage (OSD), UPC mismatches, or quality defects require same-day photographic documentation and notification to Purchasing via the SharePoint tracking list.

□ [PROCEDURE / SOP] Inbound Unloading, PO Check-In & OSD Reporting

1. **Carrier Check-In:** Verify delivery appointment, obtain BOL, and ensure trailer wheels are chocked prior to entering.
2. **Unloading & Physical Inspection:** Unload product to receiving staging lanes; inspect cartons for crushed, torn, shattered, or short-dated inventory.
3. **PO Verification & Scan Data:** Count physical cases against PO lines; verify UPC barcodes match system master; confirm scan data post check-in.
4. **OSD Documentation:** For any overage, shortage, or damage: take clear digital photos, document discrepancies on the BOL, record vendor name and PO number, and submit same-day report to Purchasing via SharePoint List.
5. **Non-Compliance Review:** If accuracy falls below 98%, initiate a Root Cause Review within 48 hours and conduct weekly follow-ups until metrics recover.

3. Special Orders Handling & Communication

□ [POLICY] Special Order Isolation & Dedicated Routing

Special orders represent dedicated customer commitments and must be handled with priority, physically isolated from general inventory, and verified with 100% accuracy against vendor documents.

□ [STANDARD] Zero-Discrepancy Special Order Routing

Special orders must be verified against vendor paperwork immediately upon unloading. Any quantity or specification discrepancies must be escalated immediately to the dedicated division distribution lists.

□ [PROCEDURE / SOP] Special Order Processing & Notification Workflow

1. **Special Order Identification:** Identify designated special order markings on BOL/packing lists upon carrier unloading.
2. **Document Verification:** Match item descriptions, pack sizes, and customer tags against vendor documentation.

3. **Staging & Isolation:** Move special order product to designated special order staging areas; apply clear physical labeling to prevent mixed put-away.
4. **Division Email Notification:** If any discrepancy or damage exists, immediately email the respective distribution list:
 - **Doyles:** doylesspecialorders@doyleswholesale.com
 - **Sheehan:** sheehanspecialorders@sheehanmajestic.com

4. Put-Away Operations & Slotting Accuracy

☐ [POLICY] First-Attempt Put-Away & FIFO Rotation

Inbound goods must transition from staging to designated warehouse slots rapidly and accurately. Strict First-In, First-Out (FIFO) rotation must be preserved to prevent aged or expired inventory.

☐ [STANDARD] 100% Put-Away Accuracy & Deduction Logging

Product must be scanned and placed into the correct primary/overstock slot on the first attempt. Put-away accuracy is tracked individually on deduction spreadsheets. Date-sensitive goods must be rotated behind existing stock.

☐ [PROCEDURE / SOP] RF Put-Away Workflow

1. **Scan Staged Inventory:** Scan pallet/case barcode in staging area using RF gun.
2. **Confirm Destination Slot:** System directs operator to designated primary or overstock slot; verify slot location tag upon arrival.
3. **FIFO Rotation Check:** Check existing inventory date codes in the slot; place newer stock behind older stock to enforce FIFO.
4. **Slot Scan Confirmation:** Scan location barcode tag to confirm product placement and update inventory balances in real time.
5. **Exception Reporting:** If slot is full, damaged, or product does not fit, flag slot in Velocity and report immediately to Floor Lead.

5. Warehouse Safety & Inbound Dock Protocols

☐ [POLICY] Zero-Harm Safety Commitment & Dock Security

The safety of employees, drivers, and equipment is non-negotiable. Safe dock management, equipment maintenance, and personal protective equipment (PPE) compliance are mandatory conditions of employment.

☐ [STANDARD] Zero Lost-Time Incidents & 100% Chock Policy

The facility maintains a target of Zero Lost Time incidents. 100% compliance with wheel chock placement, dock plate inspection, safe lifting, and equipment operation is required before any trailer is entered.

☐ [PROCEDURE / SOP] Dock Safety Inspection & Daily Operations

1. **Trailer Restraint & Chocking:** Confirm trailer is backed flush against dock bumper; place wheel chocks securely against tires (100% compliance).

2. **Dock Plate & Lighting:** Inspect dock leveler engagement; ensure overhead dock lighting illuminates entire trailer interior.
3. **Trailer Floor Inspection:** Inspect trailer floor for weak boards, holes, nails, or moisture before driving power equipment inside.
4. **Incident Reporting:** Report any unsafe dock conditions, near-misses, or equipment malfunctions immediately to the Receiving Manager.

6. Inbound Roles & Responsibilities Matrix

Role	Primary Policy, Standard & SOP Responsibilities
Receiving Team Members	Greet carriers; enforce 100% wheel chock policy; verify shipments against PO/BOL; perform IR + probe temperature checks on TCS goods; document same-day OSD in SharePoint; stage for put-away.
Put-Away Team Members	Scan and transfer staged inventory to warehouse slots; enforce FIFO stock rotation; maintain 100% slotting accuracy on first attempt; report damaged or full slots immediately.
Floor Leads	Supervise dock flow and put-away productivity; allocate labor across receiving/put-away; ensure smooth inter-departmental handoffs; resolve dock STOP triggers and escalate discrepancies.
Receiving Manager	Coordinate dock appointments; maintain culture of respect and support; audit FSMA temperature binders and receiving logs; review OSD/NCR reports with Purchasing; lead 48-hr Root Cause Reviews.

Receiving SOPs

Approved receiving procedures are indexed in Receiving SOP, Forms, and Training Index.

Receiving Forms and Templates

Approved forms and templates are indexed in Receiving SOP, Forms, and Training Index.

Training & Compliance

Receiving Team Members

Required Training	Compliance Focus
Dock Safety Procedures	Proper truck/dock securing protocols
Purchase Order Verification	Accuracy in shipment verification against POs and BOLs
Quality Inspection Standards	Product inspection guidelines for accuracy, quality, and damage
Temperature Monitoring for TCS Products	FSMA temperature compliance procedures and documentation
Discrepancy Reporting Process	Proper documentation of UPC mismatches, shorts, damages

Put-Away Team Members

Required Training	Compliance Focus
Inventory Management System	Accurate scanning and system updates
FIFO Methodology	Proper rotation of dated products
Slotting Procedures	Location accuracy and inventory integrity
Equipment Operation (Forklifts, Pallet Jacks)	Safety certification and operational compliance
Hazard Identification	Reporting procedures for discrepancies and unsafe conditions

Floor Lead

Required Training	Compliance Focus
Team Coordination	Resource allocation and productivity standards
Interdepartmental Communication	Information flow between Receiving and Put-Away
Problem-Solving Methodology	Operational issue identification and escalation protocols
Leadership Fundamentals	Team supervision and performance management
Daily Operations Oversight	Dock operations monitoring and compliance verification

Receiving Manager

Required Training	Compliance Focus
FSMA Regulatory Requirements	Ensuring department compliance with food safety standards
Documentation Review	Verification and approval of receiving logs and reports
Purchasing Integration	Communication protocols for OSD issues
Staff Development	Training implementation and corrective action procedures
Dock Scheduling Management	Coordination of appointments and resource planning

Compliance Verification Schedule

Requirement	Frequency	Responsible Party
TCS Temperature Documentation	Every shipment	Receiving Team Member
Receiving Accuracy Audit	Monthly	Warehouse Manager
Put-Away Location Verification	Daily	Put-Away Team Member
Safety Compliance Check	Weekly	Receiving Manager/Floor Lead
Training Certification Review	Quarterly	Receiving Manager

All team members must maintain current certifications in their respective areas. Training documentation should be filed with HR and updated according to renewal schedules. Non-compliance may result in reassignment until certification is obtained.

Acronyms & Glossary

The following is a comprehensive list of acronyms and terms used throughout this operations manual:

Acronyms

Acronym	Definition
AP	Accounts Payable
BOL	Bill of Lading
FIFO	First In, First Out
IMS	Inventory Management System
KPI	Key Performance Indicator
NCR	Non-Conformance Report
OSD	Overages, Shortages, and Damages
PO	Purchase Order
PPE	Personal Protective Equipment
RA	Return Authorization
RACI	Responsible, Accountable, Consulted, Informed
SOP	Standard Operating Procedure
TCS	Temperature Controlled Storage

Glossary of Terms

Term	Definition
A-class items	High-value or high-volume inventory items that require special handling or monitoring
Bin accuracy	The measure of how accurately physical inventory matches system records by storage location
Cold chain	The temperature-controlled supply chain for perishable goods
Dock schedule	Planned timeline for receiving deliveries at specific loading docks
Dummy slots	Temporary or incorrect inventory locations in the system
IR (Infrared)	Non-contact temperature measurement method used for initial screening
Mis-scan	Incorrect scanning of product barcodes resulting in inventory discrepancies
Overage Hold	Designated area for storing excess items received beyond what was ordered
Probe thermometer	A calibrated device used to measure internal product temperature
Provisional acceptance	Conditional receipt of goods pending further review or approval
Quarantine	Segregated storage area for items that require inspection or have compliance issues
Receiving Log	Documentation of all received shipments and their conditions
Rotation indicators	Labels or markings that help ensure proper stock rotation
Shelf life	The period during which a product remains suitable for use or consumption
Temperature Deviation	When product temperature falls outside of acceptable parameters

The following policies are referenced throughout this operations manual and should be consulted for additional information:

- **Vendor Management Policy** - Contains guidelines for vendor relations, including delivery requirements and non-compliance penalties
- **Quality Assurance Policy** - Outlines standards for product acceptance and rejection criteria
- **Food Safety Plan** - Details specific requirements for handling food products, including temperature control requirements
- **Inventory Control Policy** - Procedures for maintaining accurate inventory records and resolving discrepancies
- **Employee Training Policy** - Requirements for staff certification and continuing education
- **Disciplinary Action Policy** - Process for addressing non-compliance with company procedures
- **Controlled Substance Handling** - Special procedures for tobacco and other regulated products

Date	Version	Description of Changes	Approved By
09/09/2025	1.0	Initial documentation of receiving processes	Brenden Magill (not supplied)

Note: This is the first version of the consolidated operations manual. Future updates will be tracked here with appropriate version control.

Department/Role	Contact Method	When to Contact
Receiving Department	doylesreceiving@doyleswholesalesheeh anreceiving@sheehanmajestic	For all regular receiving operations
Purchasing Department	Extension 3412purchasing@company.com	For approvals on discrepancies, new items, or quality issues
Inventory Control	Extension 3450inventory@company.com	For bin location issues or inventory adjustments
Quality Assurance		For product quality concerns or safety issues
Accounts Payable		For invoice discrepancies or credit memo processing

Receiving Flowchart

Receiving Flowchart

Carrier Arrival at Dock

Next: Initiate 100% Chock Policy

Initiate 100% Chock Policy

Next: Trailer wheels chocked & dock leveler secure?

Trailer wheels chocked & dock leveler secure?

No: STOP — Do not enter trailer; Yes: Carrier Check-In: Obtain BOL & Trip Temp Data

STOP — Do not enter trailer

Carrier Check-In: Obtain BOL & Trip Temp Data

Next: Is product TCS (Temperature-Controlled)?

Is product TCS (Temperature-Controlled)?

Yes: TCS Temperature Check (IR Surface Reading); No: Unload dry goods to receiving staging lanes

TCS Temperature Check (IR Surface Reading)

Next: Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler) or $\leq 0^{\circ}\text{F}$ (Freezer)?

Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler) or $\leq 0^{\circ}\text{F}$ (Freezer)?

Yes: Log reading in Receiving Log → Move to Cold Staging; No: Core Probe Test on damaged sample

Log reading in Receiving Log → Move to Cold Staging

Next: Are there Special Orders on shipment?

Core Probe Test on damaged sample

Next: Core Temp within Safe Zone?

Core Temp within Safe Zone?

Yes: Log reading in Receiving Log → Move to Cold Staging; No: Temperature Abuse ($> 41^{\circ}\text{F}$)

Temperature Abuse ($> 41^{\circ}\text{F}$)

Next: Store in cold environment immediately

Store in cold environment immediately

Next: Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

Next: Purchasing reached within 20 minutes?

Purchasing reached within 20 minutes?

No: REFUSE SHIPMENT Photo temp, document in log, return with driver; Yes: Purchasing authorizes acceptance?

REFUSE SHIPMENT Photo temp, document in log, return with driver

Purchasing authorizes acceptance?

No: REFUSE SHIPMENT Photo temp, document in log, return with driver; Yes: Initiate Temp Deviation Report & NCR with Food Safety Plan

Initiate Temp Deviation Report & NCR with Food Safety Plan

Next: Log reading in Receiving Log → Move to Cold Staging

Unload dry goods to receiving staging lanes

Next: Are there Special Orders on shipment?

Are there Special Orders on shipment?

Yes: Verify items vs approved Special Order Form; No: Detailed Inspection

Verify items vs approved Special Order Form

Next: Special Order matches documentation?

Special Order matches documentation?

Yes: Stage in Special Order Area & apply high-vis labels; No: Document discrepancy on BOL

Stage in Special Order Area & apply high-vis labels

Next: Detailed Inspection

Document discrepancy on BOL

Next: Identify Facility

Identify Facility

Doyles / MT: Email: doylesspecialorders@doyleswholesale.com; Sheehan / ID: Email: sheehanspecialorders@sheehanmajestic.com

Email: doylesspecialorders@doyleswholesale.com

Next: Stage in Special Order Area & apply high-vis labels

Email: sheehanspecialorders@sheehanmajestic.com

Next: Stage in Special Order Area & apply high-vis labels

Detailed Inspection

Next: Verify physical piece count vs PO lines

Verify physical piece count vs PO lines

Next: Verify item description, flavor, size, and master UPC

Verify item description, flavor, size, and master UPC

Next: Inspect cartons for crushing, tears, leaks, and short dates

Inspect cartons for crushing, tears, leaks, and short dates

Next: Discrepancies found (OSD / Dates / Damage)?

Discrepancies found (OSD / Dates / Damage)?

No: Scan into IMS as Received; Yes: Discrepancy & OSD Protocol

Scan into IMS as Received

Next: Put-Away: Scan staged pallet barcode with RF Gun

Discrepancy & OSD Protocol

Next: Photograph damaged/shorted product and BOL

Photograph damaged/shorted product and BOL

Next: Submit same-day report to Purchasing via SharePoint List

Submit same-day report to Purchasing via SharePoint List

Next: Purchasing reachable?

Purchasing reachable?

Yes: Follow Purchasing instructions (Hold/Accept/Adjust); No: Meets Provisional Acceptance? ($\leq 10\%$ date threshold, minor OSD)

Follow Purchasing instructions (Hold/Accept/Adjust)

Next: Scan into IMS as Received

Meets Provisional Acceptance? ($\leq 10\%$ date threshold, minor OSD)

Yes: Label & isolate in Quarantine Holding Area; No / Expired: Refuse discrepant items and document in log

Label & isolate in Quarantine Holding Area

Next: Scan into IMS as Received

Refuse discrepant items and document in log

Next: Scan into IMS as Received

Put-Away: Scan staged pallet barcode with RF Gun

Next: IMS/Velocity assigns destination slot (Primary or Overstock)

IMS/Velocity assigns destination slot (Primary or Overstock)

Next: Transport pallet to assigned warehouse aisle/rack

Transport pallet to assigned warehouse aisle/rack

Next: Slot matches RF prompt & has space?

Slot matches RF prompt & has space?

No: Flag slot in Velocity & notify Floor Lead; Yes: FIFO Stock Rotation Check

Flag slot in Velocity & notify Floor Lead

FIFO Stock Rotation Check

Next: Inspect existing shelf stock date codes

Inspect existing shelf stock date codes

Next: Rotate: Place NEWER stock BEHIND older stock

Rotate: Place NEWER stock BEHIND older stock

Next: Scan location barcode tag to confirm placement

Scan location barcode tag to confirm placement

Next: Confirm real-time IMS inventory update

Confirm real-time IMS inventory update

Next: Put-Away Complete (100% First-Attempt Accuracy)

Put-Away Complete (100% First-Attempt Accuracy)