



Fulfillment | g00 | Order-to-Load

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.



Fulfillment | g01 | Short Decision

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 1/7, column 1/2. Align adjacent tiles to continue arrows.



Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 1/7, column 2/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 2/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 2/7, column 2/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 3/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 3/7, column 2/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 4/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 4/7, column 2/2. Align adjacent tiles to continue arrows.



Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 5/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 5/7, column 2/2. Align adjacent tiles to continue arrows.



Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 6/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 6/7, column 2/2. Align adjacent tiles to continue arrows.



Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 7/7, column 1/2. Align adjacent tiles to continue arrows.




Fulfillment | g02 | Fulfillment Flowcharts

Connected flowchart · tile row 7/7, column 2/2. Align adjacent tiles to continue arrows.




Inventory | g03 | Cycle Count to Closure

Connected flowchart · tile row 1/2, column 1/1. Align adjacent tiles to continue arrows.




Inventory | g03 | Cycle Count to Closure

Connected flowchart · tile row 2/2, column 1/1. Align adjacent tiles to continue arrows.




Inventory | g04 | Return or Damage

Connected flowchart · tile row 1/2, column 1/1. Align adjacent tiles to continue arrows.




Inventory | g04 | Return or Damage

Connected flowchart · tile row 2/2, column 1/1. Align adjacent tiles to continue arrows.




Operations | g05 | Product-to-Customer Flow

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Operations | g06 | Exception Control

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Operations | g07 | Safety Overlay

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Receiving | g08 | Inbound Receipt

Connected flowchart · tile row 1/2, column 1/1. Align adjacent tiles to continue arrows.




Receiving | g08 | Inbound Receipt

Connected flowchart · tile row 2/2, column 1/1. Align adjacent tiles to continue arrows.




Receiving | g09 | OSD Control

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 1/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 1/8, column 2/2. Align adjacent tiles to continue arrows.



Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 2/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 2/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 3/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 3/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 4/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 4/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 5/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 5/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 6/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 6/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 7/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 7/8, column 2/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 8/8, column 1/2. Align adjacent tiles to continue arrows.




Receiving | g10 | Receiving Flowchart

Connected flowchart · tile row 8/8, column 2/2. Align adjacent tiles to continue arrows.




Safety | g11 | Injury or Incident

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Safety | g12 | Hazard or Near Miss

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Safety | g13 | Equipment Defect

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Transportation | g14 | Route Execution

Connected flowchart · tile row 1/2, column 1/1. Align adjacent tiles to continue arrows.




Transportation | g14 | Route Execution

Connected flowchart · tile row 2/2, column 1/1. Align adjacent tiles to continue arrows.



Transportation | g15 | Delivery Discrepancy

Connected flowchart · tile row 1/1, column 1/1. Align adjacent tiles to continue arrows.




Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 1/3, column 1/4. Align adjacent tiles to continue arrows.




Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 1/3, column 2/4. Align adjacent tiles to continue arrows.



Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 1/3, column 3/4. Align adjacent tiles to continue arrows.



Operations | drawio | Operations Architecture - supplied draw.io overview


Connected flowchart · tile row 1/3, column 4/4. Align adjacent tiles to continue arrows.

Summary
ROSS-DEPARTMENT
COMPLIANCE PILLARS:
Security: 100% wheel
temperature screening
are unloaded.
Inventory Controls: Blind
independent verification
are separated from
approvals.
Execution: 99%
accuracy supported by
fore shorting and a
load printing ban.
Inventory Verification:
weight is balanced by
carton, and tote
checked at customer
entry.
STOP Triggers:
authority to pause
chain deviations,
or tax jurisdiction
matches.

ov_matrix_btn
Open Facility Matrix: Montana
(Missoula) vs. Idaho (Coeur d'Alene) →


Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 2/3, column 1/4. Align adjacent tiles to continue arrows.




Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 2/3, column 2/4. Align adjacent tiles to continue arrows.



Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 2/3, column 3/4. Align adjacent tiles to continue arrows.



Operations | drawio | Operations Architecture - supplied draw.io overview


Connected flowchart · tile row 2/3, column 4/4. Align adjacent tiles to continue arrows.



Discrepancies & Returns (24-hr Office Loop)


Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 3/3, column 1/4. Align adjacent tiles to continue arrows.




Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 3/3, column 2/4. Align adjacent tiles to continue arrows.




Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 3/3, column 3/4. Align adjacent tiles to continue arrows.



Operations | drawio | Operations Architecture - supplied draw.io overview

Connected flowchart · tile row 3/3, column 4/4. Align adjacent tiles to continue arrows.



Operations Diagram Atlas

16 source Mermaid flowcharts plus the supplied draw.io overview.

Print on US Letter at actual size. Branch-detail panels preserve every source node and directed connector. Each destination includes the original node ID; follow that ID to continue the process. A decision label appears on its corresponding arrow. This layout keeps the detailed Receiving and Fulfillment charts readable without shrinking them to one page.

- g00 | Fulfillment | Order-to-Load
- g01 | Fulfillment | Short Decision
- g02 | Fulfillment | Fulfillment Flowcharts
- g03 | Inventory | Cycle Count to Closure
- g04 | Inventory | Return or Damage
- g05 | Operations | Product-to-Customer Flow
- g06 | Operations | Exception Control
- g07 | Operations | Safety Overlay
- g08 | Receiving | Inbound Receipt
- g09 | Receiving | OSD Control
- g10 | Receiving | Receiving Flowchart
- g11 | Safety | Injury or Incident
- g12 | Safety | Hazard or Near Miss
- g13 | Safety | Equipment Defect
- g14 | Transportation | Route Execution
- g15 | Transportation | Delivery Discrepancy
- drawio | Operations | Operations Architecture - supplied draw.io overview

Order-to-Load

Source: Fulfillment/04 Fulfillment Workflow Maps.md

A | Confirm assignment and route priority

→ B | Pick and scan item

B | Pick and scan item

→ C | Item and quantity verified?

C | DECISION | Item and quantity verified?

→ No → D | Stop and escalate

→ Yes → E | Build stable tote or case lane

D | Stop and escalate

→ F | Resolve stock, location, or system issue

E | Build stable tote or case lane

→ G | Complete route and no-pick review

F | Resolve stock, location, or system issue

→ B | Pick and scan item

G | Complete route and no-pick review

→ H | Verify green upload and invoice

H | Verify green upload and invoice

→ I | Stage and hand off for loading

I | Stage and hand off for loading

No outgoing connector in this source diagram.

Short Decision

Source: Fulfillment/04 Fulfillment Workflow Maps.md

A | Product not in pick slot

→ B | Check system QOH

B | Check system QOH

→ C | Check RF backstock or transfer

C | Check RF backstock or transfer

→ D | Any stock located?

D | DECISION | Any stock located?

→ Yes → E | Pick available quantity

→ No → F | Notify lead or manager

E | Pick available quantity

→ H | Order fully filled?

F | Notify lead or manager

→ G | Approve and document full short

G | Approve and document full short

No outgoing connector in this source diagram.

H | DECISION | Order fully filled?

→ No → I | Document partial short

→ Yes → J | Continue picking

I | Document partial short

No outgoing connector in this source diagram.

J | Continue picking

No outgoing connector in this source diagram.

Fulfillment Flowcharts

Source: Fulfillment/Fulfillment Flowcharts.md

A | Start of Shift

→ B | Clock in & check assignment

B | Clock in & check assignment

→ B1 | Confirm department & route priority

B1 | Confirm department & route priority

→ C | Gather equipment
Scanner, device, battery

C | Gather equipment Scanner, device, battery

→ D | Log into picking app

D | Log into picking app

→ E | Department Setup

E | Department Setup

→ F | Stage empty totes (3–4 per roller)

F | Stage empty totes (3–4 per roller)

→ G | Remove old packlists, zip ties, debris

G | Remove old packlists, zip ties, debris

→ H | Read Pick Prompt
SLOW DOWN

H | Read Pick Prompt SLOW DOWN

→ I | Read location

I | Read location

→ J | Read item description

J | Read item description

→ K | Read quantity (CS vs EA)

K | Read quantity (CS vs EA)

→ L | Locate Pick Slot
Most Common Error Area

L | Locate Pick Slot Most Common Error Area

→ M | Start at bottom shelf

M | Start at bottom shelf

→ N | Move right → left

N | Move right → left

→ O | Location matches screen?

O | DECISION | Location matches screen?

→ No → STOP1 | STOP & ask lead

→ Yes → Q | Verify Item
Accuracy Lives Here

STOP1 | STOP & ask lead

→ RES | Lead resolves discrepancy

Q | Verify Item Accuracy Lives Here

→ R | Item matches?
Description + flavor/size/count

R | DECISION | Item matches?
Description + flavor/size/count

→ No → STOP2 | STOP — do not pick

→ Yes → S | Pick Quantity

STOP2 | STOP — do not pick

→ RES | Lead resolves discrepancy

S | Pick Quantity

→ T | Confirm CS vs EA

T | Confirm CS vs EA

→ U | Count carefully

U | Count carefully

→ V | Scan UPC

V | Scan UPC

→ W | Scan successful?

W | DECISION | Scan successful?

→ No → STOP3 | STOP — no scan, no pick

→ Yes → X | Place Item in Tote

STOP3 | STOP — no scan, no pick

→ RES | Lead resolves discrepancy

X | Place Item in Tote

→ X1 | Upright placement

X1 | Upright placement

→ X2 | Heavy items on bottom

X2 | Heavy items on bottom

→ X3 | Build stable layers

X3 | Build stable layers

→ Y | Double-faced location?

Y | DECISION | Double-faced location?

→ Yes → Y1 | Double-Faced Locations

→ No → Z | Continue

Y1 | Double-Faced Locations

→ Y2 | Pick right → left on grey shelving

Y2 | Pick right → left on grey shelving

→ Y3 | In rollers: balance left vs right

Y3 | In rollers: balance left vs right

→ Y4 | Build in layers, not columns

Y4 | Build in layers, not columns

→ Z | Continue

Z | Continue

→ AA | Shelf short or empty?

AA | DECISION | Shelf short or empty?

→ Yes → AB | Short/Backstock Decision

→ No → AI | Return to pick flow

AB | Short/Backstock Decision

→ AC | Pause picking (keep item on screen)

AC | Pause picking (keep item on screen)

→ AD | Check QOH via Blue Button

AD | Check QOH via Blue Button

→ AE | RF Gun: Stock Putaway → Transfer Out

AE | RF Gun: Stock Putaway → Transfer Out

→ AF | Yellow #5 pop-up appears?

AF | DECISION | Yellow #5 pop-up appears?

→ Yes → AG | Retrieve from backstock

→ No → AH | Confirm with manager → Short item

AG | Retrieve from backstock

→ AI | Return to pick flow

AH | Confirm with manager → Short item

→ AI | Return to pick flow

AI | Return to pick flow

→ AJ | Tote Handling

AJ | Tote Handling

→ AK | Tote single layer
and product 100% visible?

**AK | DECISION | Tote single layer
and product 100% visible?**

→ Yes → AL | Send tote to conveyor

→ No → AM | Rebuild to stable single layer

AL | Send tote to conveyor

→ END | Pick Complete

AM | Rebuild to stable single layer

→ AJ | Tote Handling

RES | Lead resolves discrepancy

→ H | Read Pick Prompt
SLOW DOWN

END | Pick Complete

No outgoing connector in this source diagram.

Cycle Count to Closure

Source: Inventory/04 Inventory Workflow Maps.md

A | Schedule blind count

→ B | Complete physical count

B | Complete physical count

→ C | Variance found?

C | DECISION | Variance found?

→ No → D | Document and close

→ Yes → E | Independent recount

D | Document and close

No outgoing connector in this source diagram.

E | Independent recount

→ F | Research movements locations and source process

F | Research movements locations and source process

→ G | Prepare documented adjustment

G | Prepare documented adjustment

→ H | Manager review and approval

H | Manager review and approval

→ I | Process correction

I | Process correction

→ J | Verify closure within two weeks

J | Verify closure within two weeks

No outgoing connector in this source diagram.

Return or Damage

Source: Inventory/04 Inventory Workflow Maps.md

A | Return or damage identified

→ B | Segregate and document

B | Segregate and document

→ C | IC or Returns verifies condition

C | IC or Returns verifies condition

→ D | Auditor researches inventory impact

D | Auditor researches inventory impact

→ E | Returns prepares credit or disposition

E | Returns prepares credit or disposition

→ F | Adjustment approval required?

F | DECISION | Adjustment approval required?

→ Yes → G | Manager approves

→ No → H | Process authorized disposition

G | Manager approves

→ H | Process authorized disposition

H | Process authorized disposition

→ I | Verify system physical and customer closure

I | Verify system physical and customer closure

No outgoing connector in this source diagram.

Product-to-Customer Flow

Source: Operations/04 Cross-Department Workflows.md

A | Receiving: inspect and accept

→ B | Put-away: scan and rotate

B | Put-away: scan and rotate

→ C | Inventory: maintain truth

C | Inventory: maintain truth

→ D | Fulfillment: pick and verify

D | Fulfillment: pick and verify

→ E | Transportation: deliver and document

E | Transportation: deliver and document

→ F | Delivery exception?

F | DECISION | Delivery exception?

→ No → G | Close delivery

→ Yes → H | Document and route for resolution

G | Close delivery

No outgoing connector in this source diagram.

H | Document and route for resolution

→ C | Inventory: maintain truth

Exception Control

Source: Operations/04 Cross-Department Workflows.md

A | Employee identifies exception

→ B | Stop affected work

B | Stop affected work

→ C | Protect people and isolate product or load

C | Protect people and isolate product or load

→ D | Document evidence and notify owner

D | Document evidence and notify owner

→ E | Authorized decision made?

E | DECISION | Authorized decision made?

→ No → F | Keep on hold or refuse per policy

→ Yes → G | Correct transaction or disposition

F | Keep on hold or refuse per policy

No outgoing connector in this source diagram.

G | Correct transaction or disposition

→ H | Verify closure and communicate handoff

H | Verify closure and communicate handoff

No outgoing connector in this source diagram.

Safety Overlay

Source: Operations/04 Cross-Department Workflows.md

A | Identify hazard or incident

→ B | Stop and secure

B | Stop and secure

→ C | Report and obtain care or assistance

C | Report and obtain care or assistance

→ D | Investigate cause

D | Investigate cause

→ E | Assign corrective action

E | Assign corrective action

→ F | Verify effectiveness and close

F | Verify effectiveness and close

No outgoing connector in this source diagram.

Inbound Receipt

Source: Receiving/04 Receiving Workflow Maps.md

A | Carrier check-in and documents

→ B | Chock and secure dock

B | Chock and secure dock

→ C | Unload and inspect

C | Unload and inspect

→ D | Temperature or product exception?

D | DECISION | Temperature or product exception?

→ No → E | Verify item and quantity

→ Yes → F | Stop, isolate, document, and contact owner

E | Verify item and quantity

→ I | Scan receipt and stage

F | Stop, isolate, document, and contact owner

→ G | Authorized disposition?

G | DECISION | Authorized disposition?

→ Refuse → H | Document refusal and return

→ Accept or hold → E | Verify item and quantity

H | Document refusal and return

No outgoing connector in this source diagram.

I | Scan receipt and stage

→ J | Scan put-away and rotate

J | Scan put-away and rotate

→ K | Confirm system and physical handoff

K | Confirm system and physical handoff

No outgoing connector in this source diagram.

OSD Control

Source: Receiving/04 Receiving Workflow Maps.md

A | Identify overage shortage or damage

→ B | Protect and separate affected product

B | Protect and separate affected product

→ C | Photograph product and documents

C | Photograph product and documents

→ D | Note BOL and receiving record

D | Note BOL and receiving record

→ E | Notify Purchasing the same day

E | Notify Purchasing the same day

→ F | Follow authorized hold accept adjust or refuse direction

F | Follow authorized hold accept adjust or refuse direction

→ G | Verify system and physical disposition

G | Verify system and physical disposition

No outgoing connector in this source diagram.

Receiving Flowchart

Source: Receiving/Receiving Flowchart.md

A | Carrier Arrival at Dock

→ B | Initiate 100% Chock Policy

B | Initiate 100% Chock Policy

→ C | Trailer wheels chocked &
dock leveler secure?

C | DECISION | Trailer wheels chocked & dock leveler secure?

→ No → STOP1 | STOP — Do not enter trailer

→ Yes → D | Carrier Check-In: Obtain BOL & Trip Temp Data

STOP1 | STOP — Do not enter trailer

No outgoing connector in this source diagram.

D | Carrier Check-In: Obtain BOL & Trip Temp Data

→ E | Is product TCS
(Temperature-Controlled)?

E | DECISION | Is product TCS (Temperature-Controlled)?

→ Yes → F | TCS Temperature Check (IR Surface Reading)

→ No → R | Unload dry goods to receiving staging lanes

F | TCS Temperature Check (IR Surface Reading)

→ G | Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler)
or $\leq 0^{\circ}\text{F}$ (Freezer)?

G | DECISION | Surface Temp $\leq 40^{\circ}\text{F}$ (Cooler) or $\leq 0^{\circ}\text{F}$ (Freezer)?

→ Yes → H | Log reading in Receiving Log → Move to Cold Staging

→ No → I | Core Probe Test on damaged sample

H | Log reading in Receiving Log → Move to Cold Staging

→ S | Are there Special Orders
on shipment?

I | Core Probe Test on damaged sample

→ J | Core Temp within
Safe Zone?

**J | DECISION | Core Temp within
Safe Zone?**

→ Yes → H | Log reading in Receiving Log → Move to Cold Staging

→ No → K | Temperature Abuse (> 41°F)

K | Temperature Abuse (> 41°F)

→ L | Store in cold environment immediately

L | Store in cold environment immediately

→ M | Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

M | Contact Purchasing (Category Buyer → Kyle K. → Derek L.)

→ N | Purchasing reached
within 20 minutes?

**N | DECISION | Purchasing reached
within 20 minutes?**

→ No → REFUSE | REFUSE SHIPMENT
Photo temp, document in log, return with driver

→ Yes → P | Purchasing authorizes
acceptance?

REFUSE | REFUSE SHIPMENT
Photo temp, document in log, return with driver

No outgoing connector in this source diagram.

P | DECISION | Purchasing authorizes acceptance?

→ No → REFUSE | REFUSE SHIPMENT
Photo temp, document in log, return with driver

→ Yes → Q | Initiate Temp Deviation Report & NCR with Food Safety Plan

Q | Initiate Temp Deviation Report & NCR with Food Safety Plan

→ H | Log reading in Receiving Log → Move to Cold Staging

R | Unload dry goods to receiving staging lanes

→ S | Are there Special Orders
on shipment?

S | DECISION | Are there Special Orders on shipment?

→ Yes → SO1 | Verify items vs approved Special Order Form

→ No → T | Detailed Inspection

SO1 | Verify items vs approved Special Order Form

→ SO2 | Special Order matches
documentation?

SO2 | DECISION | Special Order matches documentation?

→ Yes → SO3 | Stage in Special Order Area & apply high-vis labels

→ No → SO_ERR | Document discrepancy on BOL

SO3 | Stage in Special Order Area & apply high-vis labels

→ T | Detailed Inspection

SO_ERR | Document discrepancy on BOL

→ SO4 | Identify Facility

SO4 | DECISION | Identify Facility

→ Doyles / MT → SO_MT | Email: doylesspecialorders@doyleswholesale.com

→ Sheehan / ID → SO_ID | Email: sheehanspecialorders@sheehanmajestic.com

SO_MT | Email: doylesspecialorders@doyleswholesale.com

→ SO3 | Stage in Special Order Area & apply high-vis labels

SO_ID | Email: sheehanspecialorders@sheehanmajestic.com

→ SO3 | Stage in Special Order Area & apply high-vis labels

T | Detailed Inspection

→ U1 | Verify physical piece count vs PO lines

U1 | Verify physical piece count vs PO lines

→ U2 | Verify item description, flavor, size, and master UPC

U2 | Verify item description, flavor, size, and master UPC

→ U3 | Inspect cartons for crushing, tears, leaks, and short dates

U3 | Inspect cartons for crushing, tears, leaks, and short dates

→ V | Discrepancies found
(OSD / Dates / Damage)?

V | DECISION | Discrepancies found (OSD / Dates / Damage)?

→ No → W | Scan into IMS as Received

→ Yes → X | Discrepancy & OSD Protocol

W | Scan into IMS as Received

→ PA1 | Put-Away: Scan staged pallet barcode with RF Gun

X | Discrepancy & OSD Protocol

→ X1 | Photograph damaged/shorted product and BOL

X1 | Photograph damaged/shorted product and BOL

→ X2 | Submit same-day report to Purchasing via SharePoint List

X2 | Submit same-day report to Purchasing via SharePoint List

→ X3 | Purchasing reachable?

X3 | DECISION | Purchasing reachable?

→ Yes → X4 | Follow Purchasing instructions (Hold/Accept/Adjust)

→ No → X5 | Meets Provisional Acceptance?
(≤ 10% date threshold, minor OSD)

X4 | Follow Purchasing instructions (Hold/Accept/Adjust)

→ W | Scan into IMS as Received

X5 | DECISION | Meets Provisional Acceptance? (≤ 10% date threshold, minor OSD)

→ Yes → X6 | Label & isolate in Quarantine Holding Area

→ No / Expired → X7 | Refuse discrepant items and document in log

X6 | Label & isolate in Quarantine Holding Area

→ W | Scan into IMS as Received

X7 | Refuse discrepant items and document in log

→ W | Scan into IMS as Received

PA1 | Put-Away: Scan staged pallet barcode with RF Gun

→ PA2 | IMS/Velocity assigns destination slot (Primary or Overstock)

PA2 | IMS/Velocity assigns destination slot (Primary or Overstock)

→ PA3 | Transport pallet to assigned warehouse aisle/rack

PA3 | Transport pallet to assigned warehouse aisle/rack

→ PA4 | Slot matches RF prompt
& has space?

PA4 | DECISION | Slot matches RF prompt & has space?

→ No → PA_STOP | Flag slot in Velocity & notify Floor Lead

→ Yes → PA5 | FIFO Stock Rotation Check

PA_STOP | Flag slot in Velocity & notify Floor Lead

No outgoing connector in this source diagram.

PA5 | FIFO Stock Rotation Check

→ PA6 | Inspect existing shelf stock date codes

PA6 | Inspect existing shelf stock date codes

→ PA7 | Rotate: Place NEWER stock BEHIND older stock

PA7 | Rotate: Place NEWER stock BEHIND older stock

→ PA8 | Scan location barcode tag to confirm placement

PA8 | Scan location barcode tag to confirm placement

→ PA9 | Confirm real-time IMS inventory update

PA9 | Confirm real-time IMS inventory update

→ END | Put-Away Complete (100% First-Attempt Accuracy)

END | Put-Away Complete (100% First-Attempt Accuracy)

No outgoing connector in this source diagram.

Injury or Incident

Source: Safety/04 Safety Workflow Maps.md

A | Injury or incident occurs

→ B | Stop work and secure scene

B | Stop work and secure scene

→ C | Provide emergency or medical response

C | Provide emergency or medical response

→ D | Notify supervisor and Safety

D | Notify supervisor and Safety

→ E | Preserve evidence and complete initial report

E | Preserve evidence and complete initial report

→ F | Investigate causes and required testing

F | Investigate causes and required testing

→ G | Assign corrective action and retraining

G | Assign corrective action and retraining

→ H | Verify effectiveness and close

H | Verify effectiveness and close

No outgoing connector in this source diagram.

Hazard or Near Miss

Source: Safety/04 Safety Workflow Maps.md

A | Hazard or near miss identified

→ B | Stop or contain exposure

B | Stop or contain exposure

→ C | Notify responsible supervisor

C | Notify responsible supervisor

→ D | Document condition and immediate action

D | Document condition and immediate action

→ E | Assess risk and root cause

E | Assess risk and root cause

→ F | Correct equipment process or training

F | Correct equipment process or training

→ G | Verify correction and communicate learning

G | Verify correction and communicate learning

No outgoing connector in this source diagram.

Equipment Defect

Source: Safety/04 Safety Workflow Maps.md

A | Defect or unsafe condition found

→ B | Stop equipment

B | Stop equipment

→ C | Prevent use and notify supervisor

C | Prevent use and notify supervisor

→ D | Inspect through authorized process

D | Inspect through authorized process

→ E | Safe and released?

E | DECISION | Safe and released?

→ No → F | Repair or remove from service

→ Yes → G | Document release and return to work

F | Repair or remove from service

→ D | Inspect through authorized process

G | Document release and return to work

No outgoing connector in this source diagram.

Route Execution

Source: Transportation/04 Transportation Workflow Maps.md

A | Confirm driver vehicle and route

→ B | Complete pre-use inspection

B | Complete pre-use inspection

→ C | Vehicle safe and compliant?

C | DECISION | Vehicle safe and compliant?

→ No → D | Stop and report malfunction

→ Yes → E | Verify and secure load

D | Stop and report malfunction

No outgoing connector in this source diagram.

E | Verify and secure load

→ F | Depart and execute route

F | Depart and execute route

→ G | Count deliver obtain signature and photos

G | Count deliver obtain signature and photos

→ H | Exception?

H | DECISION | Exception?

→ Yes → I | Document and notify owner

→ No → J | Continue route

I | Document and notify owner

→ J | Continue route

J | Continue route

→ K | Return close route and report vehicle condition

K | Return close route and report vehicle condition

No outgoing connector in this source diagram.

Delivery Discrepancy

Source: Transportation/04 Transportation Workflow Maps.md

A | Discrepancy identified

→ B | Record item quantity and issue

B | Record item quantity and issue

→ C | Capture required evidence

C | Capture required evidence

→ D | Protect product and customer records

D | Protect product and customer records

→ E | Report through approved office channel

E | Report through approved office channel

→ F | Inventory or Fulfillment researches

F | Inventory or Fulfillment researches

→ G | Correct credit redelivery or disposition

G | Correct credit redelivery or disposition

→ H | Communicate and close

H | Communicate and close

No outgoing connector in this source diagram.

Operations Architecture - supplied draw.io overview

Source: Operations Flowchart.drawio

ov_nav_title | DOYLES SHEEHAN | Operations Architecture

No outgoing connector in this source diagram.

ov_btn_ov | Executive Overview

No outgoing connector in this source diagram.

ov_btn_rec | 1. Inbound Receiving

No outgoing connector in this source diagram.

ov_btn_inv | 2. Inventory Control

No outgoing connector in this source diagram.

ov_btn_ful | 3. Fulfillment

No outgoing connector in this source diagram.

ov_btn_trn | 4. Transportation

No outgoing connector in this source diagram.

ov_btn_fac | 5. MT / ID Matrix

No outgoing connector in this source diagram.

ov_sub | End-to-End Operational Lifecycle Map

Click any department card or top tab to drill into governing policies, SOP step-by-steps, and mandatory STOP triggers.

No outgoing connector in this source diagram.

dept_rec | INBOUND RECEIVING & PUT-AWAYCore Standard: 100% Inbound Control

- 100% Wheel Chock Enforcement
- FSMA Cold Chain Dual-Screen:
 - IR + Internal Probe (TCS $\leq 41^{\circ}\text{F}$, Frozen $\leq 0^{\circ}\text{F}$)
- 98% PO Receiving Accuracy Target
- Same-Day OSD Logging: Digital photo proof to SharePoint
- Provisional Acceptance: 20-min buyer window
- Special Orders: Isolated staging & email routing
- RF Directed Put-Away: Scan confirm & strict FIFO

Role Ownership: Inbound Receiving Leads & Floor Supervision

☐ Click to open Inbound SOP Flowchart

→ Verified Stock & Location Handoff → dept_inv | INVENTORY CONTROL & QACore Standard: Stock Integrity & Control Separation

- Returns-First Policy: Reconcile prior to counting
- Blind Initial Counts: Zero system QOH visibility
- Variance Tolerance Gates:
 - High-Value (A): $\pm 0.5\%$ | Med (B): $\pm 1.0\%$ | Low (C): $\pm 2.0\%$
- Independent Recounts: Required on all threshold variances
- 3-Tier Separation of Duties:
 - IC/QC Flag → Auditor Research → Manager Approval
- 2-Week Closure Window: Strict audit finalization

Role Ownership: Inventory Managers & IC/QC Specialists

☐ Click to open Inventory SOP Flowchart

dept_inv | INVENTORY CONTROL & QACore Standard: Stock Integrity & Control Separation

- Returns-First Policy: Reconcile prior to counting
- Blind Initial Counts: Zero system QOH visibility
- Variance Tolerance Gates:
 - High-Value (A): $\pm 0.5\%$ | Med (B): $\pm 1.0\%$ | Low (C): $\pm 2.0\%$
- Independent Recounts: Required on all threshold variances
- 3-Tier Separation of Duties:
 - IC/QC Flag → Auditor Research → Manager Approval
- 2-Week Closure Window: Strict audit finalization

Role Ownership: Inventory Managers & IC/QC Specialists

☐ Click to open Inventory SOP Flowchart

→ Accurate QOH & Clean Pick Slots → dept_ful | FULFILLMENT (ORDER-TO-LOAD)Core Standard: 99% Accuracy & 'No Scan = No Pick'

- Order Release: Route & Jurisdiction Check-off
- Mezzanine Picking: Right-to-left, bottom-to-top
- Tote Limits: ≤40 lbs max; no chemicals with food
- Velocity RF Shorting: QOH check & Transfer Out audit
- Put-to-Light Sortation: Pro-Glove scan, zero residuals
- Tax Stamp Compliance: ≥66% hand-stamp coverage
- Pre-Upload Ban: No invoice print before GREEN status

Role Ownership: Operations Management & Fulfillment Leads

☐ Click to open Fulfillment SOP Flowchart

dept_ful | FULFILLMENT (ORDER-TO-LOAD)Core Standard: 99% Accuracy & 'No Scan = No Pick'

- Order Release: Route & Jurisdiction Check-off
- Mezzanine Picking: Right-to-left, bottom-to-top
- Tote Limits: ≤40 lbs max; no chemicals with food
- Velocity RF Shorting: QOH check & Transfer Out audit
- Put-to-Light Sortation: Pro-Glove scan, zero residuals
- Tax Stamp Compliance: ≥66% hand-stamp coverage
- Pre-Upload Ban: No invoice print before GREEN status

Role Ownership: Operations Management & Fulfillment Leads

☐ Click to open Fulfillment SOP Flowchart

→ Staged Freight & Invoiced Load → dept_trn | TRANSPORTATION & DELIVERYCore Standard: Safe Transit & Verified Delivery

- Pre-Trip Inspection (DVIR): Tires, brakes, fluids, reefer
- Direct Vehicle Loading: Staged freight secured with straps
- ☐ DELIVERY VERIFICATION AT DESTINATION:
 - Physical count of bundles, cigarette cartons & totes verified with customer
- Delivery Evidence: Photos, signatures & crate recovery
- 24-Hour Office Loop: Delivery discrepancy form to Returns Specialist

Role Ownership: Transportation Managers & Route Drivers

☐ Click to open Transportation SOP Flowchart

→ Shorts, Mismatches & No-Pick Escalations → dept_inv | INVENTORY CONTROL & QACore Standard: Stock Integrity & Control Separation

- Returns-First Policy: Reconcile prior to counting
- Blind Initial Counts: Zero system QOH visibility
- Variance Tolerance Gates:
 - High-Value (A): $\pm 0.5\%$ | Med (B): $\pm 1.0\%$ | Low (C): $\pm 2.0\%$
- Independent Recounts: Required on all threshold variances
- 3-Tier Separation of Duties:
 - IC/QC Flag → Auditor Research → Manager Approval
- 2-Week Closure Window: Strict audit finalization

Role Ownership: Inventory Managers & IC/QC Specialists

☐ Click to open Inventory SOP Flowchart

dept_trn | TRANSPORTATION & DELIVERYCore Standard: Safe Transit & Verified Delivery

- Pre-Trip Inspection (DVIR): Tires, brakes, fluids, reefer
- Direct Vehicle Loading: Staged freight secured with straps
- ☐ DELIVERY VERIFICATION AT DESTINATION:
 - Physical count of bundles, cigarette cartons & totes verified with customer
- Delivery Evidence: Photos, signatures & crate recovery
- 24-Hour Office Loop: Delivery discrepancy form to Returns Specialist

Role Ownership: Transportation Managers & Route Drivers

☐ Click to open Transportation SOP Flowchart

→ Delivery Discrepancies & Returns (24-hr Office Loop) → dept_inv | INVENTORY CONTROL & QACore Standard: Stock Integrity & Control Separation

- Returns-First Policy: Reconcile prior to counting
- Blind Initial Counts: Zero system QOH visibility
- Variance Tolerance Gates:
 - High-Value (A): $\pm 0.5\%$ | Med (B): $\pm 1.0\%$ | Low (C): $\pm 2.0\%$
- Independent Recounts: Required on all threshold variances
- 3-Tier Separation of Duties:
 - IC/QC Flag → Auditor Research → Manager Approval
- 2-Week Closure Window: Strict audit finalization

Role Ownership: Inventory Managers & IC/QC Specialists

☐ Click to open Inventory SOP Flowchart

ov_summary | DOYLES SHEEHAN CROSS-DEPARTMENT OPERATIONAL COMPLIANCE PILLARS:

- 1. Zero-Harm Dock Security: 100% wheel chocking and FSMA temperature screening before trailers are unloaded.
- 2. Segregated Inventory Controls: Blind counting and independent verification ensure adjustments are separated from manager approvals.
- 3. Order-to-Load Execution: 99% fulfillment accuracy supported by strict RF checks before shorting and a mandatory pre-upload printing ban.
- 4. Customer Delivery Verification: Direct truck loading is balanced by physical piece, carton, and tote verification conducted at customer delivery.
- 5. Non-Punitive STOP Triggers: Personnel have full authority to pause operations for cold chain deviations, barcode errors, or tax jurisdiction mismatches.

No outgoing connector in this source diagram.

ov_matrix_btn | Open Facility Matrix: Montana (Missoula) vs. Idaho (Coeur d’Alene) □

No outgoing connector in this source diagram.