Scan Report

October 16, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "Lab03 Authenticated Scan". The scan started at Fri Oct 16 12:22:03 2026 UTC and ended at Fri Oct 16 12:44:35 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

1.1 Host Authentications 2

2 Results per Host **2**

2.1 10.0.5.4 2

2.1.1 Medium general/tcp 2

2.1.2 Low general/tcp 6

2.1.3 Log general/CPE-T 7

2.1.4 Log general/tcp 8

2.1.5 Log 22/tcp 19

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
10.0.5.4	0	0	2	1	28	0
Total: 1	0	0	2	1	28	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level “Critical” are not shown.
Issues with the threat level “High” are not shown.
Issues with the threat level “Medium” are not shown.
Issues with the threat level “Low” are not shown.
Issues with the threat level “Log” are not shown.
Issues with the threat level “Debug” are not shown.
Issues with the threat level “False Positive” are not shown.
Only results with a minimum QoD of 70 are shown.

This report contains all 31 results selected by the filtering described above. Before filtering there were 68 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
10.0.5.4	SSH	Success	Protocol SSH, Port 22, User gvmscan

2 Results per Host

2.1 10.0.5.4

Host scan start Fri Oct 16 12:23:25 2026 UTC
Host scan end Fri Oct 16 12:44:30 2026 UTC

Service (Port)	Threat Level
general/tcp	Medium
general/tcp	Low
general/CPE-T	Log
general/tcp	Log
22/tcp	Log

2.1.1 Medium general/tcp

Medium (CVSS: 5.5)

NVT: Missing Linux Kernel mitigations for ’SSB - Speculative Store Bypass’ hardware vulnerabilities

Product detection result
`cpe:/a:linux:kernel`
`Detected by Detection of Linux Kernel mitigation status for hardware vulnerabili`
`↪ties (OID: 1.3.6.1.4.1.25623.1.0.108765)`

...continues on next page ...

... continued from previous page ...

Summary
The remote host is missing one or more known mitigation(s) on Linux Kernel side for the referenced 'SSB - Speculative Store Bypass' hardware vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Linux Kernel on the remote host is missing the mitigation for the "spec_stor
↪e_bypass" hardware vulnerabilities as reported by the sysfs interface:
sysfs file checked                                    | Linux Kernel status
↪(SSH response)
-------------------------------------------------------------------------------
↪--------------
/sys/devices/system/cpu/vulnerabilities/spec_store_bypass | Vulnerable
Notes on the "Linux Kernel status (SSH response)" column:
- sysfs file missing: The sysfs interface is available but the sysfs file for th
↪is specific vulnerability is missing. This means the current Linux Kernel does
↪n't know this vulnerability yet. Based on this it is assumed that it doesn't p
↪rovide any mitigation and that the target system is vulnerable.
- Strings including "Mitigation:", "Not affected" or "Vulnerable" are reported d
↪irectly by the Linux Kernel.
- All other strings are responses to various SSH commands.
```

Solution:
Solution type: VendorFix
The following solutions exist:
- Update to a more recent Linux Kernel to receive mitigations on Kernel level and info about the mitigation status from it
- Enable the mitigation(s) in the Linux Kernel (might be disabled depending on the configuration)
Additional possible mitigations (if provided by the vendor) are to:
- install a Microcode update
- update the BIOS of the Mainboard
Note: Please create an override for this result if one of the following applies:
- the sysfs file is not available but other mitigations like a Microcode update is already in place
- the sysfs file is not available but the CPU of the host is not affected
- the reporting of the Linux Kernel is not correct (this is out of the control of this VT)

Vulnerability Detection Method
Checks previous gathered information on the mitigation status reported by the Linux Kernel.
Details: `Missing Linux Kernel mitigations for 'SSB - Speculative Store Bypass' hardware .`
`↪..`
OID:1.3.6.1.4.1.25623.1.0.108842
Version used: `2026-07-10T06:54:17Z`

Product Detection Result
Product: `cpe:/a:linux:kernel`
Method: `Detection of Linux Kernel mitigation status for hardware vulnerabilities`
OID: 1.3.6.1.4.1.25623.1.0.108765

References
`cve: CVE-2018-3639`
`url: https://docs.kernel.org/admin-guide/hw-vuln/index.html`
`url: https://docs.kernel.org/admin-guide/hw-vuln/attack_vector_controls.html`
`url: https://www.intel.com/content/www/us/en/security-center/advisory/intel-sa-00115.html`
`cert-bund: WID-SEC-2023-2917`
`cert-bund: WID-SEC-2023-2072`
`cert-bund: CB-K19/0271`
`cert-bund: CB-K19/0047`
`cert-bund: CB-K18/1050`
`cert-bund: CB-K18/0686`
`cert-bund: CB-K18/0682`
`dfn-cert: DFN-CERT-2023-1947`
`dfn-cert: DFN-CERT-2023-1924`
`dfn-cert: DFN-CERT-2023-1904`
`dfn-cert: DFN-CERT-2023-1900`
`dfn-cert: DFN-CERT-2021-2551`
`dfn-cert: DFN-CERT-2020-1987`
`dfn-cert: DFN-CERT-2020-1935`
`dfn-cert: DFN-CERT-2020-1912`

... continues on next page ...

... continued from previous page ...

dfn-cert: DFN-CERT-2020-1783
dfn-cert: DFN-CERT-2020-1473
dfn-cert: DFN-CERT-2020-1078
dfn-cert: DFN-CERT-2019-0622
dfn-cert: DFN-CERT-2019-0544
dfn-cert: DFN-CERT-2019-0286
dfn-cert: DFN-CERT-2019-0258
dfn-cert: DFN-CERT-2019-0168
dfn-cert: DFN-CERT-2019-0108
dfn-cert: DFN-CERT-2019-0069
dfn-cert: DFN-CERT-2019-0059
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2441
dfn-cert: DFN-CERT-2018-2399
dfn-cert: DFN-CERT-2018-2349
dfn-cert: DFN-CERT-2018-2302
dfn-cert: DFN-CERT-2018-2217
dfn-cert: DFN-CERT-2018-2213
dfn-cert: DFN-CERT-2018-1982
dfn-cert: DFN-CERT-2018-1929
dfn-cert: DFN-CERT-2018-1869
dfn-cert: DFN-CERT-2018-1767
dfn-cert: DFN-CERT-2018-1734
dfn-cert: DFN-CERT-2018-1658
dfn-cert: DFN-CERT-2018-1651
dfn-cert: DFN-CERT-2018-1627
dfn-cert: DFN-CERT-2018-1624
dfn-cert: DFN-CERT-2018-1500
dfn-cert: DFN-CERT-2018-1494
dfn-cert: DFN-CERT-2018-1493
dfn-cert: DFN-CERT-2018-1446
dfn-cert: DFN-CERT-2018-1435
dfn-cert: DFN-CERT-2018-1374
dfn-cert: DFN-CERT-2018-1353
dfn-cert: DFN-CERT-2018-1351
dfn-cert: DFN-CERT-2018-1323
dfn-cert: DFN-CERT-2018-1304
dfn-cert: DFN-CERT-2018-1270
dfn-cert: DFN-CERT-2018-1260
dfn-cert: DFN-CERT-2018-1234
dfn-cert: DFN-CERT-2018-1228
dfn-cert: DFN-CERT-2018-1205
dfn-cert: DFN-CERT-2018-1183
dfn-cert: DFN-CERT-2018-1151
dfn-cert: DFN-CERT-2018-1129
dfn-cert: DFN-CERT-2018-1117
dfn-cert: DFN-CERT-2018-1105
dfn-cert: DFN-CERT-2018-1042
dfn-cert: DFN-CERT-2018-1041
dfn-cert: DFN-CERT-2018-1025
dfn-cert: DFN-CERT-2018-1023
dfn-cert: DFN-CERT-2018-0993
dfn-cert: DFN-CERT-2018-0992
dfn-cert: DFN-CERT-2018-0991
dfn-cert: DFN-CERT-2018-0987
dfn-cert: DFN-CERT-2018-0976
dfn-cert: DFN-CERT-2018-0973
dfn-cert: DFN-CERT-2018-0972
dfn-cert: DFN-CERT-2018-0970
dfn-cert: DFN-CERT-2018-0966

Medium (CVSS: 5.5)

NVT: Missing Linux Kernel mitigations for 'Processor MMIO Stale Data' hardware vulnerabilities (INTEL-SA-00615)

Product detection result

cpe:/a:linux:kernel
Detected by Detection of Linux Kernel mitigation status for hardware vulnerabili
↪ties (OID: 1.3.6.1.4.1.25623.1.0.108765)

... continues on next page ...

...continued from previous page ...

Summary
The remote host is missing one or more known mitigation(s) on Linux Kernel side for the referenced 'Processor MMIO Stale Data' hardware vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The Linux Kernel on the remote host is missing the mitigation for the "mmio_stal
↪e_data" hardware vulnerabilities as reported by the sysfs interface:
sysfs file checked                                  | Linux Kernel status (S
↪SH response)
-------------------------------------------------------------------------------
↪-----------------------------------------------------
/sys/devices/system/cpu/vulnerabilities/mmio_stale_data | Vulnerable: Clear CPU
↪buffers attempted, no microcode; SMT Host state unknown
Notes on the "Linux Kernel status (SSH response)" column:
- sysfs file missing: The sysfs interface is available but the sysfs file for th
↪is specific vulnerability is missing. This means the current Linux Kernel does
↪n't know this vulnerability yet. Based on this it is assumed that it doesn't p
↪rovide any mitigation and that the target system is vulnerable.
- Strings including "Mitigation:", "Not affected" or "Vulnerable" are reported d
↪irectly by the Linux Kernel.
- All other strings are responses to various SSH commands.
```

Solution:
Solution type: VendorFix
The following solutions exist:
- Update to a more recent Linux Kernel to receive mitigations on Kernel level and info about the mitigation status from it
- Enable the mitigation(s) in the Linux Kernel (might be disabled depending on the configuration)
Additional possible mitigations (if provided by the vendor) are to:
- install a Microcode update
- update the BIOS of the Mainboard
Note: Please create an override for this result if one of the following applies:
- the sysfs file is not available but other mitigations like a Microcode update is already in place
- the sysfs file is not available but the CPU of the host is not affected
- the reporting of the Linux Kernel is not correct (this is out of the control of this VT)

Affected Software/OS
Various Intel CPUs. Please see the references for the full list of affected CPUs.

Vulnerability Detection Method
Checks previous gathered information on the mitigation status reported by the Linux Kernel.
Details: `Missing Linux Kernel mitigations for 'Processor MMIO Stale Data' hardware vulne.
↪..`
OID:1.3.6.1.4.1.25623.1.0.104247
Version used: `2026-07-10T06:54:17Z`

Product Detection Result
Product: `cpe:/a:linux:kernel`
Method: `Detection of Linux Kernel mitigation status for hardware vulnerabilities`
OID: 1.3.6.1.4.1.25623.1.0.108765

References
cve: CVE-2022-21123
cve: CVE-2022-21125
cve: CVE-2022-21166
url: https://docs.kernel.org/admin-guide/hw-vuln/processor_mmio_stale_data.html
url: https://docs.kernel.org/admin-guide/hw-vuln/attack_vector_controls.html
url: https://www.intel.com/content/www/us/en/security-center/advisory/intel-sa-00615.html
url: https://www.intel.com/content/www/us/en/developer/topic-technology/software-security-guidance/processors-affected-consolidated-product-cpu-model.html
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0336
cert-bund: WID-SEC-2022-0330
cert-bund: WID-SEC-2022-0303

...continues on next page ...

... continued from previous page ...

```
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0376
dfn-cert: DFN-CERT-2022-2858
dfn-cert: DFN-CERT-2022-2569
dfn-cert: DFN-CERT-2022-2446
dfn-cert: DFN-CERT-2022-2304
dfn-cert: DFN-CERT-2022-1725
dfn-cert: DFN-CERT-2022-1664
dfn-cert: DFN-CERT-2022-1663
dfn-cert: DFN-CERT-2022-1661
dfn-cert: DFN-CERT-2022-1640
dfn-cert: DFN-CERT-2022-1636
dfn-cert: DFN-CERT-2022-1596
dfn-cert: DFN-CERT-2022-1575
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1529
dfn-cert: DFN-CERT-2022-1523
dfn-cert: DFN-CERT-2022-1519
dfn-cert: DFN-CERT-2022-1488
dfn-cert: DFN-CERT-2022-1481
dfn-cert: DFN-CERT-2022-1424
dfn-cert: DFN-CERT-2022-1413
dfn-cert: DFN-CERT-2022-1405
dfn-cert: DFN-CERT-2022-1378
dfn-cert: DFN-CERT-2022-1375
dfn-cert: DFN-CERT-2022-1371
dfn-cert: DFN-CERT-2022-1369
dfn-cert: DFN-CERT-2022-1365
dfn-cert: DFN-CERT-2022-1358
dfn-cert: DFN-CERT-2022-1345
dfn-cert: DFN-CERT-2022-1343
dfn-cert: DFN-CERT-2022-1342
dfn-cert: DFN-CERT-2022-1341
dfn-cert: DFN-CERT-2022-1338
dfn-cert: DFN-CERT-2022-1336
dfn-cert: DFN-CERT-2022-1334
dfn-cert: DFN-CERT-2022-1333
dfn-cert: DFN-CERT-2022-1328
```

[return to 10.0.5.4]

2.1.2 Low general/tcp

Low (CVSS: 2.6)

NVT: TCP Timestamps Information Disclosure

Summary
The remote host implements TCP timestamps and therefore allows to compute the uptime.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
It was detected that the host implements RFC1323/RFC7323.
The following timestamps were retrieved with a delay of 1 seconds in-between:
Packet 1: 1944587462
Packet 2: 1944588508
```

Impact
A side effect of this feature is that the uptime of the remote host can sometimes be computed.

Solution:
Solution type: Mitigation
To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime.
To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled'
Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.

... continues on next page ...

... continued from previous page ...

The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment.
See the references for more information.

Affected Software/OS
TCP implementations that implement RFC1323/RFC7323.

Vulnerability Insight
The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.

Vulnerability Detection Method
Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported.
Details: `TCP Timestamps Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.80091
Version used: `2023-12-15T16:10:08Z`

References
url: https://datatracker.ietf.org/doc/html/rfc1323
url: https://datatracker.ietf.org/doc/html/rfc7323
url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/download/details.aspx?id=9152
url: https://www.fortiguard.com/psirt/FG-IR-16-090

[return to 10.0.5.4]

2.1.3 Log general/CPE-T

Log (CVSS: 0.0)

NVT: CPE Inventory

Summary
This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan.
Note: Some CPEs for specific products might show up twice or more in the output. Background:
After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
10.0.5.4|cpe:/a:gnu:bash:5.2.21
10.0.5.4|cpe:/a:gnu:gzip:1.12
10.0.5.4|cpe:/a:ietf:secure_shell_protocol:2.0
10.0.5.4|cpe:/a:nongnu:dmidecode:3.5
10.0.5.4|cpe:/a:openbsd:openssh:9.6p1
10.0.5.4|cpe:/a:openssl:openssl:3.0.13
10.0.5.4|cpe:/a:perl:archive_tar:2.40
10.0.5.4|cpe:/a:perl:perl:5.38.2
10.0.5.4|cpe:/a:rafael_garcia-suarez:safe:2.44
10.0.5.4|cpe:/a:sudo_project:sudo:1.9.15:p5
10.0.5.4|cpe:/a:sudo_project:sudoers_audit_plugin:1.9.15:p5
10.0.5.4|cpe:/a:sudo_project:sudoers_file_grammar:50
10.0.5.4|cpe:/a:sudo_project:sudoers_i/o_plugin:1.9.15:p5
10.0.5.4|cpe:/a:sudo_project:sudoers_policy_plugin:1.9.15:p5
10.0.5.4|cpe:/a:tcpdump:libpcap:1.10.4
10.0.5.4|cpe:/a:tcpdump:tcpdump:4.99.4
10.0.5.4|cpe:/o:canonical:ubuntu_linux:24.04:-:lts

Solution:

Log Method
Details: `CPE Inventory`
OID:1.3.6.1.4.1.25623.1.0.810002

... continues on next page ...

... continued from previous page ...

Version used: 2022-07-27T10:11:28Z

References
url: https://nvd.nist.gov/products/cpe

[return to 10.0.5.4]

2.1.4 Log general/tcp

Log (CVSS: 0.0)

NVT: Determine OS and list of installed packages via SSH login

Summary
This script will, if given a userid/password or key to the remote system, login to that system, determine the OS it is running, and for supported systems, extract the list of installed packages/rpms.

Quality of Detection (QoD): 97%

Vulnerability Detection Result
There was an error while executing a Notus scan: 'Unable to get the response'

Solution:

Vulnerability Insight
The ssh protocol is used to log in. If a specific port is configured for the credential, then only this port will be tried. Else any port that offers ssh, usually port 22.
Upon successful login, the command 'uname -a' is issued to find out about the type and version of the operating system. The result is analysed for various patterns and in several cases additional commands are tried to find out more details and to confirm a detection.
The regular Linux distributions are detected this way as well as other unixoid systems and also many Linux-based devices and appliances.
If the system offers a package database, for example RPM- or DEB-based, this full list of installed packages is retrieved for further patch-level checks.

Log Method
Details: Determine OS and list of installed packages via SSH login
OID:1.3.6.1.4.1.25623.1.0.50282
Version used: 2026-10-08T05:49:09Z

Log (CVSS: 0.0)

NVT: OS Detection Consolidation and Reporting

Summary
This script consolidates the OS information detected by several VTs and tries to find the best matching OS.
Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.
If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Best matching OS:
OS:            Ubuntu 24.04 LTS
Version:       24.04 LTS
CPE:           cpe:/o:canonical:ubuntu_linux:24.04:-:lts
Found by VT:   1.3.6.1.4.1.25623.1.0.50282 (Determine OS and list of installed pa
↪ckages via SSH login)
Concluded from SSH login
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
```

... continues on next page ...

...continued from previous page ...

```
OS:            Ubuntu 24.04
Version:       24.04
CPE:           cpe:/o:canonical:ubuntu_linux:24.04
Found by VT:   1.3.6.1.4.1.25623.1.0.105586 (Operating System (OS) Detection (SSH
↪ Banner))
Concluded from SSH banner on port 22/tcp: SSH-2.0-OpenSSH_9.6p1 Ubuntu-3ubuntu13
↪.19
```

Solution:

Log Method
Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-10-09T15:40:56Z

References
url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: tcpdump Detection (SSH)

Summary
Checks whether tcpdump is installed on the target system and if so, tries to detect the installed version.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected tcpdump
Version:       4.99.4
Location:      /usr/bin/tcpdump
CPE:           cpe:/a:tcpdump:tcpdump:4.99.4
Concluded from version/product identification result:
tcpdump version 4.99.4
```

Solution:

Log Method
Details: tcpdump Detection (SSH)
OID:1.3.6.1.4.1.25623.1.0.113542
Version used: 2021-06-15T12:39:35Z

References
url: https://www.tcpdump.org/

Log (CVSS: 0.0)

NVT: tcpdump Detection (SSH)

Summary
Checks whether tcpdump is installed on the target system and if so, tries to detect the installed version.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected libpcap
Version:       1.10.4
Location:      /usr/bin/tcpdump
CPE:           cpe:/a:tcpdump:libpcap:1.10.4
Concluded from version/product identification result:
libpcap version 1.10.4
```

Solution:

...continues on next page ...

...continued from previous page ...

Log Method
Details: tcpdump Detection (SSH)
OID:1.3.6.1.4.1.25623.1.0.113542
Version used: 2021-06-15T12:39:35Z

References
url: https://www.tcpdump.org/

Log (CVSS: 0.0)

NVT: OpenSSL Detection Consolidation

Summary
Consolidation of OpenSSL detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected OpenSSL
Version:       3.0.13
Location:      /usr/bin/openssl
CPE:           cpe:/a:openssl:openssl:3.0.13
Concluded from version/product identification result:
OpenSSL 3.0.13
Extra information:
Used command: /usr/bin/openssl version
```

Solution:

Log Method
Note: Depending on the install method of OpenSSL on the target host multiple detection and vulnerability results for the same version / installation needs to be expected.
Details: OpenSSL Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.145462
Version used: 2025-07-09T05:43:50Z

References
url: https://openssl-library.org/

Log (CVSS: 0.0)

NVT: OpenSSH Detection Consolidation

Summary
Consolidation of OpenSSH detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Detected OpenSSH Client
Version:       9.6p1
Location:      /usr/bin/ssh
CPE:           cpe:/a:openbsd:openssh:9.6p1
Concluded from version/product identification result:
OpenSSH_9.6p1 Ubuntu-3ubuntu13.19, OpenSSL 3.0.13 30 Jan 2024
Detected OpenSSH Client
Version:       9.6p1
Location:      /usr/sbin/sshd
CPE:           cpe:/a:openbsd:openssh:9.6p1
Concluded from version/product identification result:
OpenSSH_9.6p1 Ubuntu-3ubuntu13.19, OpenSSL 3.0.13 30 Jan 2024
Detected OpenSSH Server
Version:       9.6p1
Location:      22/tcp
```

...continues on next page ...

...continued from previous page ...

```
CPE:           cpe:/a:openbsd:openssh:9.6p1
Concluded from version/product identification result:
SSH-2.0-OpenSSH_9.6p1 Ubuntu-3ubuntu13.19
```

Solution:

Log Method
Details: OpenSSH Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.108577
Version used: 2024-12-13T05:05:32Z

References
url: https://www.openssh.com/

Log (CVSS: 0.0)

NVT: sudo / sudoers Detection (Linux/Unix SSH Login)

Summary
SSH login-based detection of sudo and various sudoers components.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Sudo
Version:       1.9.15p5
Location:      /usr/bin/sudo
CPE:           cpe:/a:sudo_project:sudo:1.9.15:p5
Concluded from version/product identification result:
Sudo version 1.9.15p5
Detected Sudoers policy plugin
Version:       1.9.15p5
Location:      /usr/bin/sudo
CPE:           cpe:/a:sudo_project:sudoers_policy_plugin:1.9.15:p5
Concluded from version/product identification result:
Sudoers policy plugin version 1.9.15p5
Detected Sudoers file grammar
Version:       50
Location:      /usr/bin/sudo
CPE:           cpe:/a:sudo_project:sudoers_file_grammar:50
Concluded from version/product identification result:
Sudoers file grammar version 50
Detected Sudoers I/O plugin
Version:       1.9.15p5
Location:      /usr/bin/sudo
CPE:           cpe:/a:sudo_project:sudoers_i/o_plugin:1.9.15:p5
Concluded from version/product identification result:
Sudoers I/O plugin version 1.9.15p5
Detected Sudoers audit plugin
Version:       1.9.15p5
Location:      /usr/bin/sudo
CPE:           cpe:/a:sudo_project:sudoers_audit_plugin:1.9.15:p5
Concluded from version/product identification result:
Sudoers audit plugin version 1.9.15p5
```

Solution:

Log Method
Details: sudo / sudoers Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.117185
Version used: 2025-07-15T05:43:28Z

References
url: https://www.sudo.ws/

Log (CVSS: 0.0)

NVT: GZip Detection (Linux/Unix SSH Login)

Summary
Checks whether GZip is present on the target system and if so, tries to figure out the installed version.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected GZip
Version:       1.12
Location:      /usr/bin/gzip
CPE:           cpe:/a:gnu:gzip:1.12
Concluded from version/product identification result:
gzip 1.12
Copyright (C) 2018 Free Software Foundation, Inc.
Copyright (C) 1993 Jean-loup Gailly.
This is free software.  You may redistribute copies of it under the terms of
the GNU General Public License <https://www.gnu.org/licenses/gpl.html>.
There is NO WARRANTY, to the extent permitted by law.
Written by Jean-loup Gailly.
```

Solution:

Log Method
Details: GZip Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.800450
Version used: 2024-02-08T14:36:53Z

Log (CVSS: 0.0)

NVT: Detection of Linux Kernel mitigation status for hardware vulnerabilities

Summary
Checks the Linux Kernel mitigation status for hardware (CPU) vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Linux Kernel mitigation status for hardware vulnerabilities:
sysfs file checked                                          | Linux Kernel
↪ status (SSH response)
-------------------------------------------------------------------------------
↪-------------------------------------------------------------------------------
↪----------------
/sys/devices/system/cpu/vulnerabilities/gather_data_sampling      | Not affected
/sys/devices/system/cpu/vulnerabilities/ghostwrite                | sysfs file m
↪issing (cat: /sys/devices/system/cpu/vulnerabilities/ghostwrite: No such file
↪or directory)
/sys/devices/system/cpu/vulnerabilities/indirect_target_selection | Mitigation:
↪Aligned branch/return thunks
/sys/devices/system/cpu/vulnerabilities/itlb_multihit             | Not affected
/sys/devices/system/cpu/vulnerabilities/l1tf                      | Not affected
/sys/devices/system/cpu/vulnerabilities/mds                       | Not affected
/sys/devices/system/cpu/vulnerabilities/meltdown                  | Not affected
/sys/devices/system/cpu/vulnerabilities/mmio_stale_data           | Vulnerable:
↪Clear CPU buffers attempted, no microcode; SMT Host state unknown
/sys/devices/system/cpu/vulnerabilities/old_microcode             | sysfs file m
↪issing (cat: /sys/devices/system/cpu/vulnerabilities/old_microcode: No such fi
↪le or directory)
/sys/devices/system/cpu/vulnerabilities/reg_file_data_sampling    | Not affected
/sys/devices/system/cpu/vulnerabilities/retbleed                  | Mitigation:
↪Enhanced IBRS
/sys/devices/system/cpu/vulnerabilities/spec_rstack_overflow      | Not affected
/sys/devices/system/cpu/vulnerabilities/spec_store_bypass         | Vulnerable
/sys/devices/system/cpu/vulnerabilities/spectre_v1                | Mitigation:
↪usercopy/swapgs barriers and __user pointer sanitization
```

... continues on next page ...

...continued from previous page ...

```
/sys/devices/system/cpu/vulnerabilities/spectre_v2                | Mitigation:
↪Enhanced / Automatic IBRS; PBRSB-eIBRS: SW sequence; BHI: SW loop, KVM: SW loo
↪p
/sys/devices/system/cpu/vulnerabilities/srbds                     | Unknown: Dep
↪endent on hypervisor status
/sys/devices/system/cpu/vulnerabilities/tsa                       | Not affected
/sys/devices/system/cpu/vulnerabilities/tsx_async_abort           | Not affected
/sys/devices/system/cpu/vulnerabilities/vmscape                   | Not affected
Notes on the "Linux Kernel status (SSH response)" column:
- sysfs file missing: The sysfs interface is available but the sysfs file for th
↪is specific vulnerability is missing. This means the current Linux Kernel does
↪n't know this vulnerability yet. Based on this it is assumed that it doesn't p
↪rovide any mitigation and that the target system is vulnerable.
- Strings including "Mitigation:", "Not affected" or "Vulnerable" are reported d
↪irectly by the Linux Kernel.
- All other strings are responses to various SSH commands.
```

Solution:

Log Method
Details: Detection of Linux Kernel mitigation status for hardware vulnerabilities
OID:1.3.6.1.4.1.25623.1.0.108765
Version used: 2026-07-10T06:54:17Z

References
url: https://docs.kernel.org/admin-guide/hw-vuln/index.html

Log (CVSS: 0.0)

NVT: Hostname Determination Reporting

Summary
The script reports information on how the hostname of the target was determined.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Hostname determination for IP 10.0.5.4:
Hostname|Source
10.0.5.4|IP-address
```

Solution:

Log Method
Details: Hostname Determination Reporting
OID:1.3.6.1.4.1.25623.1.0.108449
Version used: 2022-07-27T10:11:28Z

Log (CVSS: 0.0)

NVT: Perl Detection Consolidation

Summary
Consolidation of Perl detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected Perl
Version:       5.38.2
Location:      /usr/bin/perl
CPE:           cpe:/a:perl:perl:5.38.2
Concluded from version/product identification result:
This is perl 5, version 38, subversion 2 (v5.38.2
```

...continues on next page ...

. . . continued from previous page . . .

Solution:

Log Method
Details: Perl Detection Consolidation
OID:1.3.6.1.4.1.25623.1.0.117562
Version used: 2021-07-14T14:10:02Z

References
url: https://www.perl.org/

Log (CVSS: 0.0)

NVT: Perl Modules Detection (Linux/Unix SSH Login)

Product detection result
cpe:/a:perl:perl:5.38.2
Detected by Perl Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117562)

Summary
SSH login-based detection of various installed Perl modules.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Detected Perl Module Archive::Tar
Version: 2.40
Location: /usr/bin/perl
CPE: cpe:/a:perl:archive_tar:2.40
Concluded from version/product identification result:
2.40
Extra information:
Command used for the detection: /usr/bin/perl -MArchive::Tar -e 'print "$Archive
↪::Tar::VERSION"'

Solution:

Log Method
Details: Perl Modules Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.108504
Version used: 2021-07-19T06:58:54Z

Product Detection Result
Product: cpe:/a:perl:perl:5.38.2
Method: Perl Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117562

Log (CVSS: 0.0)

NVT: Perl Modules Detection (Linux/Unix SSH Login)

Product detection result
cpe:/a:perl:perl:5.38.2
Detected by Perl Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117562)

Summary
SSH login-based detection of various installed Perl modules.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Detected Perl Module Safe

. . . continues on next page . . .

...continued from previous page ...

```
Version:       2.44
Location:      /usr/bin/perl
CPE:           cpe:/a:rafael_garcia-suarez:safe:2.44
Concluded from version/product identification result:
2.44
Extra information:
Command used for the detection: /usr/bin/perl -MSafe -e 'print "$Safe::VERSION"'
```

Solution:

Log Method
Details: Perl Modules Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.108504
Version used: 2021-07-19T06:58:54Z

Product Detection Result
Product: cpe:/a:perl:perl:5.38.2
Method: Perl Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.117562

Log (CVSS: 0.0)

NVT: Traceroute

Summary
Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Network route from scanner (10.0.5.5) to target (10.0.5.4):
10.0.5.5
10.0.5.4
Network distance between scanner and target: 2
```

Solution:

Vulnerability Insight
For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method
A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.
Details: Traceroute
OID:1.3.6.1.4.1.25623.1.0.51662
Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0)

NVT: GNU Bash Detection (Linux/Unix SSH Login)

Summary
Detects the installed version of GNU bash.
The script logs in via SSH, searches for the executable 'bash' and queries the found executables via the command line option '–version'

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Detected GNU bash
Version:       5.2.21
Location:      /usr/bin/bash
CPE:           cpe:/a:gnu:bash:5.2.21
```

...continues on next page ...

... continued from previous page ...

Concluded from version/product identification result:
GNU bash, version 5.2.21

Solution:

Log Method
Details: GNU Bash Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.108258
Version used: 2024-02-08T14:36:53Z

Log (CVSS: 0.0)

NVT: dmidecode Detection (Linux/Unix SSH Login)

Summary
SSH login-based detection of dmidecode.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Detected dmidecode
Version: 3.5
Location: /usr/sbin/dmidecode
CPE: cpe:/a:nongnu:dmidecode:3.5
Concluded from version/product identification result:
dmidecode 3.5

Solution:

Log Method
Details: dmidecode Detection (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.108939
Version used: 2021-06-15T12:39:35Z

References
url: https://www.nongnu.org/dmidecode/

Log (CVSS: 0.0)

NVT: Report running Linux Kernel

Summary
This script reports the running Linux Kernel.

Quality of Detection (QoD): 97%

Vulnerability Detection Result
The remote host is running Linux Kernel "6.8.0-146-generic".
Concluded from uname: Linux lab03-target 6.8.0-146-generic #146-Ubuntu SMP PREEM
↪PT_DYNAMIC Thu Sep 3 16:12:30 UTC 2026 x86_64 x86_64 x86_64 GNU/Linux

Solution:

Log Method
Details: Report running Linux Kernel
OID:1.3.6.1.4.1.25623.1.0.105885
Version used: 2023-07-25T05:05:58Z

Log (CVSS: 0.0)

NVT: Authenticated Scan / LSC Info Consolidation (Linux/Unix SSH Login)

Summary
Consolidation and reporting of various technical information about authenticated scans / local security checks (LSC) via SSH for Linux/Unix targets.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Description (Knowledge base entry)
↪                                                                    : Value/Content
------------------------------------------------------------------------------------
↪-----------------------------------------------------------------------------------
↪-----------------------------------------------------------------------------------
↪-------------------------------------------------------------
Also use 'find' command to search for Applications enabled within 'Options for L
↪ocal Security Checks' (ssh/lsc/enable_find)                         : yes
Amount of timeouts the 'find' command has reached (ssh/lsc/find_timeout)
↪                                                                    : None
CPU Vendor / Vendor ID (gathered via 'cat /proc/cpuinfo') (ssh/login/cpu_vendor_
↪id)                                                                 : GenuineIntel
Clear received buffer before sending a command (ssh/force/clear_buffer)
↪                                                                    : FALSE
Commands are send via a pseudoterminal/pty (ssh/force/pty)
↪                                                                    : FALSE
Debugging enabled within 'Global variable settings' (global_settings/ssh/debug)
↪                                                                    : FALSE
Descend directories on other filesystem enabled within 'Options for Local Securi
↪ty Checks' (ssh/lsc/descend_ofs)                                    : yes
Don't prepend '/bin/sh -c' to used commands (ssh/force/nosh)
↪                                                                    : FALSE
Don't prepend 'LANG=C; LC_ALL=C;' to the '/bin/sh -c' commands (ssh/force/nolang
↪_sh)                                                                : FALSE
Elevate Privileges Feature: Enabled
↪                                                                    : FALSE
Folder exclusion regex for file search on Unixoide targets (ssh/lsc/search_exclu
↪de_paths)                                                           : ^(/(proc|afs|dev
↪|media|mnt|net|run|sfs|sys|tmp|udev|var/(backups|cache|lib|local|lock|log|mail
↪|opt|run|spool|tmp)|etc/init\.d|usr/share/doc)|.*/lost\+found)
FreeBSD package management tool available (ssh/login/freebsdpkg/available)
↪                                                                    : Not applicable f
↪or target
FreeBSD patchlevel (ssh/login/freebsdpatchlevel)
↪                                                                    : Not applicable f
↪or target
FreeBSD release (ssh/login/freebsdrel)
↪                                                                    : Not applicable f
↪or target
Fully Qualified Domain Name (FQDN) (ssh/login/fqdn)
↪                                                                    : lab03-target
Hardware Product Serial Number (ssh/login/product_serial)
↪                                                                    : FALSE
Hardware Product UUID (ssh/login/product_uuid)
↪                                                                    : FALSE
Ignore packages of inactive Linux kernels (ssh/login/ignore_inactive_kernels/ena
↪bled)                                                               : FALSE
Integer that sets the directory depth when using 'find' on unixoide systems (ssh
↪/lsc/find_maxdepth)                                                 : 12
Login on a system with a restricted shell (ssh/restricted_shell)
↪                                                                    : FALSE
Login on a system without common commands like 'cat' or 'find' (ssh/no_linux_she
↪ll)                                                                 : FALSE
Login via SSH failed (login/SSH/failed)
↪                                                                    : FALSE
Login via SSH successful (login/SSH/success)
↪                                                                    : TRUE
Mac OS X build (ssh/login/osx_build)
↪                                                                    : Not applicable f
↪or target
Mac OS X release name (ssh/login/osx_name)
```

... continues on next page ...

...continued from previous page ...

```
↪                                                                    : Not applicable f
↪or target
Mac OS X version (ssh/login/osx_version)
↪                                                                    : Not applicable f
↪or target
Machine ID (ssh/login/machine_id)
↪                                                                    : 42fc3691ea804ec8
↪a0d92b51411fe34c
Machine hardware name (gathered via 'uname -m') (ssh/login/arch)
↪                                                                    : x86_64
Misconfigured CISCO device. No autocommand should be configured for the scanning
↪ user. (ssh/cisco/broken_autocommand)                               : FALSE
OpenBSD version (ssh/login/openbsdversion)
↪                                                                    : Not applicable f
↪or target
Operating System Key (used for Notus based Local Security Checks) (ssh/login/rel
↪ease_notus)                                                         : FALSE
Operating System Key (used for e.g. classic Local Security Checks) (ssh/login/re
↪lease)                                                              : UBUNTU24.04 LTS
Port used for authenticated scans (kb_ssh_transport())
↪                                                                    : 22/tcp
Report vulnerabilities of inactive Linux Kernel(s) separately (only for GOS 21.0
↪4 and older) (ssh/login/kernel_reporting_overwrite/enabled)         : FALSE
Response to 'uname -a' command (ssh/login/uname)
↪                                                                    : Linux lab03-targ
↪et 6.8.0-146-generic #146-Ubuntu SMP PREEMPT_DYNAMIC Thu Sep  3 16:12:30 UTC 2
↪026 x86_64 x86_64 x86_64 GNU/Linux
Send an extra command (ssh/send_extra_cmd)
↪                                                                    : FALSE
Solaris hardware type (ssh/login/solhardwaretype)
↪                                                                    : Not applicable f
↪or target
Solaris version (ssh/login/solosversion)
↪                                                                    : Not applicable f
↪or target
The SSH session/connection is re-opened before sending each command (ssh/force/r
↪econnect)                                                           : FALSE
Use 'su - USER' option on SSH commands (ssh/lsc/use_su)
↪                                                                    : FALSE
Use this user for 'su - USER' option on SSH commands (ssh/lsc/su_user)
↪                                                                    : FALSE
User used for authenticated scans (kb_ssh_login())
↪                                                                    : gvmscan
locate: Command available (ssh/locate/available)
↪                                                                    : FALSE
locate: Response to 'locate -S' command (ssh/locate/broken)
↪                                                                    : /bin/sh: 1: loca
↪te: not found
rpm: Access to the RPM database failed (ssh/login/failed_rpm_db_access)
↪                                                                    : FALSE
NOTE: The locate command seems to be unavailable for this user/account/system. T
↪his command is highly recommended for authenticated scans to improve the searc
↪h performance on the target system. Please see the output above for a possible
↪ hint / reason why this command is not available.
```

Solution:

Log Method
Details: Authenticated Scan / LSC Info Consolidation (Linux/Unix SSH Login)
OID:1.3.6.1.4.1.25623.1.0.108162
Version used: 2026-09-04T15:37:29Z

References
url: https://docs.greenbone.net/GSM-Manual/gos-25.0/en/scanning.html#requirements-on-target-systems-with-linux-unix
url: https://docs.greenbone.net/GSM-Manual/gos-24.10/en/scanning.html#requirements-on-target-systems-with-linux-unix

[return to 10.0.5.4]

2.1.5 Log 22/tcp

Log (CVSS: 0.0)

NVT: SSH Authorization Check

Summary
This script tries to login with provided credentials.
If the login was successful, it marks this port as available for any authenticated tests.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
It was possible to login using the provided SSH credentials. Hence authenticated
↪ checks are enabled.
```

Solution:

Log Method
Details: SSH Authorization Check
OID:1.3.6.1.4.1.25623.1.0.90022
Version used: 2023-07-28T16:09:07Z

Log (CVSS: 0.0)

NVT: SSH Protocol Algorithms Supported

Summary
This script detects which algorithms are supported by the remote SSH service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The following options are supported by the remote SSH service:
kex_algorithms:
sntrup761x25519-sha512@openssh.com,curve25519-sha256,curve25519-sha256@libssh.or
↪g,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nistp521,diffie-hellman-grou
↪p-exchange-sha256,diffie-hellman-group16-sha512,diffie-hellman-group18-sha512,
↪diffie-hellman-group14-sha256,ext-info-s,kex-strict-s-v00@openssh.com
server_host_key_algorithms:
rsa-sha2-512,rsa-sha2-256,ecdsa-sha2-nistp256,ssh-ed25519
encryption_algorithms_client_to_server:
aes128-ctr,aes192-ctr,aes256-ctr,chacha20-poly1305@openssh.com,aes256-gcm@openss
↪h.com,aes128-gcm@openssh.com
encryption_algorithms_server_to_client:
aes128-ctr,aes192-ctr,aes256-ctr,chacha20-poly1305@openssh.com,aes256-gcm@openss
↪h.com,aes128-gcm@openssh.com
mac_algorithms_client_to_server:
hmac-sha2-512-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512,hmac-s
↪ha2-256
mac_algorithms_server_to_client:
hmac-sha2-512-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512,hmac-s
↪ha2-256
compression_algorithms_client_to_server:
none,zlib@openssh.com
compression_algorithms_server_to_client:
none,zlib@openssh.com
```

Solution:

Log Method
Details: SSH Protocol Algorithms Supported
OID:1.3.6.1.4.1.25623.1.0.105565
Version used: 2026-06-23T06:54:08Z

Log (CVSS: 0.0)

NVT: SSH Protocol Versions Supported

Summary
Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.

Quality of Detection (QoD): 95%

Vulnerability Detection Result
```
The remote SSH Server supports the following SSH Protocol Versions:
1.99
2.0
SSHv2 Fingerprint(s):
ecdsa-sha2-nistp256: ab:b3:79:49:3e:00:a3:d0:0d:5f:b2:9e:85:65:5e:0a
ssh-ed25519: de:76:90:92:20:ff:cf:4b:2d:cb:fd:3a:40:80:4f:95
```

Solution:

Log Method
The following versions are tried: 1.33, 1.5, 1.99 and 2.0.
Details: `SSH Protocol Versions Supported`
OID:1.3.6.1.4.1.25623.1.0.100259
Version used: `2024-06-17T08:31:37Z`

Log (CVSS: 0.0)

NVT: Determine OS and list of installed packages via SSH login

Summary
This script will, if given a userid/password or key to the remote system, login to that system, determine the OS it is running, and for supported systems, extract the list of installed packages/rpms.

Quality of Detection (QoD): 97%

Vulnerability Detection Result
```
We are able to login and detect that you are running Ubuntu 24.04 LTS.
```

Solution:

Vulnerability Insight
The ssh protocol is used to log in. If a specific port is configured for the credential, then only this port will be tried. Else any port that offers ssh, usually port 22.
Upon successful login, the command 'uname -a' is issued to find out about the type and version of the operating system. The result is analysed for various patterns and in several cases additional commands are tried to find out more details and to confirm a detection.
The regular Linux distributions are detected this way as well as other unixoid systems and also many Linux-based devices and appliances.
If the system offers a package database, for example RPM- or DEB-based, this full list of installed packages is retrieved for further patch-level checks.

Log Method
Details: `Determine OS and list of installed packages via SSH login`
OID:1.3.6.1.4.1.25623.1.0.50282
Version used: `2026-10-08T05:49:09Z`

Log (CVSS: 0.0)

NVT: SSH Login Successful For Authenticated Checks

Summary
It was possible to login using the provided SSH credentials. Hence authenticated checks are enabled.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

...continued from previous page ...

Vulnerability Detection Result
Vulnerability was detected according to the Vulnerability Detection Method.

Solution:

Log Method
Details: `SSH Login Successful For Authenticated Checks`
OID:1.3.6.1.4.1.25623.1.0.108540
Version used: `2023-07-28T16:09:07Z`

Log (CVSS: 0.0)

NVT: SSH File Transfer Protocol (SFTP) / Subsystem Detection (SSH Login)

Summary
SSH login-based detection of services supporting the SSH File Transfer Protocol (SFTP, also known as Secure File Transfer Protocol) / subsystem.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
`SFTP is enabled on the remote SSH service.`

Solution:

Log Method
Logs into the target via SSH and checks if the SFTP protocol is available / subsystem can be requested.
Note: Valid SSH credentials needs to be provided in the target configuration for a successful detection. Please see the references for more information.
Details: `SSH File Transfer Protocol (SFTP) / Subsystem Detection (SSH Login)`
OID:1.3.6.1.4.1.25623.1.0.117628
Version used: `2026-05-22T06:54:41Z`

References
url: https://datatracker.ietf.org/doc/html/draft-ietf-secsh-filexfer
url: https://docs.greenbone.net/GSM-Manual/gos-25.0/en/scanning.html#creating-a-target
url: https://docs.greenbone.net/GSM-Manual/gos-25.0/en/scanning.html#credentials
url: https://docs.greenbone.net/GSM-Manual/gos-24.10/en/scanning.html#creating-a-target
url: https://docs.greenbone.net/GSM-Manual/gos-24.10/en/scanning.html#credentials

Log (CVSS: 0.0)

NVT: PQC Key Exchange (KEX) Algorithm(s) Supported (SSH)

Summary
The remote SSH server is configured to allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSH server supports the following PQC KEX algorithm(s):
 - sntrup761x25519-sha512@openssh.com
```

Solution:

Log Method
Checks the (previously collected) supported KEX algorithms of the remote SSH server.
Currently the following PQC KEX algorithms are defined / getting used for this check:
- sntrup761x25519-sha512@openssh.com
- sntrup761x25519-sha512
- mlkem768x25519-sha256

...continues on next page ...

... continued from previous page ...

- sntrup4591761x25519-sha512@tinyssh.org
- ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org
- ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org
- ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org
- x25519-kyber-512r3-sha256-d00@amazon.com
- mlkem1024nistp384-sha384
- mlkem768nistp256-sha256
- curve25519-frodokem1344-sha512@ssh.com
- ecdh-nistp521-kyber1024-sha512@ssh.com

Details: PQC Key Exchange (KEX) Algorithm(s) Supported (SSH)
OID:1.3.6.1.4.1.25623.1.0.119215
Version used: 2026-06-23T06:54:08Z

References
url: https://openssh.com/pq.html
url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-quantum-key-exchange-algorithm/
url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finalized-post-quantum-encryption-standards
url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved
url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-not-adopting-it/
url: https://datatracker.ietf.org/doc/draft-ietf-sshm-mlkem-hybrid-kex/
url: https://datatracker.ietf.org/doc/rfc9941/

Log (CVSS: 0.0)

NVT: Services

Summary
This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
An ssh server is running on this port

Solution:

Vulnerability Insight
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method
Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)

NVT: SSH Server type and version

Summary
This detects the SSH Server's type and version by connecting to the server and processing the buffer received.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Remote SSH server banner: SSH-2.0-OpenSSH_9.6p1 Ubuntu-3ubuntu13.19
Remote SSH supported authentication: password,publickey
Remote SSH text/login banner:
--- separator ---
Authorized users only. All activity may be monitored and reported.
--- separator ---
This is probably (a):
- OpenSSH
Concluded from remote connection attempt with credentials:
Login:    gvmscan
```

... continues on next page ...

. . . continued from previous page . . .

Password: SSH password/private key configured for this task

Solution:

Vulnerability Insight
This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.

Log Method
Details: SSH Server type and version
OID:1.3.6.1.4.1.25623.1.0.10267
Version used: 2026-06-04T07:09:46Z

[return to 10.0.5.4]