






Photo	Name	Description	Net price	Discount	Net price after discount
	UZ-CX2172	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: wooden, steel doors / Application: office</p> <p>The set includes: external handle CX2172 with proximity reader and battery compartment / internal mechanical handle / round rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: brushed stainless steel, PVC</p>	559,00 €	20,00%	447,20 €
		IP 66 surcharge	109,00 €		87,20 €
	UZ-CX2172BLACK	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: wooden, steel doors / Application: office</p> <p>The set includes: external handle CX2172 with proximity reader and battery compartment / internal mechanical handle / round rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: powder-coated steel, PVC</p>	559,00 €	20,00%	447,20 €
		IP 66 surcharge	109,00 €		87,20 €
	UZ-CX2172-Oval	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: aluminum doors on a narrow profile / Application: office</p> <p>The set includes: external handle CX2172 with proximity reader and battery compartment / internal mechanical handle / oval rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: brushed stainless steel, PVC</p>	579,00 €	20,00%	463,20 €
		IP 66 surcharge	109,00 €		87,20 €

Photo	Name	Description	Cena netto	Discount	Net price after discount
	UZ-CX2174-Short	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: aluminum doors on a narrow profile /</p> <p>Application: office</p> <p>The set includes: external short-narrow escutcheon with CX2174 handle with proximity reader and battery compartment / internal mechanical handle / round rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: brushed stainless steel, PVC</p>	619,00 €	20,00%	495,20 €
		IP 66 surcharge	109,00 €		87,20 €
	Z-CX2174-Narrow	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: aluminum doors on a narrow profile /</p> <p>Application: office</p> <p>The set includes: external long-narrow escutcheon with CX2174 handle with proximity reader and battery compartment / internal mechanical handle / round rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: brushed stainless steel, PVC</p>	619,00 €	20,00%	495,20 €
		IP 66 surcharge	109,00 €		87,20 €
	UZ-CX2174-Wide	<p>Electronic handle for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Installation: wooden, steel doors / Application: office</p> <p>The set includes: external long-wide escutcheon with CX2174 handle with proximity reader and battery compartment / internal mechanical handle / round rosette with custom-made punching / CR123A battery / set of screws / pin – 7 8 8.5 9 10 mm – on request</p> <p>Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users</p> <p>Finish: brushed stainless steel, PVC</p>	619,00 €	20,00%	495,20 €
		IP 66 surcharge	109,00 €		87,20 €






Photo	Name	Description	Cena netto	Discount	Net price after discount
	U1	Extra charge for handle shape	45,00 €	20,00%	36,00 €
	U2	Extra charge for handle shape	45,00 €	20,00%	36,00 €
	UZ-CX2122	<p>Electronic cylinder insert with a mechanical knob for a proximity card and Bluetooth application Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter Installation: wooden, steel, glass doors / Application: office The set includes: Europrofile cylinder insert / mounting screw / 2x CR123A battery / instructions Base size: 30/30 mm Standalone mode: 1000 users / Simple system mode - Keyng1 up to 1000 users / Advanced system mode - Keyvi up to 60,000 users Finish: brushed stainless steel, PVC</p>	490,00 €	20,00%	392,00 €
		IP 66 surcharge	109,00 €		87,20 €
	UZ-CX2124	<p>Double-sided electronic cylinder insert for proximity card and Bluetooth application Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter Installation: wooden, steel, glass doors / Application: office The set includes: Europrofile cylinder insert / mounting screw / 2x CR123A battery / instructions Base size: 30/30 mm Autonomous mode: 1000 users / Keyng1 system mode Finish: brushed stainless steel, PVC</p>	890,00 €	20,00%	712,00 €
		IP 66 surcharge	109,00 €		87,20 €
	UZ-CX2126	<p>Electronic half cylinder insert for proximity card and Bluetooth application Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter Installation: wooden, steel, glass doors / Application: office The set includes: Europrofile cylinder insert / mounting screw / 2x CR123A battery / instructions Base size: 30/10 mm Autonomous mode: 1000 users / Keyng1 system mode Finish: brushed stainless steel, PVC</p>	490,00 €	20,00%	392,00 €
		IP 66 surcharge	109,00 €		87,20 €

Photo	Name	Description	Cena netto	Discount	Net price after discount
	UZ-CX2132	<p>Electronic reader for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Mounting: flush / Application: office</p> <p>The set includes: external reader / mounting base / mounting screws / instructions</p> <p>Power supply: 12 V DC (not included)</p> <p>Standalone mode: 1000 users / Keyng1 system mode</p> <p>Finish: brushed stainless steel, PVC</p>	539,00 €	20,00%	431,20 €
	UZ-CX6134	<p>Electronic reader for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Mounting: surface-mounted IP 66 / Application: office</p> <p>The set includes: external reader / mounting base / mounting screws / instructions</p> <p>Power supply: 12 V DC (not included)</p> <p>Standalone mode: 1000 users / Keyng1 system mode</p> <p>Finish: brushed stainless steel, PVC</p>	649,00 €	20,00%	519,20 €
	UZ-CAB	<p>Cabinet lock for proximity card, pin version</p> <p>Transponders: LEGIC® prime, LEGIC® advant, MIFARE® DESFire®, 868 MHz radio transmitter</p> <p>Power supply: AA 3.6V lithium battery</p> <p>Battery life: From 140,000 to 190,000 cycles</p> <p>Compatible with Uhlmann & Zacher locks</p>	229,00 €	20,00%	183,20 €
	UZ-CX2362	<p>Active transponder - function pilot, can be used in all current components working in contactless form, e.g. door handles, cylinders or wall readers with 868 MHz radio.</p> <p>CX6362 works as an active transponder with its own power supply</p>	119,00 €	20,00%	95,20 €
	UZ-CX6932	<p>Electronic reader for proximity card and Bluetooth application</p> <p>Mifare Classic, Mifare DESfire 13.56 MHz, Legic prime and advant 13.56 MHz, EM/HITAG 125 kHz, 868 MHz radio transmitter</p> <p>Mounting: surface-mounted / Application: office</p> <p>The set includes: external reader / mounting base / mounting screws / 41 mm antenna / instructions</p> <p>Power supply: 12 V DC (not included)</p> <p>Standalone mode: 1000 users / System mode SFT1_Keyng1</p> <p>Finish: brushed stainless steel, PVC</p>	149,00 €	20,00%	119,20 €






Photo	Name	Description	Cena netto	Discount	Net price after discount
	UZ-CX2350	<p>The Servicekey card serves as a programming key in the private Clex system.</p> <p>It allows access to the device memory and therefore serves as an authentication at the door, e.g. to read event logs or perform service functions, e.g. adding user cards.</p> <p>The service key works as a passive transponder without its own power supply.</p> <p>If the original service key is lost, it can be replaced by a replacement service key.</p> <p>The Clex service key can be used several times as a clone.</p>	38,00 €	20,00%	30,40 €
	UZ-CX2351	The Servicekey card serves as a cloning key in the private Clex system.	38,00 €	20,00%	30,40 €
	UZ-CX2530	<p>Keying1 software Version with USB radio stick 868 MHz</p> <p>Single-station software for managing the electronic handle/cylinder system.</p> <p>Support for 1000 users and 1000 handles/cylinders.</p> <p>Version with USB Stick reads and transfers authorizations directly to devices.</p>	590,00 €	20,00%	472,00 €
		Version with programming station	819,00 €	20,00%	655,20 €

Photo	Name	Description	Net price	Discount	Net price after discount
	Keying App	<p>Application for managing access devices</p> <p>It allows the user to easily and conveniently connect to the lock, grant or change permissions, or change settings.</p> <p>It works best in small systems with up to 10 doors – easy and convenient management of locks and keys.</p> <p>Keys can be programmed via the lock or via the NFC option on a smartphone.</p> <p>Personal data is stored locally on the smartphone.</p> <p>You can read the permissions granted to the lock.</p> <p>Access to the lock's event log.</p>		Free	
	Clex App	<p>An application for managing access devices</p> <p>Communication is via BLE (Bluetooth® Low Energy), and the use of physical keys or RFID transponders is unnecessary.</p> <p>Users receive permissions to locks from the administrator in the application.</p> <p>An invitation to use the system can be sent via e-mail and SMS.</p>		Free	
<p>All prices given in the price list are net prices and do not include the VAT rate of 23%</p> <p>All prices are EXW for WANO headquarters - do not include shipping costs</p> <p>Device prices do not include batteries</p> <p>The waiting period for devices may vary depending on the quantity of goods purchased and the degree of their personalization.</p> <p>The ordered goods remain the property of WANO until they are fully paid for by the ordering party.</p> <p>All goods are covered by a 24-month warranty starting after full payment for the goods</p>					