Clappform

version 1.0 · May 2026

A guide for external developers

Submit your app to the sAId-Kick App Store.

From repository to published app, in seven steps. Submit via GitHub, audited by another organisation, deployed in one click.

Platform

sAId-Kick App Store

Contact

info@clappform.com

Before you begin

Checklist.

Make sure you have all of the following before you start.

- [ ] A GitHub repository (public or private).
- [ ] A working Helm chart for your application.
- [ ] All container images hosted on `ghcr.io` or `Docker Hub` (ghcr.io recommended).
- [ ] A sAId-Kick platform account (federated via EntraID / Keycloak).
- [ ] Four audit documents (see step 2).

The route in seven steps

1. Set up your repository structure
2. Prepare your four audit documents
3. Create your app manifest (appstore.yaml)
4. Create your chart schema (values.schema.json)
5. Submit your app
6. Cross-organisational audit
7. Your app is live

1 Set up your repository structure

Your repository must follow this exact layout. The platform fetches the manifest, chart and audit files from fixed paths.

```
your-org/your-app/
├─ appstore.yaml                    App manifest · required
├─ chart/                           Your Helm chart
│  ├─ Chart.yaml
│  ├─ values.yaml
│  ├─ values.schema.json            Defines the deploy form · required
│  └─ templates/
├─ docs/screenshots/                Minimum 3 screenshots (PNG/JPEG)
└─ audit/                           All four audit documents
   ├─ dpia.pdf
   ├─ security-scan.sarif
   ├─ ai-risk-assessment.pdf
   └─ accessibility-report.pdf
```

Tip

Keep this structure at the root of your `main` branch.

A working example to start from: `github.com/ClappFormOrg/nginx-ai-demo`.

2 Prepare your four audit documents

Every submission requires four documents placed in the `audit/` folder.

Document	File	What it proves
Data Protection Impact Assessment	`dpia.pdf`	GDPR compliance, signed by your DPO.
Security Scan	`security-scan.sarif`	No vulnerabilities with CVSS ≥ 7.0.
AI Risk Assessment	`ai-risk-assessment.pdf`	EU AI Act compliance, model transparency.
Accessibility Report	`accessibility-report.pdf`	WCAG 2.2 Level AA compliance.

Security scan tools that produce SARIF: Trivy, Snyk, SonarQube, OWASP ZAP.

Important

Any security finding with a CVSS score of 7.0 or higher automatically blocks your submission. Fix all high-severity findings before submitting.

3 Create your app manifest

`appstore.yaml` · at the root of your repository

The manifest describes your app. These are the fields the platform reads, grouped as they appear in the file.

metadata

`name`	Unique slug, lowercase + hyphens. Cannot be changed later.
`display_name`	Human-readable name shown in the catalogue.
`vendor` `contact`	Your organisation and a support email or helpdesk URL.
`license`	One of the allowed licenses (see below).

spec

`chart.path`	Relative path to your Helm chart folder.
`categories`	One or more of the allowed category values.
`ai.risk_class`	EU AI Act class: minimal, limited or high.
`ai.base_model` `ai.data_residency`	Name of the model used. Data residency must be exactly “EU”.
`demo.description`	Short description, max 500 characters. Shown in the listing.
`demo.screenshots`	References to 3 to 20 images.
`audit.*`	Paths to the four audit documents from step 2.


Allowed licenses

`EUPL-1.2` `Apache-2.0` `MIT` `BSD-3-Clause` `GPL-3.0-only` `LGPL-3.0-only` `MPL-2.0`

4 Create your chart schema

`chart/values.schema.json`

This schema drives the deployment form other organisations see when they deploy your app. Each schema field becomes a form control.



Secret fields

Any field with `format: secret` is routed straight to Vault. It is never stored in plaintext and does not appear in logs or the deployment UI.

5 Submit your app

a Prepare your repository: valid `appstore.yaml`, Helm chart and all audit files.

b Install the sAId-Kick GitHub App on your repository.


c Click “App toevoegen” (Add app) in the dashboard.

d Enter the GitHub App Installation ID, copied from your app-installation URL.

e Enter the repository owner and name. Branch is optional.

f Click “App registreren” (Register app). Automated validation runs (under 60 sec).

g The app appears in the dashboard. Click “Indienen voor beoordeling” (Submit for review).



The registration form in the platform.

GitHub App permissions

`Contents: Read`
Fetch manifest and audit files.

`Metadata: Read`
Read repository info.

`Webhooks: Read & Write`
Receive push notifications.

Automated validation

Manifest schema	Missing field, wrong enum, invalid license.
Audit files	Missing, empty or wrong format.
Security scan	A finding with CVSS ≥ 7.0.
Helm chart	Invalid Chart.yaml or values.schema.json.

6 Cross-organisational audit

An auditor from a **different organisation** reviews your submission. This is enforced: someone from your own organisation cannot approve your app.

Request changes
Returns to Draft; fix and resubmit.

Approved
Published to the catalogue.


Rejected
Submit a new version.

Review time & rule

Typical review time: 2–5 business days. An auditor from your own org receives a 403 error, by design.

7 Your app is live

Once approved, your app appears in the public catalogue within 30 seconds and in your dashboard with status **Productie**. Other organisations click Deploy, select their cluster, fill in the form, provide secrets, and Argo CD reconciles your chart on their cluster.



The uploaded-applications dashboard: status and install count per app.

Maintenance

Keeping your app up to date.

Every time you push to your `main` branch:

1. Automated validation re-runs automatically via webhook.
2. Passes → a new version is created and sent for re-audit.
3. Fails → existing deployments are unaffected (pinned to an immutable git SHA).
4. Approved → deployers see “Update available” in their dashboard.

Note

Existing deployments are never auto-updated. Each update requires explicit approval from the deploying organisation.

Common mistakes

Mistake	What happens
No `values.schema.json` in the chart.	Rejected immediately.
SARIF with a CVSS ≥ 7.0 finding.	Auto-rejected.
`data_residency` is not exactly “EU”.	Auto-rejected.
App name (slug) changed after first publish.	Immutable; create a new submission.
Secrets in plain `values.yaml`.	Use `format: secret` in the schema instead.
Fewer than 3 screenshots.	Blocked at validation.

Quick reference

The limits at a glance.

Minimum screenshots	`3 (max 20)`	Image formats	`PNG, JPEG`
Max video size	`100 MB (MP4)`	Max SARIF size	`100 KB`
App name (slug)	`3–60, a–z 0–9 -`	Data residency	`“EU”`
Security threshold	`no CVSS ≥ 7.0`	Image registry	`ghcr.io or Docker Hub`

Container-registry

Images may live on `ghcr.io` or `Docker Hub`; the platform API does not validate the registry. We recommend ghcr.io because of Docker Hub pull rate limits on shared clusters (100 pulls per 6 hours for anonymous clients).

Questions?

info@clappform.com

Clappform