```
======================================================================
 TM 4.5 - A virtual machine for CS445
                  and
 A Description of the Execution Environment for C-

Nov 30, 2020  Robert Heckendorn
University of Idaho
======================================================================

The TM machine is from the original code from the compiler book
(Louden) with *lots* of mods including expanded instruction set and
much stronger debugging facilities but the same poor parser. The TM
code is a single C file as in the original. I haven't had time to
rewrite it from scratch, which it desperately needs.

The TM does 64 bit integer arithmetic but the addresses are 32 bit.

DATA LAYOUT
-----------

8 registers:  0-7
 register 7 is the program counter and is denoted PC below
 All registers are initialized to 0.

The "d" in the instruction format below can be an integer or a
character denoted by characters enclosed in single quotes.  If the
first character is a caret it means control.  '^M' is control-M etc.
Backslash is understood for '\0', '\t', '\n', '\'' and '\\'.

Memory comes in two "segments": instruction memory and data memory.

iMem INSTRUCTION MEMORY
  Each memory location contains both an instruction and a comment.
  That is when the original assembler reads code into memory it
  remembers the comment! The comment is very useful in debugging! iMem
  is initialized to Halt instructions and the comment: "* initially
  empty"

dMem DATA MEMORY
  dMem[0] is initialized with the address of the last element in dMem.
  The rest of dMem is zeroed. Each location in data is commented with
  whether the memory has been used or not. If it has been used the
  comment is the instruction address of the last instruction that
  wrote at that location.

FORMAT OF TM file is lines of the form:

* <comment>                            a general full line comment
addr <instruction> <comment>           set INSTRUCTION MEMORY at addr to this instruction
addr LIT <value>                       set DATA MEMORY at addr to this value


LITERAL INSTRUCTIONS (data memory)
------------------------------------------
```

```
LIT 666        load into data memory the single "word" value given at the address.
LIT 'x'        load into data memory the single "word" value given at the address.
LIT "stuff"    load into data memory the string starting with the first character at the address
               given and then *decrementing* from there.   The size is then stored in the address+1.

REGISTER ONLY INSTRUCTIONS  (RO instruction format) (instruction memory)
-----------------------------------------

HALT  X, X, X  stop execution (all registers ignored)
NOP   X, X, X  does nothing but take space (all registers ignored)
IN    r, X, X  reg[r] <- input integer value of register r from stdin
INB   r, X, X  reg[r] <- input boolean value of register r from stdin
INC   r, X, X  reg[r] <- input char value of register r from stdin
OUT   r, X, X  reg[r] -> output integer value of register r to stdout
OUTB  r, X, X  reg[r] -> output boolean value of register r to stdout
OUTC  r, X, X  reg[r] -> output char value of register r to stdout
OUTNL X, X, X  output a newline to stdout

ADD r, s, t    reg[r] = reg[s] + reg[t]
SUB r, s, t    reg[r] = reg[s] - reg[t]
MUL r, s, t    reg[r] = reg[s] * reg[t]
DIV r, s, t    reg[r] = reg[s] / reg[t]        (only a truncating integer divide)
MOD r, s, t    reg[r] = reg[s] % reg[t]        (always returns the NONNEGATIVE modulus of reg[s] % reg[t])
AND r, s, t    reg[r] = reg[s] & reg[t]        (bitwise and)
OR  r, s, t    reg[r] = reg[s] | reg[t]        (bitwise or)
XOR r, s, t    reg[r] = reg[s] ^ reg[t]        (bitwise xor)
NOT r, s, X    reg[r] = ~ reg[s]               (bitwise complement)
NEG r, s, X    reg[r] = - reg[s]               negative
SWP r, s, X    reg[r] = min(reg[r], reg[s]), reg[s] = max(reg[r], reg[s])  (useful for min or max)
RND r, s, X    reg[r] = random(0, |reg[s]-1|)  (get random num between 0 and |reg[s]-1| inclusive; X ignored,

REGISTER TO MEMORY INSTRUCTIONS  (RA instruction format)
-----------------------------------------
LDC r, c(X)    reg[r] = c                    (load constant; immediate; X ignored)
LDA r, d(s)    reg[r] = d + reg[s]           (load direct address)
LD  r, d(s)    reg[r] = dMem[d + reg[s]]     (load indirect)

ST  r, d(s)    dMem[d + reg[s]] = reg[r]

JNZ r, d(s)    if reg[r]!=0 reg[PC] = d + reg[s]  (jump nonzero)
JZR r, d(s)    if reg[r]==0 reg[PC] = d + reg[s]  (jump zero)
JMP x, d(s)    reg[PC] = d + reg[s]               (jump)

TEST INSTRUCTIONS  (RO instruction format) (instruction memory)
-----------------------------------------

TLT r, s, t    if reg[s]<reg[t] reg[r] = 1 else reg[r] = 0
TLE r, s, t    if reg[s]<=reg[t] reg[r] = 1 else reg[r] = 0
TEQ r, s, t    if reg[s]==reg[t] reg[r] = 1 else reg[r] = 0
TNE r, s, t    if reg[s]!=reg[t] reg[r] = 1 else reg[r] = 0
TGE r, s, t    if reg[s]>=reg[t] reg[r] = 1 else reg[r] = 0
TGT r, s, t    if reg[s]>reg[t] reg[r] = 1 else reg[r] = 0
SLT r, s, t    if (reg[r]>=0) reg[r] = (reg[s]<reg[t] ? 1 : 0); else reg[r] = (-reg[s] < -reg[t] ? 1 : 0);
SGT r, s, t    if (reg[r]>=0) reg[r] = (reg[s]>reg[t] ? 1 : 0); else reg[r] = (-reg[s] > -reg[t] ? 1 : 0);
```

```
BLOCK MEMORY TO MEMORY INSTRUCTIONS  (MM instructions in RO format)
-------------------------------------------
MOV r, s, t    dMem[reg[r] - (0..reg[t]-1)] = dMem[reg[s] - (0..reg[t]-1)] (overlapping source and target is u
SET r, s, t    dMem[reg[r] - (0..reg[t]-1)] = reg[s]         makes reg[t] copies of reg[s]
CO  r, s, t    reg[5] =  dMem[reg[r] + k] (for the first k that yields a diff or the last tested if no diff)
               reg[6] =  dMem[reg[s] + k] (for the first k that yields a diff or the last tested if no diff)
               WARNING: memory is scanned from higher addresses to lower
COA r, s, t    reg[5] =  reg[r] + k       (for the first k that yields a diff at that address or the last test
               reg[6] =  reg[s] + k       (for the first k that yields a diff at that address or the last test
               WARNING: memory is scanned from higher addresses to lower


SOME TM IDIOMS
--------------

1. reg[r]++:

  LDA r, 1(r)

2. reg[r] = reg[r] + d:

  LDA r, d(r)

3. reg[r] = reg[s]

  LDA r, 0(s)

4. goto reg[r] + d

  LDA 7, d(r)

5. goto relative to pc  (d is number of instructions skipped!!)

  LDA 7, d(7)

6. NOOP:

  LDA r, 0(r)

7. save address of following command for return in reg[r]

  LDA r, 1(7)

8. jump to address d(s) if reg[s] > reg[t]?

TGT r, s, t    reg[r] = (reg[s] > reg[t] ? 1 : 0)
JNZ r, d(s)    if reg[r]>0 reg[PC] = d + reg[s]

9. jump vector at reg[r] > vector at reg[s] of length reg[t]

CO  r, s, t    compare two vectors  -> reg[5] and reg[6]
TGT r, 5, 6    reg[r] = (reg[s] > reg[t] ? 1 : 0)
JNZ r, d(s)    if reg[r]>0 reg[PC] = d + reg[s]
```

```
TM EXECUTION
------------

This is how execution actually works:
    pc <- reg[7]
    test pc in range
    reg[7] <- pc+1
    inst <- fetch(pc)
    exec(inst)

Notice that at the head of the execution loop above reg[7] points
to the instruction BEFORE the one about to be executed.  Then
the first thing the loop will do is increment the PC.  During
an instruction execution the PC points at the instruction executing.

So LDA 7, 0(7)   does nothing but because it leaves pointer at next instr
So LDA 7, -1(7) is infinite loop

Memory comes in two segments: instruction and data. When TM is
started, cleared, or loaded then all data memory is zeroed and marked
as unused and data memory position 0 is loaded with the address of the
last spot in memory (highest accessible address). All instruction
memory is filled with halt instructions. The reg[7] is set to the
beginning of instruction memory.


TM version 4.1
--------------

Commands are:
 a(bortLimit <<n>>  Maximum number of instructions between halts (default is 50000).
 b(reakpoint <<n>>  Set a breakpoint for instr n.  No n means clear breakpoints.
 c(lear             Reset TM for new execution of program
 d(Mem <b <n>>      Print n dMem locations (counting down) starting at b (n can be negative to count up). No a
 e(xecStats         Print execution statistics since last load or clear
 g(o                Execute TM instructions until HALT
 h(elp              Cause this list of commands to be printed
 i(Mem <b <n>>      Print n iMem locations (counting up) starting at b.  No args means all used memory locatio
 l(oad filename     Load filename into memory (default is last file)
 n(ext              Print the next command that will be executed
 o(utputLimit <<n>> Maximum combined number of calls to any output instruction (default is 1000)
 p(rint             Toggle printing of total number instructions executed ('go' only)
 q(uit              Terminate TM
 r(egs              Print the contents of the registers
 s(tep <n>          Execute n (default 1) TM instructions
 t(race             Toggle instruction tracing (printing) during execution
 u(nprompt)         Unprompted for script input
 v                  Print the version information
 x(it               Terminate TM
 = <r> <n>          Set register number r to value n (e.g. set the pc)
 < <addr> <value>   Set dMem at addr to value
 (empty line does a step)
```

```
Also a # character placed after input will cause TM to halt
  after processing the IN or INB commands (e.g. 34#  or f# )

INSTRUCTION INPUT
-----------------
Instructions are input via the the load command.
There commands look like:

address: cmd r,s,t comment

or

address: cmd r,d(s) comment

or

* comment

or

address: LIT value  comment

value can be integer or char or string


For example:

 39:    ADD  3,4,3      op +
* Add standard closing in case there is no return statement
 65:    LDC  2,0(6)     Set return value to 0
 66:     LD  3,-1(1)    Load return address
 67:     LD  1,0(1)     Adjust fp
 68:    LDA  7,0(3)     Return
 60:    LIT  "dogs"     A literal stored at data memory locations 61..57
 70:    LIT  'x'        A literal stored at data memory location 70
 71:    LIT  666        A literal stored at data memory location 71

A note about string literals:  60: LIT "dogs"
looks like:

63:     0        unused
62:     0        unused
61:     4        readOnly  <-- size
60:   100 'd'    readOnly  <-- address given in LIT
59:   111 'o'    readOnly
58:   103 'g'    readOnly
57:   115 's'    readOnly
56:     0        unused



=====================================================================
 A Description of the Execution Environment for C-
=====================================================================
```

THE TM REGISTERS

These are the assigned registers for our virtual machine. Only register 7 is actually configured by the "hardware" to be what it is defined below. The rest is whatever we have made it to be.

0 - global pointer (points to the frame for global variables)
1 - the local frame pointer (initially right after the globals)
2 - return value from a function (set at end of function call)
3,4,5,6 - accumulators
7 - the program counter or pc (used by TM)

==========
Memory Layout
==========

THE FRAME LAYOUT

Frames for procedures are laid out in data memory as follows:



* parms are parameters for the function.

* locals are locals in the function both defined at the beginning of the procedure and in compound statements inside the procedure. Note that we can save space by overlaying non-concurrent compound statement scopes.

* temps are used to stretch the meager number of registers we have.

For example in doing (3+4)*(5+6)+7 we may need more temps than we have. In many compilers, during the intermediate stage they assume an infinite number of registers and then do a register allocation algorithm to optimize register use and execution time.

THE STACK LAYOUT

Location 0 in the data space is initialized with the address of the last element in data space. This is how the globals, frames and heap (which we don't have) would be laid out in data memory. Note that temps may be on the stack before a frame is placed on. This happens when a function is called in the middle of an expression.

MAP OF DATA SPACE



We do not currently have a heap or garbage collection.

THE INSTRUCTION SPACE LAYOUT

Instructions are loaded starting at address 0. When the go command is issued execution begins with address 0.

MAP OF INSTRUCTION SPACE



==========
Important Code Patterns
==========

GENERATING CODE

COMPILE TIME Variables: These are variables you might use when computing where things go in memory

goffset - the global offset is the relative offset of the next available space in the global space

foffset - the frame offset is the relative offset of the next available space in the frame being built

toffset - the temp offset is the offset from the frame offset next available temp variable

offset = foffset+toffset and is the current size of the frame

IMPORTANT: that these values will be negative since memory is growing

```
downward to lower addresses in this implementation!!


PROLOG CODE
-----------
This is the initialization code that is called at the beginning of the program.
It sets up registers 0 and 1 and jumps to main.  Returning
from main halts the program.

  0:    LDA  7,XXX(7)   Jump to init [backpatch]

( body of code including main goes here )

* INIT
 52:     LD  0,0(0)     Set the global pointer
* INIT GLOBALS AND STATICS

( code to init variables goes here! )

* END INIT GLOBALS AND STATICS
 53:    LDA  1,XXX(0)   set first frame at end of globals
 54:     ST  1,0(1)     store old fp (point to self!)
 55:    LDA  3,1(7)     Return address in ac
 56:    LDA  7,XXX(7)   Jump to main
 57:   HALT  0,0,0      DONE!
* END INIT



CALLING SEQUENCE (caller)  [version 1]
--------------------------
At this point:
reg1 points to the old frame
off in compiler offset to first available space on stack
     relative to the beginning of the frame
foffset in compiler offset to first available parameter
     relative to top of stack


* construct the ghost frame
* figure where the new local frame will go
LDA 3, off(1)   * where is current top of stack is

* load the first parameter  (foffset = -2)
LD  4, var1(1)     * load in third slot of ghost frame
ST  4, foffset(3)  * store in parameter space (then foffset--)

* load the second parameter
LD  4, var2(1)     * load in third temp
ST  4, foffset(3)  * store in parameter space  (then foffset--)

* begin call
ST  1, 0(3)        * store old fp in first slot of ghost frame
LDA 1, 0(3)        * move the fp to the new frame
```

```
LDA 3, 1(7)        * compute the return address at (skip 1 ahead)
LDA 7, func(7)     * call func
* return to here

At this point:
reg1 points to the new frame (top of old local stack)
reg3 contains return address in code space
reg7 points to the next instruction to execute
```

CALLING SEQUENCE (caller) [version 2]

```
-------------------------
At this point:
reg1 points to the old frame
off in compiler offset to first available space on stack
     relative to the beginning of the frame
foffset in compiler offset to first available parameter
     relative to the beginning of the frame

(foffset = end of current frame and temps)
ST  1, off(1)   * save old frame pointer at first part of new frame

* load the first parameter
LD  4, var1(1)  * load in third temp
ST  4, foffset(1)  * store in parameter space (foffset--)

* load the second parameter
LD  4, var2(1)  * load in third temp
ST  4, foffset(1)  * store in parameter space

* begin call
LDA 1, off(1)   * move the fp to the new frame
LDA 3, 1(7)     * compute the return address at (skip 1 ahead)
LDA 7, func(7)  * call func
* return to here

At this point:
reg1 points to the new frame (top of old local stack)
reg3 contains return address in code space
reg7 points to the next instruction to execute
```

CALLING SEQUENCE (callee's prolog)

```
---------------------------------
It is the callee's responsibility to save the return address.  An
optimization is to not do this if you can preserve reg3 throughout the
call.

ST  3, -1(1)    * save return addr in current frame
```

RETURN FROM A CALL

```
-----------------

* save return value
LDA 2, 0(x)   * load the function return (reg2) with the answer from regx

* begin return
LD  3, -1(1)  * recover old pc
LD  1, 0(1)   * pop the frame
LDA 7, 0(3)   * jump to old pc

At this point:
reg2 will have the return value from the function


=====================================================================
 Examples of variable and constant access
=====================================================================


LOAD CONSTANT
-------------
LDC 3, const(0)


RHS LOCAL VAR SCALAR
--------------------
LD  3, var(1)


RHS GLOBAL VAR SCALAR
---------------------
LD  3, var(0)


LHS LOCAL VAR SCALAR
--------------------
LDA 3, var(1)


RHS LOCAL ARRAY
---------------
LDA 3, var(1)    * array base
SUB 3, 4         * index off of the base
LD  3, 0(3)      * access the element


LHS LOCAL ARRAY
---------------
LDA 3, var(1)    * array base
SUB 3, 4         * index off of the base
ST  x, 0(3)      * store in array


=====================================================================
```

EXAMPLE 1: A Simple C- Program Compiled

THE CODE

```
// C-F15
int dog(int x)
{
        int y;
        int z;

        y = x*111+222;
        z = y;

        return z;
}

main()
{
        output(dog(666));
        outnl();
}
```

THE OBJECT CODE

```
* C- compiler version C-F15
* Built: Oct 14, 2015
* Author: Robert B. Heckendorn
* File compiled:  tmSample.c-
* FUNCTION input
  1:     ST  3,-1(1)    Store return address
  2:     IN  2,2,2      Grab int input
  3:     LD  3,-1(1)    Load return address
  4:     LD  1,0(1)     Adjust fp
  5:    LDA  7,0(3)     Return
* END FUNCTION input
* FUNCTION output
  6:     ST  3,-1(1)    Store return address
  7:     LD  3,-2(1)    Load parameter
  8:    OUT  3,3,3      Output integer
  9:    LDC  2,0(6)     Set return to 0
 10:     LD  3,-1(1)    Load return address
 11:     LD  1,0(1)     Adjust fp
 12:    LDA  7,0(3)     Return
* END FUNCTION output
* FUNCTION inputb
 13:     ST  3,-1(1)    Store return address
 14:    INB  2,2,2      Grab bool input
 15:     LD  3,-1(1)    Load return address
```

```
 16:     LD  1,0(1)     Adjust fp
 17:    LDA  7,0(3)     Return
* END FUNCTION inputb
* FUNCTION outputb
 18:     ST  3,-1(1)    Store return address
 19:     LD  3,-2(1)    Load parameter
 20:   OUTB  3,3,3      Output bool
 21:    LDC  2,0(6)     Set return to 0
 22:     LD  3,-1(1)    Load return address
 23:     LD  1,0(1)     Adjust fp
 24:    LDA  7,0(3)     Return
* END FUNCTION outputb
* FUNCTION inputc
 25:     ST  3,-1(1)    Store return address
 26:    INC  2,2,2      Grab char input
 27:     LD  3,-1(1)    Load return address
 28:     LD  1,0(1)     Adjust fp
 29:    LDA  7,0(3)     Return
* END FUNCTION inputc
* FUNCTION outputc
 30:     ST  3,-1(1)    Store return address
 31:     LD  3,-2(1)    Load parameter
 32:   OUTC  3,3,3      Output char
 33:    LDC  2,0(6)     Set return to 0
 34:     LD  3,-1(1)    Load return address
 35:     LD  1,0(1)     Adjust fp
 36:    LDA  7,0(3)     Return
* END FUNCTION outputc
* FUNCTION outnl
 37:     ST  3,-1(1)    Store return address
 38:  OUTNL  3,3,3      Output a newline
 39:     LD  3,-1(1)    Load return address
 40:     LD  1,0(1)     Adjust fp
 41:    LDA  7,0(3)     Return
* END FUNCTION outnl
* FUNCTION dog
 42:     ST  3,-1(1)    Store return address.
* COMPOUND
* EXPRESSION
 43:     LD  3,-2(1)    Load variable x
 44:     ST  3,-5(1)    Save left side
 45:    LDC  3,111(6)   Load constant
 46:     LD  4,-5(1)    Load left into ac1
 47:    MUL  3,4,3      Op *
 48:     ST  3,-5(1)    Save left side
 49:    LDC  3,222(6)   Load constant
 50:     LD  4,-5(1)    Load left into ac1
 51:    ADD  3,4,3      Op +
 52:     ST  3,-3(1)    Store variable y
* EXPRESSION
 53:     LD  3,-3(1)    Load variable y
 54:     ST  3,-4(1)    Store variable z
* RETURN
 55:     LD  3,-4(1)    Load variable z
```

```
 56:    LDA  2,0(3)     Copy result to rt register
 57:     LD  3,-1(1)    Load return address
 58:     LD  1,0(1)     Adjust fp
 59:    LDA  7,0(3)     Return
* END COMPOUND
* Add standard closing in case there is no return statement
 60:    LDC  2,0(6)     Set return value to 0
 61:     LD  3,-1(1)    Load return address
 62:     LD  1,0(1)     Adjust fp
 63:    LDA  7,0(3)     Return
* END FUNCTION dog
* FUNCTION main
 64:     ST  3,-1(1)    Store return address.
* COMPOUND
* EXPRESSION
*                       Begin call to  output
 65:     ST  1,-2(1)    Store old fp in ghost frame
*                       Load param 1
*                       Begin call to  dog
 66:     ST  1,-4(1)    Store old fp in ghost frame
*                       Load param 1
 67:    LDC  3,666(6)   Load constant
 68:     ST  3,-6(1)    Store parameter
*                       Jump to dog
 69:    LDA  1,-4(1)    Load address of new frame
 70:    LDA  3,1(7)     Return address in ac
 71:    LDA  7,-30(7)   CALL dog
 72:    LDA  3,0(2)     Save the result in ac
*                       End call to dog
 73:     ST  3,-4(1)    Store parameter
*                       Jump to output
 74:    LDA  1,-2(1)    Load address of new frame
 75:    LDA  3,1(7)     Return address in ac
 76:    LDA  7,-71(7)   CALL output
 77:    LDA  3,0(2)     Save the result in ac
*                       End call to output
* EXPRESSION
*                       Begin call to  outnl
 78:     ST  1,-2(1)    Store old fp in ghost frame
*                       Jump to outnl
 79:    LDA  1,-2(1)    Load address of new frame
 80:    LDA  3,1(7)     Return address in ac
 81:    LDA  7,-45(7)   CALL outnl
 82:    LDA  3,0(2)     Save the result in ac
*                       End call to outnl
* END COMPOUND
* Add standard closing in case there is no return statement
 83:    LDC  2,0(6)     Set return value to 0
 84:     LD  3,-1(1)    Load return address
 85:     LD  1,0(1)     Adjust fp
 86:    LDA  7,0(3)     Return
* END FUNCTION main
  0:    LDA  7,86(7)    Jump to init [backpatch]
* INIT
```

```
 87:     LD  0,0(0)     Set the global pointer
* INIT GLOBALS AND STATICS
* END INIT GLOBALS AND STATICS
 88:    LDA  1,0(0)     set first frame at end of globals
 89:     ST  1,0(1)     store old fp (point to self)
 90:    LDA  3,1(7)     Return address in ac
 91:    LDA  7,-28(7)   Jump to main
 92:   HALT  0,0,0      DONE!
* END INIT
```

```
========================================================================
 EXAMPLE 2: A Simple C- Program Compiled
========================================================================
```

THE CODE

```
--------
// C-F15
// A program to perform Euclid's
//   Algorithm to compute gcd of two numbers you give.

int gcd(int u; int v)
{
    if (v == 0)  // note you can't say:  if (v)
        return u;
    else
        return gcd(v, u - u/v*v);
}

main()
{
    int x, y;
    int result;

    x = input();
    y = input();
    result = gcd(x, y);
    output(result);
    outnl();
}
```

THE OBJECT CODE

```
---------------

* C- compiler version C-F15
* Built: Oct 14, 2015
* Author: Robert B. Heckendorn
* File compiled:  tmSample2.c-
* FUNCTION input
  1:     ST  3,-1(1)    Store return address
  2:     IN  2,2,2      Grab int input
  3:     LD  3,-1(1)    Load return address
```

```
  4:     LD  1,0(1)     Adjust fp
  5:    LDA  7,0(3)     Return
* END FUNCTION input
* FUNCTION output
  6:     ST  3,-1(1)    Store return address
  7:     LD  3,-2(1)    Load parameter
  8:    OUT  3,3,3      Output integer
  9:    LDC  2,0(6)     Set return to 0
 10:     LD  3,-1(1)    Load return address
 11:     LD  1,0(1)     Adjust fp
 12:    LDA  7,0(3)     Return
* END FUNCTION output
* FUNCTION inputb
 13:     ST  3,-1(1)    Store return address
 14:    INB  2,2,2      Grab bool input
 15:     LD  3,-1(1)    Load return address
 16:     LD  1,0(1)     Adjust fp
 17:    LDA  7,0(3)     Return
* END FUNCTION inputb
* FUNCTION outputb
 18:     ST  3,-1(1)    Store return address
 19:     LD  3,-2(1)    Load parameter
 20:   OUTB  3,3,3      Output bool
 21:    LDC  2,0(6)     Set return to 0
 22:     LD  3,-1(1)    Load return address
 23:     LD  1,0(1)     Adjust fp
 24:    LDA  7,0(3)     Return
* END FUNCTION outputb
* FUNCTION inputc
 25:     ST  3,-1(1)    Store return address
 26:    INC  2,2,2      Grab char input
 27:     LD  3,-1(1)    Load return address
 28:     LD  1,0(1)     Adjust fp
 29:    LDA  7,0(3)     Return
* END FUNCTION inputc
* FUNCTION outputc
 30:     ST  3,-1(1)    Store return address
 31:     LD  3,-2(1)    Load parameter
 32:   OUTC  3,3,3      Output char
 33:    LDC  2,0(6)     Set return to 0
 34:     LD  3,-1(1)    Load return address
 35:     LD  1,0(1)     Adjust fp
 36:    LDA  7,0(3)     Return
* END FUNCTION outputc
* FUNCTION outnl
 37:     ST  3,-1(1)    Store return address
 38:  OUTNL  3,3,3      Output a newline
 39:     LD  3,-1(1)    Load return address
 40:     LD  1,0(1)     Adjust fp
 41:    LDA  7,0(3)     Return
* END FUNCTION outnl
* FUNCTION gcd
 42:     ST  3,-1(1)    Store return address.
* COMPOUND
```

```
* IF
 43:     LD  3,-3(1)    Load variable v
 44:     ST  3,-4(1)    Save left side
 45:    LDC  3,0(6)     Load constant
 46:     LD  4,-4(1)    Load left into ac1
 47:    TEQ  3,4,3      Op ==
* THEN
* RETURN
 49:     LD  3,-2(1)    Load variable u
 50:    LDA  2,0(3)     Copy result to rt register
 51:     LD  3,-1(1)    Load return address
 52:     LD  1,0(1)     Adjust fp
 53:    LDA  7,0(3)     Return
 48:    JZR  3,6(7)     Jump around the THEN if false [backpatch]
* ELSE
* RETURN
*                       Begin call to  gcd
 55:     ST  1,-4(1)    Store old fp in ghost frame
*                       Load param 1
 56:     LD  3,-3(1)    Load variable v
 57:     ST  3,-6(1)    Store parameter
*                       Load param 2
 58:     LD  3,-2(1)    Load variable u
 59:     ST  3,-7(1)    Save left side
 60:     LD  3,-2(1)    Load variable u
 61:     ST  3,-8(1)    Save left side
 62:     LD  3,-3(1)    Load variable v
 63:     LD  4,-8(1)    Load left into ac1
 64:    DIV  3,4,3      Op /
 65:     ST  3,-8(1)    Save left side
 66:     LD  3,-3(1)    Load variable v
 67:     LD  4,-8(1)    Load left into ac1
 68:    MUL  3,4,3      Op *
 69:     LD  4,-7(1)    Load left into ac1
 70:    SUB  3,4,3      Op -
 71:     ST  3,-7(1)    Store parameter
*                       Jump to gcd
 72:    LDA  1,-4(1)    Load address of new frame
 73:    LDA  3,1(7)     Return address in ac
 74:    LDA  7,-33(7)   CALL gcd
 75:    LDA  3,0(2)     Save the result in ac
*                       End call to gcd
 76:    LDA  2,0(3)     Copy result to rt register
 77:     LD  3,-1(1)    Load return address
 78:     LD  1,0(1)     Adjust fp
 79:    LDA  7,0(3)     Return
 54:    LDA  7,25(7)    Jump around the ELSE [backpatch]
* ENDIF
* END COMPOUND
* Add standard closing in case there is no return statement
 80:    LDC  2,0(6)     Set return value to 0
 81:     LD  3,-1(1)    Load return address
 82:     LD  1,0(1)     Adjust fp
 83:    LDA  7,0(3)     Return
```

```
* END FUNCTION gcd
* FUNCTION main
 84:     ST  3,-1(1)    Store return address.
* COMPOUND
* EXPRESSION
*                       Begin call to  input
 85:     ST  1,-5(1)    Store old fp in ghost frame
*                       Jump to input
 86:    LDA  1,-5(1)    Load address of new frame
 87:    LDA  3,1(7)     Return address in ac
 88:    LDA  7,-88(7)   CALL input
 89:    LDA  3,0(2)     Save the result in ac
*                       End call to input
 90:     ST  3,-2(1)    Store variable x
* EXPRESSION
*                       Begin call to  input
 91:     ST  1,-5(1)    Store old fp in ghost frame
*                       Jump to input
 92:    LDA  1,-5(1)    Load address of new frame
 93:    LDA  3,1(7)     Return address in ac
 94:    LDA  7,-94(7)   CALL input
 95:    LDA  3,0(2)     Save the result in ac
*                       End call to input
 96:     ST  3,-3(1)    Store variable y
* EXPRESSION
*                       Begin call to  gcd
 97:     ST  1,-5(1)    Store old fp in ghost frame
*                       Load param 1
 98:     LD  3,-2(1)    Load variable x
 99:     ST  3,-7(1)    Store parameter
*                       Load param 2
100:     LD  3,-3(1)    Load variable y
101:     ST  3,-8(1)    Store parameter
*                       Jump to gcd
102:    LDA  1,-5(1)    Load address of new frame
103:    LDA  3,1(7)     Return address in ac
104:    LDA  7,-63(7)   CALL gcd
105:    LDA  3,0(2)     Save the result in ac
*                       End call to gcd
106:     ST  3,-4(1)    Store variable result
* EXPRESSION
*                       Begin call to  output
107:     ST  1,-5(1)    Store old fp in ghost frame
*                       Load param 1
108:     LD  3,-4(1)    Load variable result
109:     ST  3,-7(1)    Store parameter
*                       Jump to output
110:    LDA  1,-5(1)    Load address of new frame
111:    LDA  3,1(7)     Return address in ac
112:    LDA  7,-107(7)  CALL output
113:    LDA  3,0(2)     Save the result in ac
*                       End call to output
* EXPRESSION
*                       Begin call to  outnl
```

```
114:     ST  1,-5(1)    Store old fp in ghost frame
*                       Jump to outnl
115:    LDA  1,-5(1)    Load address of new frame
116:    LDA  3,1(7)     Return address in ac
117:    LDA  7,-81(7)   CALL outnl
118:    LDA  3,0(2)     Save the result in ac
*                       End call to outnl
* END COMPOUND
* Add standard closing in case there is no return statement
119:    LDC  2,0(6)     Set return value to 0
120:     LD  3,-1(1)    Load return address
121:     LD  1,0(1)     Adjust fp
122:    LDA  7,0(3)     Return
* END FUNCTION main
  0:    LDA  7,122(7)   Jump to init [backpatch]
* INIT
123:     LD  0,0(0)     Set the global pointer
* INIT GLOBALS AND STATICS
* END INIT GLOBALS AND STATICS
124:    LDA  1,0(0)     set first frame at end of globals
125:     ST  1,0(1)     store old fp (point to self)
126:    LDA  3,1(7)     Return address in ac
127:    LDA  7,-44(7)   Jump to main
128:   HALT  0,0,0      DONE!
* END INIT
```