GROUND FLOOR PLAN + SITE PLAN

30 ft (9144 mm) x 40 ft (12192 mm) Plot | G+2 Duplex | Scale 1:50



N

LEGEND

- External Wall (230mm)
- Internal Wall (115mm)
- Window / Glazing
- Staircase
- Lift Shaft
- Water Tank / WC

25m

30 x 40 ft — G+2 DUPLEX HOUSE

4 BHK | 5 Toilets | Lift | Full GF Parking | UG Tank

GROUND FLOOR PLAN + SITE PLAN

Scale: 1:50 | All dimensions in mm

FIRST FLOOR & SECOND FLOOR PLANS

30 ft (9144 mm) x 40 ft (12192 mm) Plot | G+2 Duplex | Scale 1:50

FIRST FLOOR PLAN — FFL +3000 mm | 2 Bedrooms | Bathrooms 1,2 & Common | Living | Kitchen



SECOND FLOOR PLAN — FFL +6000 mm | 2 Bedrooms | Bathrooms 4 & 5 | Study | Terrace



LEGEND

- External Wall (230mm)
- Internal Wall (115mm)
- Window / Glazing
- Staircase
- Lift Shaft
- Water Tank / WC

30 x 40 ft — G+2 DUPLEX HOUSE

4 BHK | 5 Toilets | Lift | Full GF Parking | UG Tank

FIRST FLOOR & SECOND FLOOR PLANS

Scale: 1:50 | All dimensions in mm

FRONT ELEVATION + SECTION A-A

30 ft (9144 mm) x 40 ft (12192 mm) Plot | G+2 Duplex | Scale 1:50

FRONT (SOUTH) ELEVATION — Scale 1:50

SECTION A-A — Scale 1:50



LEGEND

- External Wall (230mm)
- Internal Wall (115mm)
- Window / Glazing
- Staircase
- Lift Shaft
- Water Tank / WC

30 x 40 ft — G+2 DUPLEX HOUSE

4 BHK | 5 Toilets | Lift | Full GF Parking | UG Tank

FRONT ELEVATION + SECTION A-A

Scale: 1:50 | All dimensions in mm

SCHEDULE OF AREAS + DOOR-WINDOW SCHEDULE + NOTES

30 ft (9144 mm) x 40 ft (12192 mm) Plot | G+2 Duplex | Scale 1:50

SCHEDULE OF AREAS — 30 x 40 ft G+2 DUPLEX HOUSE

FLOOR / ROOM	DIMENSIONS (mm)	AREA (sq ft)	REMARKS
G.F. Parking Bay 1	2745 x 12192	360	For Car
G.F. Parking Bay 2	2745 x 12192	360	For Car
G.F. Parking Bay 3	2745 x 12192	360	For Car
Entry Lobby (GF)	1524 x 1200	20	Ground level
Staircase (GF-SF)	1524 x 3048	50	Internal / RCC
Lift Shaft	1500 x 1500	24	4-person, MRL
UG Sump Tank	2000 x 2500	54	RCC 10,000 L
Pump / Meter Rm	1524 x 1200	20	GF level
Common WC (GF)	1524 x 2134	35	Visitor
FIRST FLOOR			
Bedroom 1 (Master)	4200 x 3960	175	Attached Bath + WIC
Bathroom 1	1676 x 2134	38	Attached to BR1
Bedroom 2	3810 x 3810	152	Attached Bath
Bathroom 2	1524 x 2134	35	Attached to BR2
Common Toilet	1524 x 2134	35	FF level
Living Room	3048 x 3960	126	Open plan
Dining	2743 x 2438	72	
Kitchen	2438 x 2438	64	Modular
Utility / Balcony	2438 x 1524	40	South facing
Corridor	9144 x 1200	120	Full width
SECOND FLOOR			
Bedroom 3 (Master)	4200 x 3960	175	En-suite + WIC
Bathroom 3	1676 x 2134	38	En-suite
Bedroom 4 (Guest)	3810 x 3810	152	Attached Bath
Bathroom 4	1524 x 2134	35	Attached to BR4
Study / Office	3048 x 3960	126	
Open Terrace	4000 x 3200	140	South & East facing
Corridor (SF)	9144 x 1200	120	Full width
TOTAL BUILT-UP AREA		~3200 sq ft	All 3 floors

DOOR & WINDOW SCHEDULE

MARK	TYPE	SIZE (W x H mm)	QTY	REMARKS
D1	Main Entry Door	1000 x 2100	1	Solid wood / security
D2	Bedroom Door	900 x 2100	4	Flush / laminate
D3	Bathroom Door	750 x 2100	5	WC / PVC
D4	Kitchen Door	800 x 2100	1	Flush wood
D5	Utility Door	750 x 2100	2	PVC / Aluminium
D6	Stair / Lobby Door	900 x 2100	3	Fire-rated
D7	Garage Shutter	6700 x 2700	1	Rolling steel shutter
W1	Living Room Window	1800 x 1500	2	Aluminium sliding
W2	Bedroom Window	1500 x 1500	4	Aluminium sliding
W3	Kitchen Window	1200 x 1200	1	Aluminium casement
W4	Bathroom Ventilator	600 x 600	5	Aluminium louvre
W5	Staircase Window	900 x 1200	3	Aluminium fixed
W6	Dining Window	1200 x 1200	2	Aluminium sliding
W7	Study Window	1500 x 1200	1	Aluminium sliding

3D SCHEMATIC VIEW

Not to scale — For reference only



GENERAL NOTES & SPECIFICATIONS

1. All dimensions are in millimeters (mm) unless otherwise noted. Scale 1:50.
2. External walls: 230 mm thick RCC / brick with two-coat cement plaster and exterior paint.
3. Internal walls: 115 mm thick brick with single-coat plaster.
4. Compound wall: 230 mm RCC with MS gate (double-leaf, rolling), height 2400 mm.
5. Floor-to-floor height: 3000 mm. Plinth height: 450 mm above natural ground level.
6. Staircase: RCC cast-in-situ, 1524 mm wide, 150 mm riser x 270 mm tread, handrail both sides.
7. Lift: Machine-room-less (MRL), 1500 x 1500 mm shaft, 4-person (400 kg) capacity, all 3 floors.
8. UG Sump Tank: 10,000 L RCC waterproof construction, 1500 mm below plinth level.
9. Overhead Tank (OHT): 1500 L HDPE on RCC platform at terrace level.
10. Flooring: Vitrified tiles 800x800 mm — living/bedrooms. Anti-skid tiles — bathrooms, kitchen, parking.
11. Bathrooms: Full-height dado tiles up to 2100 mm. CP fittings — ISI marked.
12. Electrical: 3-phase supply, ELCB/MCB panel each floor. Provision for EV charging point at GF.
13. Plumbing: CPVC hot & cold supply. PVC drainage. Separate STP provision.
14. Parking: 3 cars (2745 x 5500 mm each bay). 150 mm thick M25 concrete floor.
15. Drawings to be verified on site before execution. All structural members to be designed by RCC consultant.

LEGEND

- External Wall (230mm)
- Internal Wall (115mm)
- Window / Glazing
- Staircase
- Lift Shaft
- Water Tank / WC

30 x 40 ft — G+2 DUPLEX HOUSE

4 BHK | 5 Toilets | Lift | Full GF Parking | UG Tank

SCHEDULE OF AREAS + DOOR-WINDOW SCHEDULE + NOTES

Scale: 1:50 | All dimensions in mm