class10

AUTHOR
Grant Reeves

Class 10: Structural Bioinformatics 2

Comparative structure analysis of Adenylate Kinase

```
library(ggplot2)
```

```
# Install packages in the R console NOT your Rmd/Quarto file

#install.packages("bio3d")
#install.packages("devtools")
#install.packages("BiocManager")

#BiocManager::install("msa")
#devtools::install_bitbucket("Grantlab/bio3d-view")
```

> Q10. Which of the packages above is found only on BioConductor and not CRAN?

BiocManager::install("msa") we know this becasue it says BioManager

> Q11. Which of the above packages is not found on BioConductor or CRAN?:

devtools::install_bitbucket("Grantlab/bio3d-view") and we know that becasue it has a separate install command

> Q12. True or False? Functions from the devtools package can be used to install packages from GitHub and BitBucket?

True

```
library(bio3d)

aa <- get.seq("1ake_A")
```

```
Warning in get.seq("1ake_A"): Removing existing file: seqs.fasta

Fetching... Please wait. Done.
```

```
aa
```

```
             1        .         .         .         .         .         60
pdb|1AKE|A   MRIILLGAPGAGKGTQAQFIMEKYGIPQISTGDMLRAAVKSGSELGKQAKDIMDAGKLVT
             1        .         .         .         .         .         60

            61        .         .         .         .         .         120
pdb|1AKE|A   DELVIALVKERIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFDVPDELIVDRI
            61        .         .         .         .         .         120

           121        .         .         .         .         .         180
pdb|1AKE|A   VGRRVHAPSGRVYHVKFNPPKVEGKDDVTGEELTTRKDDQEETVRKRLVEYHQMTAPLIG
           121        .         .         .         .         .         180

           181        .         .         .   214
pdb|1AKE|A   YYSKEAEAGNTKYAKVDGTKPVAEVRADLEKILG
           181        .         .         .   214

Call:
  read.fasta(file = outfile)

Class:
  fasta

Alignment dimensions:
  1 sequence rows; 214 position columns (214 non-gap, 0 gap)

+ attr: id, ali, call
```

We can now run BLAST with this sequence

```
#b <- blast.pdb(aa)
```

```
#hits <- plot(b)
```

```
# List out some 'top hits'

#head(hits$pdb.id)
```

```
hits <- NULL
hits$pdb.id <- c('1AKE_A','6S36_A','6RZE_A','3HPR_A','1E4V_A','5EJE_A','1E4Y_A','3X2S_A','6HAP_A'
```

```
# Download releated PDB files
files <- get.pdb(hits$pdb.id, path="pdbs", split=TRUE, gzip=TRUE)
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1AKE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6S36.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6RZE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3HPR.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4V.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/5EJE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4Y.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3X2S.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAP.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAM.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4K46.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3GMT.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4PZL.pdb exists. Skipping download


  |
  |                                                                      |   0%
  |
  |=====                                                                 |   8%
  |
  |===========                                                           |  15%
  |
  |================                                                      |  23%
  |
  |======================                                                |  31%
  |
```

```
  |=========================                                             |  38%
  |
  |================================                                      |  46%
  |
  |======================================                                |  54%
  |
  |=============================================                         |  62%
  |
  |=================================================                     |  69%
  |
  |=========================================================             |  77%
  |
  |=================================================================     |  85%
  |
  |=========================================================================|  92%
  |
  |=========================================================================| 100%
```

Align and superpose structures

Next we will use the pdbaln() function to align and also optionally fit the identified PDB structures.

```
# Align releated PDBs
pdbs <- pdbaln(files, fit = TRUE, exefile="msa")
```

```
Reading PDB files:
pdbs/split_chain/1AKE_A.pdb
pdbs/split_chain/6S36_A.pdb
pdbs/split_chain/6RZE_A.pdb
pdbs/split_chain/3HPR_A.pdb
pdbs/split_chain/1E4V_A.pdb
pdbs/split_chain/5EJE_A.pdb
pdbs/split_chain/1E4Y_A.pdb
pdbs/split_chain/3X2S_A.pdb
pdbs/split_chain/6HAP_A.pdb
pdbs/split_chain/6HAM_A.pdb
pdbs/split_chain/4K46_A.pdb
pdbs/split_chain/3GMT_A.pdb
pdbs/split_chain/4PZL_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
..   PDB has ALT records, taking A only, rm.alt=TRUE
....   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
...

Extracting sequences
```

```
pdb/seq: 1   name: pdbs/split_chain/1AKE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 2   name: pdbs/split_chain/6S36_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 3   name: pdbs/split_chain/6RZE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 4   name: pdbs/split_chain/3HPR_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 5   name: pdbs/split_chain/1E4V_A.pdb
pdb/seq: 6   name: pdbs/split_chain/5EJE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 7   name: pdbs/split_chain/1E4Y_A.pdb
pdb/seq: 8   name: pdbs/split_chain/3X2S_A.pdb
pdb/seq: 9   name: pdbs/split_chain/6HAP_A.pdb
pdb/seq: 10   name: pdbs/split_chain/6HAM_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 11   name: pdbs/split_chain/4K46_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 12   name: pdbs/split_chain/3GMT_A.pdb
pdb/seq: 13   name: pdbs/split_chain/4PZL_A.pdb
```

```
pdbs
```

```
                                1        .         .         .        40
[Truncated_Name:1]1AKE_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:2]6S36_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:3]6RZE_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:4]3HPR_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:5]1E4V_A.pdb    ----------MRIILLGAPVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:6]5EJE_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:7]1E4Y_A.pdb    ----------MRIILLGALVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:8]3X2S_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:9]6HAP_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:10]6HAM_A.pdb   ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:11]4K46_A.pdb   ----------MRIILLGAPGAGKGTQAQFIMAKFGIPQIS
[Truncated_Name:12]3GMT_A.pdb   ----------MRLILLGAPGAGKGTQANFIKEKFGIPQIS
[Truncated_Name:13]4PZL_A.pdb   TENLYFQSNAMRIILLGAPGAGKGTQAKIIEQKYNIAHIS
                                          **^******  *******  *  *^ *  **
                                1        .         .         .        40

                               41        .         .         .        80
[Truncated_Name:1]1AKE_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:2]6S36_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:3]6RZE_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:4]3HPR_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:5]1E4V_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:6]5EJE_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDACKLVTDELVIALVKE
[Truncated_Name:7]1E4Y_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:8]3X2S_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDCGKLVTDELVIALVKE
```

```
[Truncated_Name:9]6HAP_A.pdb    TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVRE
[Truncated_Name:10]6HAM_A.pdb   TGDMLRAAIKSGSELGKQAKDIMDAGKLVTDEIIIALVKE
[Truncated_Name:11]4K46_A.pdb   TGDMLRAAIKAGTELGKQAKSVIDAGQLVSDDIILGLVKE
[Truncated_Name:12]3GMT_A.pdb   TGDMLRAAVKAGTPLGVEAKTYMDEGKLVPDSLIIGLVKE
[Truncated_Name:13]4PZL_A.pdb   TGDMIRETIKSGSALGQELKKVLDAGELVSDEFIIKIVKD
                                *****^  ^* *^ **   *  ^*   ** *  ^^ ^*^^
                               41        .         .         .        80

                               81        .         .         .        120
[Truncated_Name:1]1AKE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:2]6S36_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:3]6RZE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:4]3HPR_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:5]1E4V_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:6]5EJE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:7]1E4Y_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:8]3X2S_A.pdb    RIAQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:9]6HAP_A.pdb    RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:10]6HAM_A.pdb   RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:11]4K46_A.pdb   RIAQDDCAKGFLLDGFPRTIPQADGLKEVGVVVDYVIEFD
[Truncated_Name:12]3GMT_A.pdb   RLKEADCANGYLFDGFPRTIAQADAMKEAGVAIDYVLEID
[Truncated_Name:13]4PZL_A.pdb   RISKNDCNNGFLLDGVPRTIPQAQELDKLGVNIDYIVEVD
                                *^   *   *^* ** **** **  ^   *^ ^****^* *
                               81        .         .         .        120

                              121        .         .         .        160
[Truncated_Name:1]1AKE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:2]6S36_A.pdb    VPDELIVDKIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:3]6RZE_A.pdb    VPDELIVDAIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:4]3HPR_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDGTG
[Truncated_Name:5]1E4V_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:6]5EJE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:7]1E4Y_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:8]3X2S_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:9]6HAP_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:10]6HAM_A.pdb   VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:11]4K46_A.pdb   VADSVIVERMAGRRAHLASGRTYHNVYNPPKVEGKDDVTG
[Truncated_Name:12]3GMT_A.pdb   VPFSEIIERMSGRRTHPASGRTYHVKFNPPKVEGKDDVTG
[Truncated_Name:13]4PZL_A.pdb   VADNLLIERITGRRIHPASGRTYHTKFNPPKVADKDDVTG
                                *    ^^^ ^ *** *  *** **  ^*****  *** **
                              121        .         .         .        160

                              161        .         .         .        200
[Truncated_Name:1]1AKE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:2]6S36_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:3]6RZE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:4]3HPR_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:5]1E4V_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:6]5EJE_A.pdb    EELTTRKDDQEECVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:7]1E4Y_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
```

```
[Truncated_Name:8]3X2S_A.pdb    EELTTRKDDQEETVRKRLCEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:9]6HAP_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:10]6HAM_A.pdb   EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:11]4K46_A.pdb   EDLVIREDDKEETVLARLGVYHNQTAPLIAYYGKEAEAGN
[Truncated_Name:12]3GMT_A.pdb   EPLVQRDDDKEETVKKRLDVYEAQTKPLITYYGDWARRGA
[Truncated_Name:13]4PZL_A.pdb   EPLITRTDDNEDTVKQRLSVYHAQTAKLIDFYRNFSSTNT
                                * *  * ** *^ *  **  *   *  ** ^*
                              161       .         .         .        200

                              201       .         .      227
[Truncated_Name:1]1AKE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:2]6S36_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:3]6RZE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:4]3HPR_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:5]1E4V_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:6]5EJE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:7]1E4Y_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:8]3X2S_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:9]6HAP_A.pdb    T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:10]6HAM_A.pdb   T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:11]4K46_A.pdb   T--QYLKFDGTKAVAEVSAELEKALA-
[Truncated_Name:12]3GMT_A.pdb   E-------NGLKAPA-----YRKISG-
[Truncated_Name:13]4PZL_A.pdb   KIPKYIKINGDQAVEKVSQDIFDQLNK
                                          *
                              201       .         .      227

Call:
  pdbaln(files = files, fit = TRUE, exefile = "msa")

Class:
  pdbs, fasta

Alignment dimensions:
  13 sequence rows; 227 position columns (204 non-gap, 23 gap)

+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

we can look at the alignments ourselves just by writing `pdbs`, but thats not really that useful becaue my eyes arent good at interpreting big data like this

we can plot our sequence allignment like this:

```
# Vector containing PDB codes for figure axis
ids <- basename.pdb(pdbs$id)

# Draw schematic alignment
plot(pdbs, labels=ids)
```



Now we have all this data we have downloaded and organized, we should perform some analysis on it, lets do a PCA

```
# Perform PCA

pc.xray <- pca(pdbs)
plot(pc.xray)
```



This plot shows the results on PCA analysis on Adenylate kinase x-ray structures. Each dot represents one possible PCA.

We can cluster the structures by RMSD

```
rmsd(pdbs)
```

```
Warning in rmsd(pdbs): No indices provided, using the 204 non NA positions

       1AKE_A 6S36_A 6RZE_A 3HPR_A 1E4V_A 5EJE_A 1E4Y_A 3X2S_A 6HAP_A 6HAM_A
1AKE_A  0.000  7.097  7.200  0.311  0.251  0.427  0.941  0.621  1.355  0.851
6S36_A  7.097  0.000  0.434  7.184  7.077  7.111  6.785  7.195  6.346  6.859
6RZE_A  7.200  0.434  0.000  7.289  7.178  7.212  6.882  7.290  6.441  6.959
3HPR_A  0.311  7.184  7.289  0.000  0.382  0.507  1.002  0.643  1.426  0.909
1E4V_A  0.251  7.077  7.178  0.382  0.000  0.475  0.971  0.636  1.377  0.851
5EJE_A  0.427  7.111  7.212  0.507  0.475  0.000  1.093  0.702  1.526  0.989
1E4Y_A  0.941  6.785  6.882  1.002  0.971  1.093  0.000  0.961  1.067  0.748
3X2S_A  0.621  7.195  7.290  0.643  0.636  0.702  0.961  0.000  1.448  0.899
6HAP_A  1.355  6.346  6.441  1.426  1.377  1.526  1.067  1.448  0.000  1.162
6HAM_A  0.851  6.859  6.959  0.909  0.851  0.989  0.748  0.899  1.162  0.000
4K46_A  1.013  7.420  7.518  0.951  1.039  1.059  1.182  0.870  1.787  1.019
3GMT_A 10.863  6.336  6.308 10.950 10.852 10.882 10.632 10.902 10.207 10.646
4PZL_A  6.917  2.381  2.457  6.987  6.896  6.953  6.562  6.967  6.110  6.684
       4K46_A 3GMT_A 4PZL_A
```

```
1AKE_A  1.013 10.863  6.917
6S36_A  7.420  6.336  2.381
6RZE_A  7.518  6.308  2.457
3HPR_A  0.951 10.950  6.987
1E4V_A  1.039 10.852  6.896
5EJE_A  1.059 10.882  6.953
1E4Y_A  1.182 10.632  6.562
3X2S_A  0.870 10.902  6.967
6HAP_A  1.787 10.207  6.110
6HAM_A  1.019 10.646  6.684
4K46_A  0.000 11.156  7.199
3GMT_A 11.156  0.000  7.047
4PZL_A  7.199  7.047  0.000
```

```r
# Calculate RMSD
rd <- rmsd(pdbs)
```

```
Warning in rmsd(pdbs): No indices provided, using the 204 non NA positions
```

```r
# Structure-based clustering
hc.rd <- hclust(dist(rd))
grps.rd <- cutree(hc.rd, k=3)

plot(pc.xray, 1:2, col="grey50", bg=grps.rd, pch=21, cex=1)
```



This Plot shows that all the possible PCA analysis results come in to 3 main groups.

Further Investigation

To visualize the major structural variations in the ensemble the function mktrj() can be used to generate a trajectory PDB file by interpolating along a give PC (eigenvector):

```
# Visualize first principal component
pc1 <- mktrj(pc.xray, pc=1, file="pc_1.pdb")
pc1
```

```
   Total Frames#: 34
   Total XYZs#:   612,  (Atoms#:  204)

    [1]  26.787  52.261  40.414  <...>  15.653  53.622  42.018  [20808]

 + attr: Matrix DIM = 34 x 612
```

Now that I have my `pc_1.pdb` file I can open this file, pc_1.pdb, in Mol*. In a in web browser page visit https://molstar.org/viewer/ and “Open Files” from the left control panel selecting .