

**CW -06 #07 -JS & React– Required**  
**This will not be one of the CW dropped**  
**DUE DATE 04/20/2025 @ 11:59 pm**

*Please note that you will need to generate a UR for the parts mentioned. Generate a link for each via GitHub pages. you can do this last once you have completed all tasks. Go to the bottom of the document and see the details on how to submit.*

## **About React ? Quick Re-cap**

Facebook created the UI library React to make it easier to create interactive, stateful, and reusable UI components. React enables programmers to "create large web applications that use data and can change over time without reloading the page," according to Wikipedia.

The Document Object Model, also known as DOM, is a tree that houses all of the HTML elements in an HTML document with which JavaScript communicates. To render certain nodes of this tree in a specific order, React uses a concept known as the Virtual DOM. In essence, this enables React to interact with the DOM as little as possible while still effectively altering a webpage's state.

*As an example, let's pretend that your website is the full body rendering of a person, from head to toe. The DOM would say "on the FACE, there are the EYES, NOSE, EARS, etc.". But, what happens if you want to change a feature on the person's body, like, give the person some beautiful Steve Buscemi eyes. Normally, the person will completely be re-rendered with the new eyes. However, in React-land, when we apply these changes, two things take place. First, React runs a "diffing" algorithm, which identifies what has changed. The second step is reconciliation, where it updates the DOM with the results of the diff (i.e. changing the eyes to Steve's).*

If the idea of the Virtual DOM is confusing, don't worry! It's difficult to wrap one's head around, and knowing exactly how the DOM and Virtual DOM function aren't necessary for this lab. Just know that React is used because it optimizes DOM interaction.

If you're interested in learning more about what the DOM is and how it functions [this link](#) is very helpful.

## (Skip this if you have done the install) Let's get Started

1. Check that you have node installed by running `node --version` in your terminal
2. If you don't have node you can install it [here](#); get the appropriate version for your computer then go to terminal step 3
3. In your terminal, run `sudo npm install -g create-react-app` (you may need to type in your system password); note that Windows users should instead run `npm install -g create-react-app`, as Windows does not have the "sudo" command
4. Once everything is downloaded, move into the directory in which you want your app to be created (`cd Documents`)
5. Run `create-react-app my-app` to create your app
6. Then run `cd my-app` to go into that directory
7. Run `npm start` to start your app
8. In your browser, go to <http://localhost:3000/> to see your app live!
9. Now open up any text editor of your choice and open the my-app folder
10. All of the changes that we will be making will be in the `src` directory

## The Guide Code

Guide code for the files you are required to add/change for this assignment can be found [here](#). Although working with the stencil code is not a requirement for the lab, many students have found it easier to use these files rather than trying to copy and paste the code provided in the Assignment.

In order to use these files, simply download them from mysite via codd shown above and copy them into the `src` directory in the application directory you created just now.

## The Basics

React's basic building blocks are called components. Let's write one. Create a new file in the `src` directory called `HelloWorld.jsx`. Add this code inside:

```
import React, { Component } from 'react';

class HelloWorld extends Component {  render() {

    return (

      <h1>Hello World!</h1>

    );

  }
}

export default HelloWorld;
```

Change `App.js` to look like this:

```
import React, { Component } from 'react'; import './App.css'; import HelloWorld from './HelloWorld';

class App extends Component {  render() {

    return (

      <div className="App">

        <HelloWorld />

      </div>

    );

  }
}

export default App;
```

After saving your changes, you can view them in your **localhost** tab without needing to re-run from the command line.

If you haven't seen this syntax before, you are probably wondering what Javascript/HTML chimera sorcery is taking place right now.

## About JSX

This so-called sorcery is called JSX, and it is a Javascript XML syntax transform. This lets you write HTML-ish tags in your Javascript. Note that this is not exact HTML—you are really just writing XML-based object representations.

For regular html tags, the class attribute is `className` and the for attribute is `htmlFor` in JSX because these are reserved words in Javascript. A more in-depth explanation of JSX can be found [here](#). While you can certainly use React without JSX, we highly recommend that you use JSX.

## The Components

React components are independent, reusable classes that compose different parts of your UI. React applications are made up of components, many of which are rendered within other components.

It is generally a good idea to write each component in its own file. For example, the `HelloWorld` component is implemented in `HelloWorld.jsx`. To use it elsewhere, simply import the component at the top of the file that you wish to use it in, as we did at the top of `App.js`. Note that you must export the component at the bottom of its own file in order to be able to import it elsewhere.

## The Props

When we use our defined components, we can add attributes called props that are passed from parent components. These attributes are available in our components as `this.props` and can be used to render dynamic data. In the `render()` method of `App.js`, add the following and change `[YOUR NAME]` to your name:

```
render() {  
  return (  
    <div className="App">  
      <HelloWorld name={this.props.name} />  
    </div>  
  );  
}
```

In `HelloWorld.jsx`, add the following to the `render()` method:

```
render() {  
  return (  
    <h1>Hello, {this.props.name}!</h1>  
  );  
}
```

In this example, we added a `name` prop to the `HelloWorld` component, which we passed to the component in `App.js`.

## Lifecycle Methods

The `render()` method is the only required method for creating a component, but there are several lifecycle methods and specs we can use that can be helpful which you can read about [here](#).

## The State

Every component has a state object and a props object. Initial state should be set in the `constructor()`, but can be set or reset elsewhere using the `setState()` method. Calling `setState()` triggers UI updates and is the bread and butter of React's interactivity. Let's create try this by implementing a Counter component in a new file, `Counter.jsx`:

```
import React, { Component } from 'react';

class Counter extends Component {
  constructor(props) {
    super(props);

    this
    .state = {
count: 5
    };
  }

  render() {
    return (
      <h1>{this.state.count}</h1>
    );
  }
}

export default Counter;
```

In `App.js`, add a `Counter` component beneath your `HelloWorld` component. Don't forget to import the `Counter` at the top of the file!

## The Events

React also has a built in cross browser events system. The events are attached as properties of components and can trigger methods. Let's make our count increment below using events. You can use `this.setState()` to modify state. To get an idea of how to add a button you can look at Facebook's documentation [here](#).

```

import React, { Component } from 'react';

class Counter extends Component {
  constructor(props) {
    super(props);

    this.state = {
count: 5
    };
  }

  incrementCount = () => {
    /* TODO: Use setState() to modify the count. Here's an example:

    this.setState({
      keyToChange: valueToChangeTo
    });
    */
  }

  render() {
    return (
      <div className="counter">
        <h1>{this.state.count}</h1>
        { /* TODO: add a button that calls incrementCount() when clicked */ }
      </div>
    );
  }
}

export default Counter;

```

Once you've completed your Counter, save it and create a url to point to this show you have done this!! (Yup Publish this – Github pages)

# The Unilateral Data Flow

In React, application data flows unidirectionally via the state and props objects, as opposed to the two-way binding of libraries like Angular. This means that, in a multi-component hierarchy, a common parent component should manage the state and pass it down to child components via props.

To ensure that a UI refresh will occur if necessary, always update your state using the `setState()` method rather than by mutating `this.state` directly. The resulting values can be passed down to child components using attributes that are accessible via `this.props`. See this example below that shows this concept in practice. Go ahead and copy/paste it to see it live!

Here is an overview of what is happening below:

App.js passes a list of produce into an instance of FilteredList by a prop and then renders this instance of FilteredList onto the screen. This FilteredList is a component that adds an input field to the webpage that will filter the list of produce. Each time a user changes the inputted text in the search bar, it changes the 'search' state in FilteredList. FilteredList also has a child component called List (List renders the filtered produce list onto the webpage), which we pass as a prop the filtered list of produce (the list of produce comes from App.js, and the list is filtered in `filterItem()` based on the search state--the text in the search bar). Whenever the search state is changed by a user (i.e. changing the text in the search bar), the list of filtered items that is passed to List changes, and so the list of filtered produce on the webpage changes.

## What's In App . js:



```

import React, { Component } from 'react';

import './App.css'; import FilteredList from
'./FilteredList';

/*
  This list of produce that is passed into the FilteredList component.
  Notice that it is a list of javascript objects where {key: value}.
*/ const produce =
[
  {name: "Apple", type: "Fruit"},
  {name: "Pineapple", type: "Fruit"},
  {name: "Banana", type: "Fruit"},
  {name: "Pear", type: "Fruit"},
  {name: "Strawberry", type: "Fruit"},
  {name: "Orange", type: "Fruit"},
  {name: "Lettuce", type: "Vegetable"},
  {name: "Cucumber", type: "Vegetable"},
  {name: "Eggplant", type: "Vegetable"},
  {name: "Squash", type: "Vegetable"},
  {name: "Bell pepper", type: "Vegetable"},
  {name: "Onion", type: "Vegetable"},
];
class App extends Component {  render() {
  return (
    <div className="App">
      {/
        The list of produce will be passed into the FilteredList
component the items property.
      */}
      <FilteredList items={produce} />
    </div>
  );
}
}

export default App;

```

Create a new file called `FilteredList.jsx` and paste the following:

```
import React, { Component } from 'react'; import
List from './List';

class FilteredList extends Component {
  constructor(props) {

    super(props);

    // The state is just a list of key/value pair (like a hashmap)

    this.state = {
search: ""

    };
  }
  // Sets the state whenever the user types on the search bar  onSearch = (event) => {
    this.setState({search: event.target.value.toLowerCase()});
  }
  filterItem = (item) => {
    // Checks if the current search term is contained in this item

    return item.name.toLowerCase().search(this.state.search) !== -1;
  }

  render() { |
    return (

      <div className="filter-list">

        <h1>Produce Search</h1>

        <input type="text" placeholder="Search" onChange={this.onSearch} />
        {/* we are taking the items property (which is the list of
        produce), filtering the content to match the search word, then
        passing the filtered produce into the List component.      */}

        <List items={this.props.items.filter(this.filterItem)} />
      </div>
    );
  }
}

export default FilteredList;
```

Now you will **create** a new file called `List.jsx` and paste the following:

```
import React, { Component } from 'react';

/*
  The list component will take the list of items passed in as a property and create an
  HTML list with those item. In this example, we are passing in the filtered produce list,
  but this component can be used for other types of items as long as it has a name.
*/
class List extends Component {
  renderList() {
    /*
      Javascript map will let you iterate and modify each item in a list.
      In this example, we are changing each item
      (ex. {name: "Apple", type: "Fruit"}) into a HTML list element.
    */
    const items = this.props.items.map(item => {
      return <li key={item.name}>{item.name}</li>
    });

    return items;
  }

  render() {
    return (
      <ul>
        {this.renderList()}
      </ul>
    );
  }
}

export default List;
```

## Final Task: Create a Dropdown Button Filter

Now that we have reviewed some React basics, let's try adding a dropdown button! Since we will be using Bootstrap's dropdown menu, start by installing Bootstrap. From the my-app folder in your terminal, run `npm install react-bootstrap --save`

*Add the following css files in my-app/public/index.html*

*for styling:*

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css" integrity="sha384-BVYiiSIfFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u" crossorigin="anonymous">
```

The new task will be to add a dropdown menu that will filter out produce by type (fruit and vegetables). When fruit is selected, only fruit produce should show and when vegetable is selected, only vegetable produce should show on the list. You will also have to make sure that the dropdown will work with the search filter so that the list will only show products that fulfill both the search and dropdown filters. We have provided you with an updated FilteredList.jsx with some hints on how to implement below. You will also need to look at the documentation [on react-bootstrap dropdown](#) to fill in a todo.

```
import React, { Component } from 'react'; import {
  DropdownButton, MenuItem } from 'react-bootstrap'
import List from './List';

class FilteredList extends Component {
  constructor(props) {
    super(props);

    // TODO: Add a new key/value pair in the state to keep track of type
    this.state = {
      search: ""
    };
  }
}
```

## In FilteredList.jsx:

```
// Sets the state whenever the user types on the search bar    onSearch
(event) => {
  this.setState({search: event.target.value.trim().toLowerCase()});
}

filterItem = (item) => {
  // Checks if the current search term is contained in this item
  // TODO: Add condition to check item's type
  return item.name.toLowerCase().search(this.state.search) !== -1;
}
/* TODO: Add an event handling method for when an item in dropdown is selected

Per the DropdownButton documentation, this function should take in an eventKey and    event
*/

render() {
  return (
    <div className="filter-list">
      <h1>Produce Search</h1>

      { /* TODO: Add more menu items with onSelect handlers */ }

      <DropdownButton id="typeDropdown" title={"Type"}>
        <MenuItem eventKey="all" onSelect={HANDLER FUNCTION HERE}>All</MenuItem>    </DropdownButton>

        <input type="text" placeholder="Search" onChange={this.onSearch} />
        <List items={this.props.items.filter(this.filterItem)} />
      </div>
    );
  }
}
export default FilteredList;
```

Make sure all three of your filter selections work - including the “All” dropdown - to fully complete your Dropdown Button Filter.

Once you’ve completed your Filter, save it and create a URL to point to this show you have done this!! See below how to generate the link

**Additional work - Styling - You must create your own custom styling and yes it MUST be well-designed.**

## Additional Resources

[Facebook's official React tutorial](#)

[React video tutorial](#)

[React documentation](#)

[Facebook talk explaining the rationale behind using React](#)

React Developer Tools ([Chrome](#), [Firefox](#))

This assignment was adapted from: <https://scotch.io/tutorials/learning-react-getting-started-and-concepts>

## How to submit:

Publishing a basic React app using GitHub Pages is a straightforward process.  
Generate the link and upload to the i-college CW folder

### 1. Set Up Your React Application:

- Create a new React application using create-react-app. Open your terminal and navigate to your preferred directory:
- `cd desktop`
- `npx create-react-app "your-project-name"`
- This will set up a new React app in the specified directory.

### 2. Create a GitHub Repository:

- Go to your GitHub account and create a new repository for your project.
- After creating the repository, you'll see a page with options. Leave it open for now.

### 3. Push Your React App to the Repository:

- Initialize Git in your project directory:
- `git init`
- Add your GitHub repository as a remote:
- `git remote add origin git@github.com:username/myproject.git`
- Commit your changes and push them to the repository:
- `git add.`
- `git commit -m "Initial commit"`
- `git push -u origin main`

### 4. Configure GitHub Pages:

- In your project's repository on GitHub, click the **Settings** tab.

- Scroll down to the **GitHub Pages** section.
  - Under **Source**, select the branch you want to publish (usually main or master).
  - Click **Save**. GitHub will display the URL for your project.
5. **Deploy Your React App:**
- Generate a production build of your app:
    - npm run build
  - Deploy your code to GitHub Pages:
    - npm run deploy
6. **Verify Your Deployment:**
- Visit the GitHub Pages link (e.g., <https://username.github.io/repositoryname>) to see your React app live!

Remember to replace "your-project-name" with your actual project name and adjust any other specifics according to your setup. Happy deploying! 🚀

For more detailed tutorials, you can also check out these video resources:

- [Publish A React App To GitHub Pages - Less Than 3 Minutes](#) (2:57)
- [How to Host React App on GitHub Pages | Step by Step](#) (3:20)
- [How to Deploy / publish a React App on GitHub Pages for FREE](#) (8:59)