Hi

some_folder

tmp.tex

```
📁 tree
├── 📄 $&#\ |_*^%⟨⟩{}~+-=:;"'`!?.
├── 📁 FileTrees_IncludeThis
├── 📄 a_file_with_[
├── 📄 a_file_with_]
├── 📄 a_file_with_][_[_]_[[[
├── 📄 a_file_with_{
├── 📄 a_file_with_}
├── 📄 a_file_with_}{_{_}_{{{
├── 📄 a_folder_with_'_and_"_yes
├── 📁 another_folder
├── 📄 basename
├── 📄 bash.pdf
├── 📄 bash.tex
├── 📄 bash_test.tex
├── 📄 file_tree.sh
├── 📁 folder
├── 📄 hello.sh
├── 📁 include_this
│   ├── 📁 folder1
│   └── 📄 include_this.tex
├── 📄 maybe_bug.pdf
├── 📄 maybe_bug.tex
├── 📄 mydirtree.tex
├── 📁 some_folder
│   └── 📄 tmp.tex
└── 📄 test.sh
```

```
📁 tree
├── 📄 $&#\ |_*^%⟨⟩{}~+-=:;"'`!?.
├── 📁 FileTrees_IncludeThis
├── 📄 a_file_with_[
├── 📄 a_file_with_]
├── 📄 a_file_with_][_[_]_[[[
├── 📄 a_file_with_{
├── 📄 a_file_with_}
├── 📄 a_file_with_}{_{_}_{{{
├── 📄 a_folder_with_'_and_"_yes
├── 📁 another_folder
├── 📄 basename
├── 📄 bash.pdf
├── 📄 bash.tex
├── 📄 bash_test.tex
├── 📄 file_tree.sh
├── 📁 folder
├── 📄 hello.sh
├── 📁 include_this
│   ├── 📁 folder1
│   └── 📄 include_this.tex
├── 📄 maybe_bug.pdf
├── 📄 maybe_bug.tex
├── 📄 mydirtree.tex
├── 📁 some_folder
│   └── 📄 tmp.tex
└── 📄 test.sh
```

- 📁 Prassble
  - 📁 Documentation
    - 📄 Doc_Titlepage.tex
    - 📄 Prassble_Documentation.pdf
    - 📄 Prassble_Documentation.tex
  - 📄 LICENSE.txt
  - 📄 Prassble_is_here.txt
  - 📄 README.md
  - 📁 figures
    - 📄 Three_Planes_Orthogonal_Complements_licensed_under_CC_BY-SA_4.0.pdf
    - 📄 iibui.pdf
  - 📁 files
    - 📁 chapters
      - 📁 ch1
        - 📄 sec1.tex
        - 📄 sec2.tex
      - 📁 ch2
        - 📄 sec1.tex
    - 📁 homework
      - 📄 1.tex
  - 📁 homework
    - 📁 hw1
      - 📄 hw1.pdf
      - 📄 hw1.tex
  - 📄 main.pdf
  - 📄 main.tex
  - 📄 maintitlepage.tex
  - 📄 mkPrassble.pl
  - 📁 preamble
    - 📁 commands
      - 📁 modified_commands
        - 📄 Chapter_and_Section.tex
        - 📄 Input_macro.tex

This should include all files, be it `.aux`, `.log`, etc.

📁 tree

📄 $&#\ |_*^%⟨⟩{}~+-=:;"’‘!?.

📁 FileTrees

   📄 OutputGoesHere.tex

   📄 tree_1.tex

   📄 tree_2.tex

   📄 tree_3.tex

   📄 tree_4.tex

📁 FileTrees_IncludeThis

📄 a_file_with_[

📄 a_file_with_]

📄 a_file_with_][_[_]_[[[

📄 a_file_with_{

📄 a_file_with_}

📄 a_file_with_}{_{_}_{{{

📄 a_folder_with_’_and_"_yes

📁 another_folder

📄 basename

📄 bash.aux

📄 bash.log

📄 bash.pdf

📄 bash.synctex(busy)

📄 bash.synctex.gz

📄 bash.tex

📄 bash_test.tex

📄 file_tree.sh

📄 filetree.tmp

📁 folder

📄 hello.sh

📄 ignore_this.log

📁 include_this

   📁 folder1

6

Here:

```
📁 tree
├─📄 $&#\ |_*^%⟨⟩{}~+-=:;"'‘!?.
├─📁 FileTrees_IncludeThis
├─📄 a_file_with_[
├─📄 a_file_with_]
├─📄 a_file_with_][_[_]_[[[
├─📄 a_file_with_{
├─📄 a_file_with_}
├─📄 a_file_with_}}{_{_}_{{{
├─📄 a_folder_with_'_and_"_yes
├─📁 another_folder
├─📄 basename
├─📄 bash.pdf
├─📄 bash.tex
├─📄 bash_test.tex
├─📄 file_tree.sh
├─📁 folder
├─📄 hello.sh
├─📁 include_this
│   ├─📁 folder1
│   └─📄 include_this.tex
├─📄 maybe_bug.pdf
├─📄 maybe_bug.tex
├─📄 mydirtree.tex
├─📁 some_folder
│   └─📄 tmp.tex
└─📄 test.sh
```

```
📁 tree
├─ 📄 $&#\ |_*^%⟨⟩{}~+-=:;"'‘!?.
├─ 📁 FileTrees_IncludeThis
├─ 📄 a_file_with_[
├─ 📄 a_file_with_]
├─ 📄 a_file_with_][_[_]_[[[
├─ 📄 a_file_with_{
├─ 📄 a_file_with_}
├─ 📄 a_file_with_}{_{_}_{{{
├─ 📄 a_folder_with_'_and_"_yes
├─ 📁 another_folder
├─ 📄 basename
├─ 📄 bash.pdf
├─ 📄 bash.tex
├─ 📄 bash_test.tex
├─ 📄 file_tree.sh
├─ 📁 folder
├─ 📄 hello.sh
├─ 📁 include_this
│  ├─ 📁 folder1
│  └─ 📄 include_this.tex
├─ 📄 maybe_bug.pdf
├─ 📄 maybe_bug.tex
├─ 📄 mydirtree.tex
├─ 📁 some_folder
│  └─ 📄 tmp.tex
└─ 📄 test.sh
```