

Last successful compile: 2025-11-02 05:52:06Z

This file is a compilation of various uses of the listing boxes generated with `\NewPCBListing` and `\NewPCBInputListing`. In this way, robustness checks are performed to ensure they function correctly—as bug-free as possible.

Text.

1

Hello

| | |
|-----------------|--|
| <hr/> | |
| Contents | |
| 1 | Decorations |
| 2 | Type in thmgroup: inner |
| 2.1 | NewPCBListing |
| 2.2 | NewPCBInputListing |
| 3 | Autowidth |
| 3.1 | NewPCBListing |
| 3.1.1 | One Autowidth Option Selected |
| 3.1.2 | Two Autowidth Options Selected |
| 3.1.3 | (All) Three Autowidth Options Selected |
| 3.2 | NewPCBInputListing |
| 3.2.1 | One Autowidth Option Selected |
| 3.2.2 | Two Autowidth Options Selected |
| 3.2.3 | (All) Three Autowidth Options Selected |
| 3.2.4 | \Inputify |

| |
|----|
| 1 |
| 6 |
| 6 |
| 6 |
| 8 |
| 8 |
| 8 |
| 10 |
| 13 |
| 14 |
| 14 |
| 16 |
| 20 |
| 21 |

Decorations

This chapter exists to test whether the positioning of various elements (e.g. the TikZ line number backgrounds) is correct.

(a) Overlay unbroken.

(i) No lower.




(ii) With lower.



(b) Overlay broken.

(i) No lower.



| | | |
|--|----|--|
| | 5 | |
| | 6 | |
| | 7 | |
| | 8 | |
| | 9 | |
| | 10 | |
| | 11 | |
| | 12 | |
| | 13 | |
| | 14 | |
| | 15 | |
| | 16 | |
| | 17 | |
| | 18 | |
| | 19 | |
| | 20 | |
| | 21 | |
| | 22 | |
| | 23 | |
| | 24 | |
| | 25 | |
| | 26 | |
| | 27 | |
| | 28 | |
| | 29 | |
| | 30 | |
| | 31 | |
| | 32 | |
| | 33 | |
| | 34 | |

(ii) With lower.

| | | |
|--|----|--|
| | 10 | |
| | 11 | |
| | 12 | |
| | 13 | |
| | 14 | |
| | 15 | |
| | 16 | |
| | 17 | |
| | 18 | |
| | 19 | |
| | 20 | |
| | 21 | |
| | 22 | |
| | 23 | |
| | 24 | |
| | 25 | |
| | 26 | |
| | 27 | |
| | 28 | |
| | 29 | |
| | 30 | |
| | 31 | |
| | 32 | |
| | 33 | |
| | 34 | |
| | 35 | |
| | 36 | |
| | 37 | |
| | 38 | |
| | 39 | |

40

41

42

43

44

45

46

47

48

49

50

51

52

%

T_EX.

1

%

10000

%

T_EX.

1

%

10000000

%

(c) Many many lines.

Type in thmgroup: inner

2.1 NewPCBListing

Answer. The first part of our answer.



The code for our answer.

The second part of our answer lies here.



Answer. The first part of our answer.



The code for our answer.

The second part of our answer lies here.



Answer. The first part of our answer.



The code for our answer.

The second part of our answer lies here.



2.2 NewPCBInputListing

Answer. The first part of our answer.



The code for our answer.

The second part of our answer lies here.



Answer. The first part of our answer.

1

The code for our answer.

The second part of our answer lies here.



Answer. The first part of our answer.

1

The code for our answer.

The second part of our answer lies here.



Autowidth


3.1 NewPCBListing

3.1.1 One Autowidth Option Selected

(a) `autowidth = title`


(i) `\l__Prassble_listings_autowidth_title_dim <= \linewidthoutside`

This box should be of width `\l__Prassble_listings_autowidth_title_dim`




(ii) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`



(b) `autowidth = upper`



(i)

This should have no broken line.

1

(ii)

This should have a broken line.

1

↔

(c) `autowidth = lower`(i) `\l__Prassble_listings_autowidth_lower_dim >= \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to the linewidth.

T_EX.

1

Hello\\ hewwo \hspace{10cm} heh

Hello

hewwo

heh

(ii) `\l__Prassble_listings_autowidth_lower_dim >= \eqboxwidth{codeupperwidth\arab`The following box should have width equal to the width of the `\tcblower`.**Long long long long long long long
long long long title.**

1

Hello\\ hewwo \hspace{5cm} heh

Hello

hewwo

heh

(iii) `\l__Prassble_listings_autowidth_lower_dim < \eqboxwidth{codeupperwidth\arab`The following box should have width equal to that of the `\tcblower`.**T_EX.**

Hello\\

↔ hewwo\\

↔ heh

Hello

hewwo

heh

3.1.2 Two Autowidth Options Selected

(a) `autowidth = title + upper`

(i) `\l__Prassble_listings_autowidth_title_dim <= \linewidthoutside`

This box should be of width `\l__Prassble_listings_autowidth_title_dim`

smol.

1

Long short text

(ii) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`

Super long title.

1

Long short text

(iii) i.

Julia.

1

`\xdef\mywidth{\the\linewidth}\mywidth`

2

`\mywidth = 290.23326pt`

ii.

This should have no broken line.

1

This should also have no broken line (But the title should break).

1

iii.

This should have a broken line.

1

↪

This should also have a broken line (But the title should break).

1

↩

(b) `autowidth = title + lower`

(i) `\l__Prassble_listings_autowidth_title_dim <= \linewidthoutside`

This box should be of width `\l__Prassble_listings_autowidth_title_dim`

smol.

1

Long short text

(ii) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`

Super long long long long long long long long long long long long long long long long long title.

1

Long short text

(iii) `\l__Prassble_listings_autowidth_lower_dim >= \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to the linewidth.

TEX.

1

Hello\\ hewwo \hspace{10cm} heh

Hello

hewwo

heh

(iv) `\l__Prassble_listings_autowidth_title_dim >= \l__Prassble_listings_autow`
`>= \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to the width of the title

Long long long long long long long long long title.

1

Hello\\ hewwo \hspace{5cm} heh

Hello

hewwo

heh

(v) `\l__Prassble_listings_autowidth_lower_dim < \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to that of the `\tcblower`.

T_EX.

Hello\\
↔ hewwo\\
↔ heh

Hello
hewwo
heh

(c) autowidth = upper + lower

Julia.

```
1 \xdef\mywidth{\the\linewidth}\mywidth
2 \mywidth = 310.70975pt
```

(i)

This should have no broken line.

1

(ii)

This should have a broken line.

1

↔

(iii) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth`

The following box should have width equal to the linewidth.

T_EX.

```
1 Hello\\ hewwo \hspace{10cm} heh
```

Hello
hewwo

heh

(iv) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth`

The following box should have width equal to the width of the `\tcblower`

**Long long long long long long long
long long long long title.**

1

```
Hello\\ hewwo \hspace{5cm} heh
```




Hello
hewwo

(v) `\l__Prassble_listings_autowidth_lower_dim < \l__Prassble_listings_autowidth_`

The following box should have width equal to that of the the width of the upper.

T_EX.



Hello\\ hewwo\\ heh


Hello
hewwo
heh

3.1.3 (All) Three Autowidth Options Selected

(a) `\l__Prassble_listings_autowidth_upper_dim >= \l__Prassble_listings_autowidth_` <title>

This box should be of width `\l__Prassble_listings_autowidth_upper_dim`

smol.




Long short text

Long short text

(b) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth_` <title>

This box should be of width `\l__Prassble_listings_autowidth_lower_dim`

smol.




\hspace{10cm}

(c) `\l__Prassble_listings_autowidth_title_dim >= \l__Prassble_listings_autowidth_` <upper>

This title should break and be of width `\linewidthoutside`

Super long long long long long long long long long long title.



Long short text\\

Test \hspace{8.5cm} testo

Long short text

Test

testo

(d) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`

Super long title.

1 Long short text\\

2 Test \hspace{10cm} testo

Long short text

Test

testo

(e)

Julia.

1 \xdef\mywidth{\the\linewidth}\mywidth

2 \mywidth = 348.8266pt

This should have no broken line.

1 (Without listing and text)

2

(f)

This should have a broken line.

1 (Without listing and text)

2

↪

Text.

1 test

3.2 NewPCBInputListing

3.2.1 One Autowidth Option Selected

(a) autowidth = title

(i) \l__Prassble_listings_autowidth_title_dim <= \linewidthoutside

This box should be of width \l__Prassble_listings_autowidth_title_dim

smol.

1

Long
↔ short
↔ text

(ii) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`

Super long title.

1

Long short text

(b) `autowidth = upper`

Text.

1

`\xdef\mywidth{\the\linewidth}\mywidth`

2

`\mywidth = 313.75139pt`

(i)

This should have no broken line.

1

(ii)

This should have a broken line.

1

↔

(c) `autowidth = lower`

(i) `\l__Prassble_listings_autowidth_lower_dim >= \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to the linewidth.

Text.

1

Hello\\ hewwo \hspace{10cm} heh


Hello

hewwo

heh


$$(ii) \quad \lvert l_Prassble_listings_autowidth_lower_dim \rvert \geq \lvert codeupperwidth \rvert \wedge \lvert arab$$

The following box should have width equal to the width of the `\tcblower`



(iii) `\l__Prassble_listings_autowidth_lower_dim < \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to that of the `\tcblower`.




3.2.2 Two Autowidth Options Selected

(a) `autowidth = title + upper`


```
(i) \l__Prassble_listings_autowidth_title_dim <= \linewidthoutside
```

This box should be of width `\l__Prassble_listings_autowidth_title` dim



```
(ii) \l_Prassble_listings_autowidth_title_dim > \linewidthoutside
```

This title should break and be of width `\linewidthoutside`



(iii) i.

Text.

1 \xdef\mywidth{\the\linewidth}\mywidth

2 \mywidth = 290.23326pt

ii.

This should have no broken line.

1

This should also have no broken line (But the title should break).

1

iii.

This should have a broken line.

1

↩

This should also have a broken line (But the title should break).

1

↩

(b) autowidth = title + lower

(i) `\l__Prassble_listings_autowidth_title_dim <= \linewidthoutside`

This box should be of width `\l__Prassble_listings_autowidth_title_dim`

smol.

1

Long short text

(ii) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`

Super long title.

1 Long short text

(iii) `\l__Prassble_listings_autowidth_lower_dim >= \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to the linewidth.

Text.

1 Hello\\ hewwo \hspace{10cm} heh

Hello

hewwo

heh

(iv) `\l__Prassble_listings_autowidth_title_dim >= \l__Prassble_listings_autow`
`>= \eqboxwidth{codeupperwidth\`

The following box should have width equal to the width of the title

Long long long long long long long long long title.

1 Hello\\ hewwo \hspace{5cm} heh

Hello

hewwo

heh

(v) `\l__Prassble_listings_autowidth_lower_dim < \eqboxwidth{codeupperwidth\arab`

The following box should have width equal to that of the `\tcblower`.

Text.

Hello\\

↔ hewwo\\

↔ heh

Hello

hewwo

heh

(c) `autowidth = upper + lower`

Text.

1 `\xdef\mywidth{\the\linewidth}\mywidth`

2 `\mywidth = 310.70975pt`

(i)

This should have no broken line.

1

(ii)

This should have a broken line.

1

↔

(iii) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth`

The following box should have width equal to the linewidth.

Text.

1

Hello\\ hewwo \hspace{10cm} heh

Hello

hewwo

heh

(iv) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth`The following box should have width equal to the width of the `\tcblower`**Long long long long long long long
long long long long title.**

1

Hello\\ hewwo \hspace{5cm} heh

Hello

hewwo

heh

(v) `\l__Prassble_listings_autowidth_lower_dim < \l__Prassble_listings_autowidth`The following box should have width equal to that of the the width of
the upper.**Text.**

Hello\\ hewwo\\ heh

Hello


hewwo

heh

3.2.3 (All) Three Autowidth Options Selected

- (a) `\l__Prassble_listings_autowidth_upper_dim >= \l__Prassble_listings_autowidth_<titl`

This box should be of width `\l__Prassble_listings_autowidth_upper_dim`




- (b) `\l__Prassble_listings_autowidth_lower_dim >= \l__Prassble_listings_autowidth_<titl`

This box should be of width `\l__Prassble_listings_autowidth_lower_dim`




- (c) `\l__Prassble_listings_autowidth_title_dim >= \l__Prassble_listings_autowidth_<uppe`

This title should break and be of width `\linewidthoutside`



- (d) `\l__Prassble_listings_autowidth_title_dim > \linewidthoutside`

This title should break and be of width `\linewidthoutside`



- (e)

Text.

```
1 \xdef\mywidth{\the\linewidth}\mywidth
2 \mywidth = 348.8266pt
```

This should have no broken line.

```
1 (Without listing and text)
```

```
2
```

(f)

This should have a broken line.

```
1 (Without listing and text)
```

```
2
```

↪

3.2.4 \Inputify

T_EX.

```
1 hello
```

Text.

```
1 (Without listing and text)
```

```
2
```

T_EX.

```
1 \subsection{Theorems}
```

```
2 Contents of the first subsection of this document
```

```
3 \begin{theorem}[label=thm:1.1]
```

```
4 This is the first theorem.
```

```
5 \end{theorem}
```

```
6 \begin{proof}
```

```
7 This is my proof of the first theorem.
```

```
8 \end{proof}
```

```
9 %  
10 \subsection{Exercises}  
11 \begin{exercise}[label=ex:1.1]  
12     This is the first exercise.  
13 \end{exercise}  
14 \begin{answer}  
15     This is the first answer to the first exercise.  
16 \end{answer}  
17 %  
18 \Input[HW-In-Main]{1.tex}  
19 %
```