CLASTIC CORE LOGGING FORM

Well Location: Shell d-66-I/94-B-16
Well Status: Standing
Field: Bog/Sundy
Reported Core Interval: 1933 - 2136m (203m)
Calibrated Core Interval: 1938.5 - 2141.5m

Fm/Strat. Unit: (Un A-B-C-D), (Mn A-B); (Lw C-D-E-F)

Stabbed: Yes (1/3)
Diam. 9 cm
Date Feb. 15 - Mar. 9, 2017

Name: T.F. Moslow
Page: 1 of 3

Photos	Depth (metres)	Lithology & Grain Size	Sed. Struct.	Physical	Biogenic	Trace Fossils	Ichnofabric Density	Rock Type (1/3)	Facies Association	Description	Sed. Unit	Environmental Interpretation	Sequence Stratigraphy	Core Data
	1933	Phyllite								Gneiss/ungnies		OT	Avalon Margin	
		Phyllite								Gneiss/ungnies	100	OT		
		Phyllite								Phosphatic clastic/pebble		LS		
		Brachiopods								Brachiopod debris with LIT sandstone		OT		
		Phyllite/Siltstone								Siltstone		LS		
		Siltstone/Mudstone								Siltstone/ mudstone		LS		
		Siltstone										LS		
	1935	Siltstone								Detail Crustacea assemblage	140	OT		
		Siltstone										OT		MFS 7
		Pelecypods								1.5cm proximal tempestites		OS		
		Chondrites?										OS		
		Pelecypods										OS		
		Chondrites?										OS		
		Crypto/bioturbation								Phosphate pebble lag (1.0cm)		OS		
												SHORE		
	1940	Berg									140	LS		
		Berg/Carb										LS		
		Berg/carb										OS		
		Pelecypods										OS		
	1945	MFS 6												
		Berg								Proximal tempestites (2-3cm)		OS	Mannville B-A-B-C (Upstream)	
		Berg										OS		
		Pelecypods										OS		
	1950	Berg								1.5cm tempestites of coarse sandy siltstone	135	OS		
		Pelecypods									140	OS		
												OT		MFS 5
		Berg										OS		
		Berg										OS		
		Pelecypods										OS		
	1955	Berg								Distal (?) tempestites	110	OS		
		Berg									125	OS		
		Berg/carb								2.5x10 cm @ 1961.7m; seismic (0.5% dip)		OS		
		Palaeophycus										OS		
		Berg								Distal tempestites		OS		
	1960	MFS 4										OS		
		Berg/carb									125	OS		
												OT		MFS 3
		Bioturbated Palaeophycus								Distal tempestites		OS		
		Pelecypods										OS		
		Palaeophycus										OS		
		?								Seismite	125	OS		
												OT		MFS 2
		Pelecypods									115	OS		
	1970	Palaeophycus								Phosphatic sandstone bed		OS		
					P, Ch					Phosphatic silty UF-M sandstone	115	LIQ		MFS 1
		Bioturbated Palaeophycus								Seismites		OS		
		Palaeophycus										OS		
	1975	Pelecypods								1.5cm tempestite bed; 1x10^ref @ 1976.1m (3% dip)		OS		
		Palaeophycus										OS		
					Ca							OS		
	1980				P/O, Cbed					Convoluted/deformed laminae common (liquefaction?)		OS		MFS 1
												OT	Mannville/Rossfeldian	
		Pelecypods								Contorted/convoluted laminae; distal tempestites	110	OS		
		Crypto?										OS		
		Crypto?								Convoluted/deformed laminae sets		OS		
	1985											OS		
												OS		
												OS		
										Highly bituminous, kerogen lenses; TOC 3.5%		OS		
												OS		
										TOC 3.0%		OS		
												OS		
	1990											OS		
										Deformed laminae of coarse siltstone; kerogenous; TOC 3.8%		OT/LIQ		
												OS		
		Crypto?								Fluidized laminae?		OS		
		Pelecypods?										OS		
										Soft sediment deformed coarse siltstone laminae (cycle boundaries); TOC 2.7%	95	O		
												OS		
										Displacive calcite		OS		
		Crypto/bioturbation								Coarse siltstone laminae commonly contorted; soft sediment fluidization or cycle shock?		OS		
												OS		
											90	OS		
												OS		
										Deformed laminae		OS		
												OS		
										Highly bituminous, kerogenous, coarse siltstone laminae; TOC 3.0-5.0%; soft sediment deformed, coarse siltstone laminae (fluidized to deformed by cycle shock?); phosphate clasts, pebbles		OS	Mannville Mn (Upstream)	
												OS		
												OS		
												OS		
										Kerogenous, phosphatic, bituminous F-C siltstone; deformed bedding		O		
												OS		
										Highly bituminous F-C siltstone; TOC 3.2%; remnant of fluidized coarse siltstone with Clarapo? values	85	O		
												OS		
												OS		
												HOO		
										Highly bituminous		O		
										Kerogenous lenses, coarse		O		
										Kerogenous coarse siltstone; soft sediment deformed laminae		Fluidized Flow		
										Highly bituminous siltstone TOC 3.0-5.0%; 3 secondary(?) calc dolosiltstone beds (Hemipelagic) kerogenous lenses	80	O		
												OS		
										Fluidized deformed siltstone		OS		
										Fluidized deformed siltstone	140	OS		MFS 1
												OT		
										Fluidized laminae; SSO		Turbidite		
					Ca	P/O				Highly bituminous siltstone		OS		
						P/O				Pelecypods	75	OS		
												OS		
						Ch/Pa				Highly bituminous massive-appearing siltstone; phosphate (bone?) clasts; TOC 2.0-3.4%		OS		
												OS		
												OS		
										Bituminous siltstone with calc dolosiltstone concretionary beds		OH		
												OS		
												OS		
												OT/LIQ		
												OS		
												OS		
												OS