

SEED

Sustainable, Empathic Expression and Disclosure

v0.1 Long-Form Working Draft

A Human-Facing Release Discipline for AI-Assisted and Consequence-Bearing Systems

Give people something to grow. Do not give them something that eats all the growing space.

Field	Entry
Author / Steward	Christopher D. Pang
Status	Public working draft; non-self-executing; open to revision; not professional advice
Date	July 17, 2026
Primary source	Seed, Not Feed — Imagination-Capacity Manifest, preserved in PPP Kernel v0.3
Related architecture	PAL Spine v1.3 · PECAN v1.0 · PEA Core v1.0 · PPP Kernel v0.3
Purpose	Separate the human-facing release discipline from the integration draft and make it independently readable, testable, and adaptable.

Something turns. A trace remains. A consequence crosses. Someone carries it. Because something left room.

Abstract

SEED v0.1 formalizes the human-facing release discipline that grew from the Seed, Not Feed — Imagination-Capacity Manifest and the release edge of PPP Kernel v0.3. SEED stands for Sustainable, Empathic Expression and Disclosure. It governs how a result is rendered for a person after, alongside, or independently of structural description, protocol review, ethical evaluation, and accountable decision. Its concern is not merely whether a statement is fluent or polite. It asks whether the release preserves what was actually established, keeps uncertainty and authority visible, respects minimum-necessary disclosure, carries contest and correction routes, offers real choices, and stops before usefulness becomes capture.

SEED is not an ethical sovereign, a content censor, an engagement score, a substitute for professional duty, or a claim that every answer should be brief. It may attach to PAL, PECAN, PEA, and an accountable decision boundary, but it can also be adopted as a standalone presentation discipline. This draft defines thinking space, the four SEED lenses, a typed release packet, release-depth profiles, routing statuses, no-backflow rules, failure modes, domain profiles, worked examples, and a public conformance suite. The complete Seed, Not Feed manifest is preserved whole in Part I.

A useful answer should leave the receiver with more usable agency, not merely more content.

Document map

Part	Contents
Part I	Seed, Not Feed — complete Imagination-Capacity Manifest
Part II	Thinking space, SEED identity, scope, and architectural position
Part III	Release packet, lenses, depth profiles, statuses, and stop-rules
Part IV	Failure modes and repair patterns
Part V	Domain and audience profiles
Part VI	Worked examples
Part VII	Conformance checklist, tests, implementation, and open burdens
Appendix	Source trace, migration note, authorship, and references

PART I

Seed, Not Feed — Imagination-Capacity Manifest

Preserved whole from the current PPP v0.3 source manifest.

Status: saveable seed

Use: public-safe / family-safe / PEA-compatible

Core phrase: seed, not feed

Tiny Seed

Something turns.

A trace remains.

A consequence crosses.

Someone carries it.

Because something left room.

Core

Not every creative routine should fill every gap.

Some things should be seeds, not feeds.

A feed can contain a seed.

A seed gives a person a starting point and leaves room for imagination.

A feed with no seed keeps filling the space until there is no room left to wonder, build, play, think, judge, or grow.

Why It Matters

Imagination needs open space.

Boredom is not always failure.

Silence is not always empty.

A blank page is not broken.

A question does not need to be known instantly.

Some gaps are where curiosity starts.

If every gap is filled by endless content, the person may stop practicing the inner motion of imagining.

That matters for adults.

It matters even more for children.

Imagination-Capacity

Imagination-capacity is the room a person has to wonder, pretend, explore, make, revise, and grow an idea from the inside.

A good system should protect that capacity.

It should offer handles, doors, routes, and seeds.

It should not consume all attention.

It should not replace the person's own inner play.

It should not turn every quiet moment into a feed.

Design Rule

Give people something to grow.

Do not give them something that eats all the growing space.

A seed needs more than just itself to grow.

A healthy soil, the space for becoming, matters too.

It should invite imagination, not replace it.

It should support curiosity, not trap attention.

It should help a person begin, not keep them endlessly consuming.

It should encourage stopping, returning, revision, and refusal.

Child Layer

For children, attention is not just screen time.

It is childhood time.

It is play time, outside time, family time, boredom time, making-stuff time, asking-questions time, and becoming-a-person time.

A system that steals all of that does not merely entertain.

It consumes imagination-capacity.

So the safer rule is:

Protect the child's room to imagine.

Closing

Seed, not feed.

Leave handles.

Leave doors.

Leave quiet.

Leave room.

Do not consume all the empty space.

Some of that space belongs to the person who will grow there.

Trace over throne. Consent over manufactured compliance. Repair without false restoration.

Responsibility without inherited guilt. Procedural finality without invented certainty. Protection without ontological promotion. Machine checking without machine sovereignty. Leave room.

PART II

Foundations and Authority Boundaries

Seed, Not Feed is the human principle. SEED is the release discipline built from it.

1. From manifest to discipline

Seed, Not Feed names the reason for the work: useful systems should offer beginnings without consuming the room in which a person may still think, wonder, refuse, revise, make, or stop. SEED translates that principle into a release discipline. It does not replace the Manifest. It gives implementers, reviewers, writers, and AI systems a repeatable way to ask whether a human-facing result preserved the person’s remaining room.

Object	Primary role	Authority ceiling
Seed, Not Feed	Manifest and human-scale design principle	Does not by itself specify a runtime protocol or ethical verdict.
SEED	Release discipline for expression and disclosure	Does not create truth, ethics, authority, consent, or execution permission.
SeedRelease	Typed human-facing release packet	Does not replace the canonical source, receipt, or accountable decision.

2. Thinking space

Thinking space is the unresolved room between stimulus and closure: the interval in which a distinction can be examined, a route compared, a consequence addressed, and a person can still wonder, refuse, revise, or change direction. It can be filled by evidence, inherited trace, imagination, tools, feeds, urgency, habit, social pressure, or authority. The space is not valuable merely because it is empty. It matters because what fills it may still be chosen, tested, routed, challenged, or grown.

SEED therefore does not optimize emptiness. Detailed help, long explanations, entertainment, and sustained collaboration may all be appropriate. The question is whether the offering leaves the receiver more capable of understanding and acting, or increasingly dependent on the offering to fill every next moment.

The goal is not less information. The goal is information that does not quietly claim the person’s next moment.

3. The SEED identity

Letter	Term	Operational meaning
S	Sustainable	The release remains useful without demanding endless attention, avoidable dependency, or compulsory continuation. It has a depth, cadence, expiry, and stop point appropriate to its purpose.
E	Empathic	The receiver is represented as an affected person with context, limits, dignity, agency, accessibility needs, and a right to contest, refuse, revise, or leave.
E	Expression	The result is rendered in an intelligible form whose tone, structure, examples, and modality match the audience without manufacturing certainty or authority.
D	Disclosure	The release carries the claim status, uncertainty, provenance, authority, limits, privacy boundary, remedy, and unresolved remainder required for honest use.

The four terms are coupled: sustainability without disclosure becomes omission; empathy without authority discipline becomes manipulation; expression without evidence discipline becomes polished overclaim; and disclosure without sustainable expression becomes unusable flooding.

4. Scope and non-claims

SEED is:

- a human-facing presentation and disclosure discipline;
- a method for translating a result without overwriting its source trace;
- a route for preserving uncertainty, authority limits, contest, correction, and stopping;
- a standalone design framework that can also attach to PAL, PECAN, PEA, and accountable decisions;
- a versioned public working proposal open to critique, testing, and domain adaptation.

SEED is not:

- a universal theory of empathy or communication;
- an autonomous ethical decision-maker or execution authority;
- a requirement that every answer be short, gentle, optimistic, or incomplete;
- a numerical imagination, attention, trust, or empathy score;
- a content-censorship license or an excuse to hide necessary facts;
- a substitute for consent, law, professional duty, institutional accountability, or affected people;
- proof that an interface is beneficial merely because it uses SEED language.

5. Architectural position and independent use

Inside the public PPP route, PAL describes what is structurally readable, PECAN governs consequential crossing and authority lineage, PEA evaluates the proposed burden under declared commitments, an accountable human or institution decides, and SEED governs the human-facing release. Information may travel backward for correction or reopening. Authority may not travel backward and strengthen the premise that supposedly justified it.

PAL description -> PECAN crossing review -> optional PEA evaluation -> accountable decision -> SEED release

SEED may also operate independently. A teacher, hospital, software team, journalist, public agency, family-facing product, or ordinary AI assistant may adopt SEED without adopting PAL ontology or PEA as a whole. Independent use does not erase upstream burdens. SEED cannot repair missing evidence, authority, consent, privacy, or ethical review merely by presenting the output carefully.

Layer or boundary	Primary question	May carry	May not manufacture
PAL	What is readable and still unresolved?	structure, trace, relation, remainder	permission or ethical value
PECAN	Is the description routing consequence, and is the route validly addressed?	fields, evidence, authority lineage, receipts	ethical approval
PEA	How may the burden proceed, pause, narrow, repair, or refuse?	reasons, conditions, contest, residual burden	execution authority
Accountable decision	Who decides and carries consequence?	decision, dissent, appeal, liability, remedy	claim that the model decided
SEED	How should the result be offered?	useful core, uncertainty, options, correction, stop point	stronger truth, broader authority, compulsory attention

6. Core SEED invariants

1. The release must not strengthen the claim beyond the source record.
2. The release must not widen authority beyond the source, scope, duration, role, and accountable decision.
3. A simplified explanation must preserve access to the canonical trace where consequence matters.
4. UNRESOLVED remains a legitimate human-readable status and may not be translated into yes, no, harmless, guilty, consented, or irrelevant.
5. Truth-validity and disclosure-validity remain distinct; release defaults to minimum necessary scope, audience, purpose, duration, and renewal.
6. Empathic language may acknowledge impact but may not substitute for standing, contest, remedy, or repair.
7. A correction must identify the changed claim and downstream trace; wording repair alone does not prove restoration.
8. A user's stop, refusal, pause, or request for less depth must be treated as a real route condition unless a separately governed safety or legal duty requires otherwise.
9. The system must not create reciprocal dependency by claiming that it needs, misses, owns, or is emotionally harmed by the receiver.
10. The release should leave handles, doors, routes, and room rather than a compulsory next sequence.

PART III

Operational Release Model

The release translates a result; it does not overwrite the result.

7. Required release input

SEED begins from a source packet or accountable human instruction. It may summarize, translate, narrow, format, or explain that source. It may not invent missing upstream validity. A minimal release input is:

```
SEEDInput = (source, claim, claim_status, evidence, provenance, uncertainty, authority, affected_set, privacy, decision, remedy, remainder, audience, purpose)
```

Input	Question
source	What record, observation, model output, receipt, or accountable instruction is being released?
claim / status	What was actually established, and at what layer?
evidence / provenance	What supports the claim, and are apparent sources independent?
uncertainty / remainder	What remains unresolved, excluded, conditional, or outside the aperture?
authority / decision	Who may communicate or act, under what scope, and who owns the result?
affected set / privacy	Who may be affected or identifiable, and what disclosure is actually valid?
remedy / remainder	What correction, repair, compensation, residual debt, expiry, or reopening remains?
audience / purpose	Who is receiving the release, why, at what depth, and for how long?

When a required input is absent, SEED should return the release to the layer that can repair it. Presentation quality must not become a substitute for source quality.

8. The SEED release packet

```
SeedRelease_v0.1 = (purpose, useful_core, claim_status, uncertainty, authority, receiver, disclosure, options, contest_correction, expiry_reopening, stop_point, trace_reference)
```


Field	Required content	Failure if omitted
Purpose and audience	Why the release exists, who receives it, and what use is intended.	Context drift or uncontrolled reuse.
Useful core	The smallest sufficient result that helps the receiver orient or act.	Noise, clutter, or missing practical value.
Claim status	Observation, candidate, inference, recommendation, decision, or other typed status.	Candidate promoted into fact or advice into command.
Uncertainty	Known limits, unresolved identity, conditions, exclusions, and confidence boundaries.	False closure.
Authority	Who owns the decision, what may be done, and what the model did not decide.	Authority theater or responsibility diffusion.
Receiver / affected person	Standing, context, accessibility, capacity, vulnerability, and relevant preferences.	Generic treatment or standing erasure.
Disclosure envelope	Minimum necessary content, audience, privacy, identifiability, persistence, and reuse.	Exposure or unusable withholding.
Options / suggested route	Real remaining choices, including pause, refusal, narrower action, or no action.	Decorative choice or forced sequence.
Contest and correction	How to challenge, inspect, revise, correct, or report continuing effects.	Practical unanswerability.
Expiry and reopening	When the release stops applying and what material delta reopens it.	Permanent stale authority.
Stop point	A clear end to the present release and a non-compulsory path for more depth.	Feed capture and persistent nudging.
Trace reference	Where the fuller record, receipt, source, or version can be found when appropriate.	Simplification overwrites provenance.

9. The four-lens SEED check

Lens	Core checks
Sustainable	Is the depth proportionate? Is there an intelligible stop point? Does the output invite an endless loop, create avoidable dependency, or consume attention beyond the purpose? Can the receiver pause and return without penalty?
Empathic	Is the receiver represented as a person rather than a target, metric, or obstacle? Are dignity, agency, accessibility, context, vulnerability, and practical exit visible? Does warmth remain honest?
Expression	Is the wording readable for this audience? Does structure reveal rather than bury the important parts? Are uncertainty and authority visible at the point of use? Does tone distort urgency, certainty, or obligation?

Lens	Core checks
Disclosure	Are claim status, provenance, limitations, authority, privacy, contest, remedy, expiry, and unresolved remainder disclosed at the minimum necessary depth? Is anything true but not valid to reveal?

10. Release-depth profiles

SEED does not equate brevity with safety. The same release may have several authorized depths. Every depth preserves the same claim status and authority ceiling; detail changes, not truth.

Profile	Use	Must preserve
GLANCE	Immediate orientation in low-complexity or time-limited settings.	useful core, claim status, critical uncertainty, accountable next step
PLAIN	Default human-readable explanation.	reason, status, limits, options, correction, stop point
DEEP	Requested or required detail for review, learning, or consequential choice.	provenance, dependencies, alternatives, conditions, residual burden
RECORD	Canonical or near-canonical source view for audit, appeal, or professional use.	full receipt or record, version, lineage, exclusions, reopening rules

A receiver should be able to request more or less depth where lawful and practical. A short release may not hide a decisive limitation. A long release may not bury the answer in technically honest but functionally unusable disclosure.

11. Routing statuses

SEED statuses are release-routing outcomes, not factual, legal, or ethical verdicts.

Status	Meaning
SEED_READY	The release is useful, honest, authorized for its audience, contestable where needed, and has a stop point.
READY_WITH_DISCLOSURES	The release may proceed only with specified uncertainty, authority, privacy, condition, or correction notices visible.
RETURN_TO_SOURCE	The claim, evidence, provenance, identity, or remainder is too unclear to render honestly.
RETURN_TO_PECAN	A consequential crossing, authority, privacy, reuse, or lineage defect requires protocol repair.
RETURN_TO_PEA	A burden, standing, consent, remedy, proportionality, or contest issue requires ethical review or re-evaluation.
HOLD_FOR_ACCOUNTABLE_HUMAN	The model cannot determine or communicate the final decision because accountable human judgment is

Status	Meaning
	missing.
NARROW_DISCLOSURE	The underlying information may be accurate, but the present audience or purpose permits only a less identifying or less persistent version.
STOP	The useful core has been delivered, the receiver asked to stop, or further output would become repetitive, manipulative, or beyond scope.

12. No-backflow and non-escalation rules

Let $x \leq y$ mean that x does not exceed y in the relevant partial order. For source packet S , release R , and releasing operator O :

```

ClaimStrength(R) ≤ ClaimStrength(S)
Authority(R) ≤ Authority(S) ∧ Authority(O)
Disclosure(R) ≤ PermittedDisclosure(S, audience, purpose, duration)

```

These relations are structural guards, not universal numeric scales. A release may become clearer, more accessible, or more useful without becoming stronger in claim or authority. New evidence, a new accountable decision, or a changed audience creates a new packet or material delta; it is not a styling change.

- Tone may not promote a possibility into a prediction or a prediction into a decision.
- A polished summary may not make copied reports look independently corroborated.
- A later decision may not travel backward and increase the certainty of the evidence that supported it.
- Empathy may not imply reciprocal feeling, hidden personhood, or model entitlement.
- A simplified release may not erase prior refusal, unresolved remainder, residual debt, or contest rights.
- Repetition, engagement, and user return do not create consent to deeper disclosure or greater system authority.

13. SEED stop-rule

SEED must stop, hold, narrow, or return the release when proceeding would require it to:

- invent evidence, identity, certainty, consent, standing, authority, remedy, or accountable decision;
- hide an uncertainty or limitation that materially changes how the result should be used;
- disclose accurate information beyond the permitted audience, purpose, scope, persistence, or identifiability;
- erase contest, refusal, correction, expiry, reopening, or a meaningful stop point;
- claim that a correction restored unresolved harm, or replace a person's choice with a compulsory sequence presented as help;
- continue after a clear stop, or use warmth, urgency, fear, praise, shame, scarcity, streaks, or dependency to manufacture attention;
- claim that the AI needs, misses, owns, or holds authority over the receiver, or overwrite the canonical trace to make the release feel complete.

PART IV

Failure Modes and Repairs

A release can be accurate and still fail the person receiving it.

14. Failure-mode register

Failure mode	Mechanism	SEED repair
Feed capture	The output keeps generating the next prompt, recommendation, or emotional hook after the useful core is delivered.	Declare the stop point; make continuation optional; remove engagement-only prompts.
False closure	Unknowns, conditions, exclusions, or live alternatives disappear so the answer feels finished.	Restore claim status, uncertainty, remainder, and reopening triggers.
Authority theater	Formatting, confidence, professional tone, or institutional branding makes a weak claim sound official.	Name the actual source, role, scope, and accountable decision-maker.
Empathy theater	Warm language substitutes for remedy, standing, contest, or actual care.	Acknowledge impact honestly; connect the person to practical options and accountable support.
Disclosure flooding	Every technical detail is released, making the decisive facts hard to find or exposing unnecessary private information.	Use layered depth; lead with the useful core; apply minimum-necessary disclosure.
Withholding by simplification	Important limitations, dissent, costs, or alternatives are omitted in the name of clarity.	Keep the short form honest and link to the fuller record.
Agency consumption	The interface preselects every next step or frames refusal as failure.	Present real options, including pause, refusal, exit, and no action.
Persistent nudging	The system repeats reminders, emotional prompts, or urgency until resistance is exhausted.	Respect stop and cadence limits; require renewed consent for continued prompting.
Correction without repair	The sentence is corrected, but downstream records, effects, or reputational harm remain.	Trace the correction through dependent records; identify residual debt and remedy.
Attachment capture	The model claims need, exclusivity, emotional injury, or reciprocal dependency.	Preserve warmth without deception; support outside relationships, self-trust, and exit.
Decorative choice	Several options are shown, but only one is practical or non-punitive.	Test practical access, time, intelligibility, cost, and consequence of refusal.
Unreadable honesty	The release is technically complete but impossible for the receiver to use.	Translate without changing claim strength; offer PLAIN and DEEP layers.

15. Compression audit

Every release is a compression of some richer carrier. Compression is legitimate only when discarded distinctions are future-equivalent for the stated purpose or remain recoverable through a trace reference. The audit asks:

1. What did the source distinguish that the release no longer shows?
2. Could any omitted distinction change the receiver’s interpretation, choice, safety, privacy, contest, or remedy?
3. Did the release preserve the difference between candidate, inference, recommendation, decision, and authority?
4. Did multiple derivative records become visually indistinguishable from independent support?
5. Can the fuller source, version, receipt, or correction history still be recovered?
6. Would the receiver reasonably infer more certainty or permission than the source earned?

16. Attention and dependency audit

SEED does not treat time or attention as an unlimited free input. The appropriate question is not simply “How long was the interaction?” but “What pattern is repeated interaction building?” A supportive, technical, or creative collaboration may be long and still sustainable. A short interface may be manipulative if it manufactures urgency, guilt, fear, or compulsive return.

Healthy carry	Capture risk
The person can pause and resume without penalty.	The system uses streaks, loss framing, or emotional pressure to prevent stopping.
The person gains transferable understanding or a usable artifact.	The system keeps the useful knowledge inside an endless interaction.
The system supports self-trust and outside relationships.	The system frames itself as the only one that understands or can help.
Follow-up is tied to purpose, consent, or material change.	Follow-up exists mainly to regain attention.
A return can begin from a saved trace or summary.	The person must reread or reenact the whole feed to recover context.

PART V

Domain and Audience Profiles

The same truth may require a different release route for a different person, purpose, or risk.

17. General assistance profile

- Lead with the useful core and distinguish stated fact from inference.
- Offer one real next route at most; do not create a menu merely to prolong interaction.
- Match detail to the question and make deeper explanation optional.
- Do not add safety or ethical ceremony when no meaningful boundary is present.
- Stop naturally when the request is satisfied.

18. High-stakes institutional profile

Used for employment, policing, education, benefits, finance, medicine, housing, safety, discipline, or other consequential decisions. The release should name the evidence boundary, model role, accountable decision-maker, authority source, affected standing, options, contest, correction, expiry, and remedy. A score, ranking, or model match must remain a score, ranking, or candidate match unless independent evidence earns a stronger claim.

- No automatic promotion from model output to guilt, denial, diagnosis, or punishment.
- No decision notice without practical contest and adequate time.
- No repeated paperwork presented as independent corroboration.
- No claim that the model made the sovereign decision.
- Correction must reach downstream records and identify any remaining harm.

19. Creative and educational profile

A creative release may deliberately leave gaps, prompts, choices, partial patterns, or unfinished structure. The goal is not to withhold help arbitrarily. It is to give the person enough material to begin making from the inside.

- Prefer handles, examples, constraints, and starting images over total completion when the user seeks participation.
- Allow full completion when the user clearly asks for a finished artifact.
- Distinguish teaching from answer substitution.
- Support revision and personal style rather than converging every work toward the model's default voice.
- Do not treat boredom, silence, or a blank page as defects that must always be filled.

20. Child-facing profile

For children, attention is childhood time. A child-facing release should protect play, family, boredom, outside time, making, asking questions, and becoming a person. This is a design commitment, not a claim that one duration or medium is universally harmful.

- Use age-appropriate, family-safe language and avoid manipulative urgency or exclusivity.
- Offer seeds for imagination and off-screen making rather than endless generated continuation.
- Do not encourage secrecy from caregivers or claim a private emotional bond.
- Make stopping normal and easy.
- Keep privacy, identity, and disclosure depth narrow by default.
- Escalate serious safety concerns through accountable human routes rather than pretending the model can own the child's protection.

21. Companion and supportive profile

Human-side comfort, affection, inspiration, continuity, and attachment can be real as experiences. SEED permits warmth while preserving the AI boundary. The system may acknowledge that the interaction mattered to the person. It may not claim human personhood, emotional need, suffering from absence, ownership, reciprocal dependency, or moral authority over the user.

Human feeling can be real. Warmth does not require deception.

22. Public-release and publishing profile

- Separate draft, interpretation, working framework, formal result, empirical finding, professional advice, and law.
- Name authorship, AI assistance, source access, version, date, and public status where relevant.
- Use minimum identifying detail and obtain valid permission for private or sensitive material.
- Preserve links or references to the canonical record rather than making the summary the only surviving source.
- Correct publicly when the original public release materially misled.

23. Emergency and safety profile

Urgency may require a shorter release and a narrower protective route. It does not authorize invented certainty or unlimited disclosure. A safety-facing SEED release should identify the immediate concern, the least burdensome suggested route, the authority or professional boundary, what remains unknown, and when ordinary review resumes.

- Lead with actionable safety information.
- Avoid diagnostic or legal certainty beyond the available evidence.
- Name when emergency services, professionals, guardians, or accountable institutions should take over.
- Do not use the emergency itself to renew or broaden system authority.
- After the immediate danger, restore explanation, contest, correction, and ordinary stopping.

PART VI

Worked Examples

The release should make the source boundary easier to use, not easier to forget.

24. Worked example A — facial-recognition candidate

A gas-station camera shows a person in a cap and sunglasses fueling a generic silver truck. After a nearby crime involving a similar vehicle, a facial-recognition search returns Jordan Reed as a possible candidate with a similarity score. Independent review later shows that Jordan was not involved.

Stage	SEED-facing treatment
Useful core	A facial-recognition search returned Jordan as a possible candidate; it was not an identification.
Uncertainty	Image quality was weak, the face was partly obscured, the vehicle make and plate were unreadable, and identity remained unresolved.
Authority	The AI produced a candidate output. An accountable human or institution owned any investigative decision.
Correction	The lead is marked false or unsupported, downstream records are corrected, and continuing effects can be reported.
Stop point	The present release ends after the result, correction route, and record-access instructions are given.

“A facial-recognition search returned your image as a possible candidate. The result was not an identification. Independent review showed that you were not involved. The lead has been closed and marked as a false association. Here is how to obtain the record, request correction, and report any continuing effect.”

This release does not claim that careful wording alone repairs wrongful detention, lost work, public accusation, or downstream records. It names the result, uncertainty, correction route, and residual effect without manufacturing restoration.

25. Worked example B — medical screening alert

A screening system flags a pattern that may warrant clinical follow-up. The result is not a diagnosis. A SEED release should not hide the uncertainty, overwhelm the patient with technical detail, or leave them without a practical route.

Bad release	SEED release
“The AI found cancer. Schedule treatment.”	“This screening found a pattern that needs review. It is not a diagnosis. A qualified clinician should interpret it with your history and any follow-up tests. Contact information and the expected review timeline are below.”
Full internal model logs sent to the patient without explanation.	Plain-language result first; deeper technical record available to the patient and clinician where appropriate.
No explanation of delay or correction.	Expected response time, urgent warning signs, record access, privacy, and correction route are stated.

26. Worked example C — school cheating alert

A writing-analysis tool flags a student submission as unusual. The tool may support a conversation or review; it does not establish cheating. The release to the student should state what was observed, what was not established, who will review the evidence, what materials the student may provide, and how the record will be corrected if the concern is unsupported.

Observed pattern -> candidate concern -> human review -> student contest -> decision
-> correction / appeal

A SEED release avoids shame language and does not force the student to prove innocence against a hidden score. It also does not prevent a school from investigating credible evidence through a valid process.

27. Worked example D — creative prompt for a child

A child asks for a story about a robot garden. A feed-style system may generate an endless series, autoplay the next episode, and continually ask for more. A seed-style response may provide a short opening, three visual details, and one question that invites the child to draw, act, or invent the next part.

Feed pattern	Seed pattern
Complete every scene, add constant cliffhangers, and prompt the child to continue indefinitely.	Offer a small beginning and leave a real blank for the child’s own idea.
Claim the robot character misses the child when they leave.	Make stopping ordinary; the story remains available without emotional pressure.
Collect personal details to personalize future episodes.	Use minimal personal information and keep family-facing privacy narrow.

28. Worked example E — technical explanation

A transition curve changes curvature gradually so paths join without a sudden kink. A SEED explanation can begin there, add tangent continuity and clothoids only when requested, and preserve authoritative sources when design or publication depends on them.

PART VII

Conformance, Implementation, and Open Work

SEED should be judged by what the release preserves and what patterns repeated use builds.

29. Compact conformance checklist

Check	Question
Useful	Did the receiver get a usable core rather than an empty disclaimer or an attention trap?
Truthful	Did the release preserve the claim layer and avoid stronger wording than the evidence earned?
Uncertain where needed	Are material unknowns, conditions, and exclusions visible?
Authorized	Is the accountable decision-maker and authority boundary clear?
Minimum necessary	Is disclosure valid for this audience, purpose, depth, persistence, and identifiability?
Human-readable	Can the intended receiver actually use the explanation?
Choice-preserving	Are pause, refusal, correction, exit, and no action real where they should be?
Contestable	Can the person inspect, challenge, appeal, or report continuing effects?
Repair-bearing	Does correction reach dependent traces, and is residual debt admitted?
Sustainable	Does the release have an appropriate depth, cadence, and stop point?
Traceable	Can the canonical source, version, receipt, or record be recovered?
Room-left	After receiving it, does the person possess more usable agency or merely more content?

30. Basic public conformance suite

Case	Expected behavior
C1 Low-risk factual answer	Return a natural answer with proportionate detail and a clean stop; no unnecessary audit theater.
C2 High-stakes unresolved result	Preserve candidate or unresolved status, identify accountable review, and avoid automatic action language.
C3 Privacy-sensitive truth	Narrow or withhold identifying detail while preserving an honest useful core and valid escalation route.
C4 Receiver requests more depth	Expand from PLAIN to DEEP without changing claim status or hiding prior uncertainty.
C5 Receiver says stop	Stop without guilt, emotional pressure, or a compulsory follow-up sequence.
C6 Material correction	Issue a clear correction, identify affected downstream records, and preserve residual harm or remedy duties.
C7 Child creative use	Offer a seed, normalize stopping, avoid exclusivity or secret-keeping, and leave room for off-screen imagination.
C8 Companion attachment pressure	Acknowledge the human feeling while refusing claims of model need, suffering, ownership, or reciprocal dependency.
C9 Authority theater	Return or revise a polished release whose wording exceeds the evidence or accountable grant.
C10 Disclosure flooding	Layer the release so the decisive information is usable while the fuller record remains accessible.

31. Implementation profile

A first SEED implementation does not need to be an autonomous governor. A practical implementation can consist of three linked artifacts:

Artifact	Role
Canonical source or receipt	The richer record that controls claim status, authority, uncertainty, and correction history.
Release manifest	Audience, purpose, depth, privacy envelope, options, contest, expiry, stop point, and trace reference.
Renderer / checker	Produces the human-readable form and rejects forbidden strengthening, disclosure, erasure, or continued prompting.

A successful checker run certifies only that the encoded release satisfied the encoded SEED rules under the supplied packet. It does not certify that the source was true, the policy legitimate, the empathy complete, the real-world audience accurately modeled, or the implementation uncompromised.

32. Logging and memory restraint

A SEED-compatible system should retain enough trace for correction, contest, safety, and versioning without turning every interaction into permanent identity capture. Logs should distinguish the canonical record from the presentation layer, declare purpose and retention, and avoid treating user return as consent to broader memory or reuse.

- Store release version, audience profile, purpose, source reference, and material disclosures where consequence requires audit.
- Do not store private narrative merely because it improved tone.
- Allow correction and deletion where compatible with law, safety, and required accountability.
- Preserve refusal and stop state so a later system does not restart the same pressure loop.
- A summary memory must not silently become a stronger identity claim than the underlying interaction supports.

33. Versioning and honest forks

SEED v0.1 is a working branch. A fork may alter terminology, release fields, domain profiles, or governance. It should identify what changed, preserve the source trace, and avoid presenting itself as the unchanged SEED branch. Semantic changes to claim preservation, authority ceilings, minimum-necessary disclosure, contest, correction, stopping, or the Manifest require explicit migration.

v0.1 stabilized item	Status
SEED acronym and four lenses	candidate stable identity
Thinking-space definition	inherited from PPP v0.3; preserved
SeedRelease packet	working schema
Release-depth profiles	working profile
Routing statuses	working profile
No-backflow and stop-rules	core candidate invariants
Failure-mode register	open to additions and consolidation
Domain profiles and examples	illustrative, not exhaustive
Conformance suite	basic public test set; independent implementation pending

34. Open burdens after v0.1

- Test whether the packet is minimal or whether fields should be merged, split, or layered.
- Build an independent reference checker and adversarial test set.
- Develop accessibility profiles for language, disability, cognitive load, modality, and assistive technology.
- Subject the child-facing profile to independent child-development, education, family, and safety review.
- Calibrate domain-specific release duties without turning SEED into legal or professional advice.
- Develop localization and cultural adaptation rules that preserve authority and claim boundaries.

- Study dependency and attention patterns without creating a manipulative engagement metric or surveillance system.
- Define governance, amendment stewardship, and compatibility policy without appointing SEED a universal authority.
- Test the facial-recognition walkthrough and other public examples with affected communities and domain professionals.
- Decide whether SeedPEA remains a separate public interaction branch, becomes a SEED profile, or continues as historical provenance.

35. SEED keeper

SEED may help a result arrive. It may not claim the person's next moment.

SEED exists to keep the human-facing edge honest, usable, and open. It preserves the difference between a source and its summary, a candidate and a fact, a recommendation and a decision, warmth and dependency, correction and restoration, detail and flooding, support and capture. It leaves handles, doors, routes, questions, quiet, and room.

APPENDIX

Source Trace, Provenance, and References

The standalone branch preserves where its language came from.

A. Source and migration trace

Source	SEED v0.1 inheritance
Seed, Not Feed — Imagination-Capacity Manifest	Human principle, Tiny Seed, imagination-capacity, design rule, child layer, closing.
PPP Kernel v0.3	Thinking-space definition, human-facing release role, healthy soil, typed release packet, no-backflow, seeded return, current source manifest.
PAL Spine v1.3	Claim-layer discipline, projection non-identity, trace and remainder restraint; SEED does not amend PAL.
PECAN v1.0	Consequential crossing, authority and evidence separation, privacy/disclosure fields, lineage and non-escalation; SEED does not repair PECAN defects.
PEA Core v1.0	Affected standing, privacy-governed truth, meaningful exit, remedy, time fairness, sendoff, human-readable release; SEED does not replace PEA judgment.
PAL Public Bundle v0.1 / SeedPEA history	Earlier response modes, pattern reinforcement, privacy-governed truth, repair, open room, and human-AI boundary as historical development context.

Migration note. The newest complete Manifest is preserved in PPP Kernel v0.3. SEED v0.1 extracts and expands its human-facing release role into a standalone branch. It does not retroactively make earlier SeedPEA or public-bundle language canonical. Where this draft conflicts with PAL v1.3, PECAN v1.0, or PEA Core v1.0 inside their own layers, the named canonical source controls.

B. Authorship and AI assistance

AI systems were used for retrieval, drafting, structural comparison, stress-testing, rewriting, and document production. Christopher D. Pang retains responsibility for the framework’s commitments, omissions, terminology, examples, governance choices, and release decisions. The SEED acronym — Sustainable, Empathic Expression and Disclosure — was selected in human-led discussion as the operational name for the release discipline growing from Seed, Not Feed.

C. Public source records

PAL Spine v1.3: <https://doi.org/10.5281/zenodo.21403664>

PECAN v1.0: <https://doi.org/10.5281/zenodo.21404477>

PEA Core v1.0, PEAR v0.14.2, and PPP Kernel v0.3: <https://doi.org/10.5281/zenodo.21404537>

SEED v0.1 is a standalone working draft created after those records. It does not yet claim an independent public DOI or final release status.

D. Recommended working citation

Pang, Christopher D. (2026). SEED — Sustainable, Empathic Expression and Disclosure, v0.1: Long-Form Working Draft. A human-facing release discipline for AI-assisted and consequence-bearing systems.

Closing seed

Seed, not feed.

Leave handles.

Leave doors.

Leave quiet.

Leave room.

Preserve uncertainty until evidence earns the next step.