AKTIVITAS 3

1. Buat layout master. resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

```
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <title>GlowFit Gym</title>
    <link rel="stylesheet" href="{{ asset('css/style.css') }}">
    <link
href="https://fonts.googleapis.com/css2?family=Poppins&display=swap"
rel="stylesheet">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/
all.min.css">
</head>
<body>
    {{-- Poin 2: Sisipkan Navbar dengan @include --}}
    @include('partials.navbar')

    {{-- Poin 4: Tampilkan flash session message --}}
    @if(session('success'))
        <div style="background: #4CAF50; color: white; text-align:
center; padding: 10px; margin-top: 80px;">
            {{ session('success') }}
        </div>
    @endif

    {{-- Poin 1: Main Content Area --}}
    <main>
        @yield('content')
    </main>

    <footer>
        <div class="footer-col">
            <h3>GlowFit Gym</h3>
            <p>Fitness Membership System</p>
        </div>
        <div class="footer-col">
            <h3>Contact</h3>
```

```
            <p>📧 glowfit@gmail.com</p>
        </div>
    </footer>

    {{-- Poin 8: Gunakan @stack untuk JavaScript spesifik --}}
    @stack('scripts')
</body>
</html>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```
<nav>
    <div class="logo">
        <img src="{{ asset('image/GLOWFIT GYM.png') }}" alt="Logo">
        <span>GlowFit Gym</span>
    </div>
    <div class="menu">
        <a href="{{ url('/') }}">Beranda</a>
        <a href="{{ route('dashboard') }}">Dashboard</a>
        <a href="{{ url('/member') }}">Paket Membership</a>
        <a href="{{ url('/tentang') }}">Tentang</a>
        <a href="{{ url('/kontak') }}">Kontak</a>
    </div>
    <div class="nav-search">
        <input type="text" id="navSearch" placeholder="Cari...">
        <button id="searchToggle"><i class="fa
fa-search"></i></button>
    </div>
</nav>
```

```
    @include('partials.navbar')
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```
@extends('layouts.app')

@section('content')
<section class="hero">
    <div class="overlay">
        <h1>BUILD YOUR DREAM BODY</h1>
```

```
        <p>Latihan lebih sehat bersama GlowFit Gym</p>
    </div>
</section>

<div class="main-layout">
    <section class="content">
        <h2>Rekomendasi Kelas</h2>
        <div class="cards">
            @php
                // Data dummy sesuai instruksi poin 6
                $dataKelas = [
                    ['nama' => 'Gym Area', 'kapasitas' => 50, 'img'
=> 'gymarea.png'],
                    ['nama' => 'Zumba Class', 'kapasitas' => 30,
'img' =>
'https://images.unsplash.com/photo-1571019613454-1cb2f99b2d8b'],
                    ['nama' => 'Yoga Class', 'kapasitas' => 20,
'img' =>
'https://images.unsplash.com/photo-1599058917212-d750089bc07e'],
                ];
            @endphp

            {{-- Poin 6: Gunakan @forelse --}}
            @forelse($dataKelas as $kelas)
                <div class="card">
                    <img src="{{ str_contains($kelas['img'], 'http')
? $kelas['img'] : asset('image/'.$kelas['img']) }}">
                    <h4>{{ $kelas['nama'] }}</h4>
                    <p>Kapasitas: {{ $kelas['kapasitas'] }}</p>
                </div>
            @empty
                <p>Tidak ada kelas tersedia saat ini.</p>
            @endforelse
        </div>

        <section class="table-section">
            <h2>Data Member (Live dari LocalStorage)</h2>
            <div class="table-box">
                <table>
                    <thead>
```

```
                        <tr>

<th>Kode</th><th>Nama</th><th>Layanan</th><th>Tanggal</th><th>Harga<
/th><th>Aksi</th>
                        </tr>
                    </thead>
                    <tbody id="tableBody"></tbody>
                </table>
            </div>
        </section>
    </section>

    <aside class="sidebar">
        <h3>Statistik Quick View</h3>
        {{-- Poin 5: Menggunakan Komponen --}}
        <x-stat-card judul="Total Member" nilai="0" ikon="fa
fa-users" warna="pink" />
        <x-stat-card judul="Status Layanan" nilai="0" ikon="fa
fa-dumbbell" warna="green" />

        <div class="filter-section">
            <h3>Cari Member</h3>
            <input type="text" id="search" placeholder="Ketik
nama...">
            <select id="filter" style="margin-top:10px">
                <option value="">Semua Layanan</option>
                <option>Basic</option>
                <option>Premium</option>
                <option>VIP</option>
            </select>
        </div>
    </aside>
</div>
@endsection

@push('scripts')
<script src="{{ asset('js/script.js') }}"></script>
@endpush
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
    @if(session('success'))
        <div style="background: #4CAF50; color: white; text-align:
center; padding: 10px; margin-top: 80px;">
            {{ session('success') }}
        </div>
    @endif
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```
@props(['judul', 'nilai', 'ikon', 'warna', 'idValue' => ''])

<div class="stat-box {{ $warna }}" style="margin-bottom: 10px;
padding: 15px; border-radius: 10px; color: white; text-align:
center; font-weight: bold;">
    <i class="{{ $ikon }}"></i>
    {{ $judul }}: <span id="{{ $idValue }}">{{ $nilai }}</span>
</div>
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
            @forelse($dataKelas as $kelas)
                <div class="card">
                    <img src="{{ str_contains($kelas['img'], 'http')
? $kelas['img'] : asset('image/'.$kelas['img']) }}">
                    <h4>{{ $kelas['nama'] }}</h4>
                    <p>Kapasitas: {{ $kelas['kapasitas'] }}</p>
                </div>
            @empty
                <p>Tidak ada kelas tersedia saat ini.</p>
            @endforelse
        </div>
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

```
@extends('layouts.app')
@section('content')
<div style="margin-top: 150px; text-align: center; padding: 50px;">
    <h1>Tentang GlowFit Gym</h1>
    <p>GlowFit Gym adalah pusat kebugaran terkemuka dengan fasilitas
modern.</p>
</div>
```

```
@endsection
```

```
@extends('layouts.app')
@section('content')
<div style="margin-top: 150px; text-align: center; padding: 50px;">
    <h1>Kontak Kami</h1>
    <p>Email: glowfit@gym.com | WA: 0812-3456-7890</p>
</div>
@endsection
```

8. Gunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman

```
    @stack('scripts')
</body>
</html>
```

```
@push('scripts')
<script src="{{ asset('js/script.js') }}"></script>
@endpush
```

AKTIVITAS 4

1. Buat Model dan Migration sekaligus: php artisan make model Mahasiswa -m

```
PS C:\laragon\www\GLOWFIT> php artisan make:model Member -m

  INFO  Model [C:\laragon\www\GLOWFIT\app\Models\Member.php] created successfully.
  INFO  Migration [C:\laragon\www\GLOWFIT\database\migrations\2026_05_05_142622_create_members_tabl
e.php] created successfully.
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```php
    public function up(): void
    {
        Schema::create('members', function (Blueprint $table) {
            $table->id();
            $table->string('kode_member', 10)->unique(); // Pengganti NIM
            $table->string('nama');
            $table->string('email')->unique();
            $table->enum('layanan', ['Basic', 'Premium', 'VIP']); // Pengganti Jur
            $table->decimal('biaya_bulanan', 10, 2); // Pengganti IPK
            $table->integer('durasi_kontrak'); // Pengganti Semester
            $table->boolean('status_aktif')->default(true); // Pengganti Aktif
            $table->string('foto')->nullable();
            $table->timestamps();
        });
    }
```

3. Jalankan migration: php artisan migrate terbuat cek di phpMyAdmin bahwa tabel sudah

```
PS C:\laragon\www\GLOWFIT> php artisan migrate


  2026_05_05_142622_create_members_table ..................................... 61.91ms DONE
```

4. Edit Model Mahasiswa: isi $fillable, tambahkan $casts, dan buat local scope scopeAktif()

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Member extends Model
{
    protected $fillable = [
        'kode_member', 'nama', 'email', 'layanan',
        'biaya_bulanan', 'durasi_kontrak', 'status_aktif', 'foto'
    ];

    protected $casts = [
        'status_aktif' => 'boolean',
        'biaya_bulanan' => 'double',
    ];
```

5. Buat seeder. php artisan make:seeder Mahasiswa Seeder - isi dengan 5-10 data dummy

```php
<?php


namespace Database\Seeders;


use Illuminate\Database\Console\Seeds\WithoutModelEvents;
```

```php
use Illuminate\Database\Seeder;

class MemberSeeder extends Seeder
{
    /**
     * Run the database seeds.
     */
    public function run(): void
    {
        $data = [
            ['kode_member' => 'AF001', 'nama' => 'Budi Santoso',
'email' => 'budi@gym.com', 'layanan' => 'Basic', 'biaya_bulanan' =>
100000, 'durasi_kontrak' => 3],
            ['kode_member' => 'TY092', 'nama' => 'Siti Aminah',
'email' => 'siti@gym.com', 'layanan' => 'Premium', 'biaya_bulanan'
=> 200000, 'durasi_kontrak' => 6],
            ['kode_member' => 'QD063', 'nama' => 'Andi Wijaya',
'email' => 'andi@gym.com', 'layanan' => 'VIP', 'biaya_bulanan' =>
350000, 'durasi_kontrak' => 12],
            ['kode_member' => 'CF018', 'nama' => 'Gideon Clarence',
'email' => 'clay@gym.com', 'layanan' => 'VIP', 'biaya_bulanan' =>
350000, 'durasi_kontrak' => 3],
            ['kode_member' => 'GH054', 'nama' => 'Callista', 'email'
=> 'callista@gym.com', 'layanan' => 'Basic', 'biaya_bulanan' =>
100000, 'durasi_kontrak' => 12],
        ];

        foreach ($data as $item) {
            \App\Models\Member::create($item);
        }
    }
}
```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```php
    public function run(): void
{
    $this->call([
        MemberSeeder::class,
    ]);
}
```

7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa where ('jurusan', 'Sl')->get(), Mahasiswa: avg('ipk')

```
PS C:\laragon\www\GLOWFIT> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 — cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Member::all();

= Illuminate\Database\Eloquent\Collection {#8087
    all: [
      App\Models\Member {#8082
        id: 1,
        kode_member: "AF001",
        nama: "Budi Santoso",
        email: "budi@gym.com",
        layanan: "Basic",
        biaya_bulanan: "100000.00",
        durasi_kontrak: 3,
        status_aktif: 1,
        foto: null,
        created_at: "2026-05-05 14:57:45",
        updated_at: "2026-05-05 14:57:45",
      },
```

```
App\Models\Member {#8081
  id: 2,
  kode_member: "TY092",
  nama: "Siti Aminah",
  email: "siti@gym.com",
  layanan: "Premium",
  biaya_bulanan: "200000.00",
  durasi_kontrak: 6,
  status_aktif: 1,
  foto: null,
  created_at: "2026-05-05 14:57:45",
  updated_at: "2026-05-05 14:57:45",
},
App\Models\Member {#8084
  id: 3,
  kode_member: "QD063",
  nama: "Andi Wijaya",
  email: "andi@gym.com",
  layanan: "VIP",
  biaya_bulanan: "350000.00",
  durasi_kontrak: 12,
  status_aktif: 1,
  foto: null,
  created_at: "2026-05-05 14:57:45",
  updated_at: "2026-05-05 14:57:45",
},
```

```
App\Models\Member {#8085
  id: 4,
  kode_member: "CF018",
  nama: "Gideon Clarence",
  email: "clay@gym.com",
  layanan: "VIP",
  biaya_bulanan: "350000.00",
  durasi_kontrak: 3,
  status_aktif: 1,
  foto: null,
  created_at: "2026-05-05 14:57:45",
  updated_at: "2026-05-05 14:57:45",
},
App\Models\Member {#8086
  id: 5,
  kode_member: "GH054",
  nama: "Callista",
  email: "callista@gym.com",
  layanan: "Basic",
  biaya_bulanan: "100000.00",
  durasi_kontrak: 12,
  status_aktif: 1,
  foto: null,
  created_at: "2026-05-05 14:57:45",
  updated_at: "2026-05-05 14:57:45",
},
```

```
> App\Models\Member::where('layanan', 'VIP')->get();

= Illuminate\Database\Eloquent\Collection {#7386
    all: [
      App\Models\Member {#8117
        id: 3,
        kode_member: "QD063",
        nama: "Andi Wijaya",
        email: "andi@gym.com",
        layanan: "VIP",
        biaya_bulanan: "350000.00",
        durasi_kontrak: 12,
        status_aktif: 1,
        foto: null,
        created_at: "2026-05-05 14:57:45",
        updated_at: "2026-05-05 14:57:45",
      },
```

```
      App\Models\Member {#7389
        id: 4,
        kode_member: "CF018",
        nama: "Gideon Clarence",
        email: "clay@gym.com",
        layanan: "VIP",
        biaya_bulanan: "350000.00",
        durasi_kontrak: 3,
        status_aktif: 1,
        foto: null,
        created_at: "2026-05-05 14:57:45",
        updated_at: "2026-05-05 14:57:45",
      },
    ],
  }
  }
```

```
> App\Models\Member::avg('biaya_bulanan');

= "220000.000000"
```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongs ToMany di Model

```
PS C:\laragon\www\GLOWFIT> php artisan make:model KelasGym -m

  INFO  Model [C:\laragon\www\GLOWFIT\app\Models\KelasGym.php] created successfully.

  INFO  Migration [C:\laragon\www\GLOWFIT\database\migrations\2026_05_05_150726_create_kelas_gyms_t
able.php] created successfully.
```

```
PS C:\laragon\www\GLOWFIT> php artisan make:migration create_member_kelas_table

  INFO  Migration [C:\laragon\www\GLOWFIT\database\migrations\2026_05_05_150751_create_member_kelas
_table.php] created successfully.

PS C:\laragon\www\GLOWFIT>
```

database > migrations > 2026_05_05_150751_create_member_kelas_table.php > class > up

```php

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('member_kelas', function (Blueprint $table) {
            $table->id();
            // member_id merujuk ke id di tabel members
            $table->foreignId('member_id')->constrained()->onDelete('cascade');
            // kelas_gym_id merujuk ke id di tabel kelas_gyms
            $table->foreignId('kelas_gym_id')->constrained()->onDelete('cascade');
            $table->timestamps();
        });
    }

```

app > Models > Member.php > PHP Intelephense > Member > kelas

```php
class Member extends Model
    ];

    // Local Scope untuk mencari member yang masih aktif
    public function scopeAktif($query)
    {
        return $query->where('status_aktif', true);
    }

    public function kelas()
    {
        // Member memiliki banyak Kelas melalui tabel pivot member_kelas
        return $this->belongsToMany(KelasGym::class, 'member_kelas');
    }
}

```

app > Models > KelasGym.php > PHP Intelephense > KelasGym > members

```php
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class KelasGym extends Model
{
    public function members()
    {
        // Kelas memiliki banyak Member melalui tabel pivot member_kelas
        return $this->belongsToMany(Member::class, 'member_kelas');
    }
}

```