

A framework's reset, with *

Cards

The reset leaves no space between the paragraphs of a card; `.stack > * + *` puts 2 mm back between the cards and between the parts of each, and none above the first. The first card's text is blue, from `.card > *`, and its heading black, the heavier `.card > h3` winning. The muted card's text is grey, `.muted *` being as heavy as `.card > *` and written after it, and the paragraph marked `hidden` is not drawn. The featured card's text is bold, from `#featured *`. The cards' borders are light grey, from `* { border-color }`.

First card
A paragraph with no margin of its own.
A second paragraph, 2 mm below it.

Muted card
Grey text, from `.muted *`.

- A list item, grey
- Another

Featured card
Bold text, from `#featured *`.

Table

The cells keep the padding of `.table td`, `.table th` over the reset, and the light grey rule under each row takes its colour from `* { border-color }`, which reaches the rows too without taking the cells' rules away. The first cell of each row, a `th` or a `td`, is grey, from `.table tr > *:first-child`.

Item	Amount
First	10.00
Second	20.00

mPDF's own tags

No rule names the barcode, the dot tab or the text circle, so the reset and `.label * + *` leave them as they are drawn without a stylesheet. The label's lines are 1 mm apart, the barcode's line included.

Ship to: A. Person
ISBN 978-0-9542246-0-8

9 780954 224608 >
Reference 4711
Top of the circle
Bottom

Table of contents

The reset reaches the lines of the table of contents, which are divs of the document, as any author rule does, so the levels are not indented. The dot leaders and page numbers are drawn.

Cards 1

First card 1

Muted card 1

Featured card 1

Table 1

mPDF's own tags 1

Index

The reset reaches the index's lines too: its letters have no space above them.

B

Barcode 1

C

Cards 1

- muted 1

T

Table 1